



NOTES

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS]
2. DIMENSIONS APPEARING IN TABLE ARE AS FOLLOWS:  
a - AS SUPPLIED  
b - AFTER UNRESTRICTED RECOVERY
3. COATING IS OPTIONAL. AS SUPPLIED DIMENSIONS APPEARING IN TABLE ARE FOR UNCOATED PARTS WHEN COATING IS ADDED, ENTRY DIAMETERS WILL BE REDUCED BY 0.06 MAX.
4. RECOMMENDED MAXIMUM PANEL THICKNESS IS 8mm



ORDERING INFORMATION

207W2XX -X -XX /XX -0

BASE PART NUMBER

MATERIAL DASH NUMBER

-3 POLYOLEFIN, SEMI RIGID (RT-301)  
 -4 POLYOLEFIN, FLEXIBLE (RT-1304)  
 -25 ELASTOMER, FLUID RESISTANT (RT-1325)  
 -100 POLYOLEFIN, SEMI FLEXIBLE, ZEROHAL (RT-1323)

MODIFICATION NUMBER

ADHESIVE SLASH NUMBER

SEE COMPATIBILITY CHART BELOW

COLOR DESIGNATOR




TABLE OF DIMENSIONS

PART NUMBER	H		J		JO		K		M		P		R		S		T		JW		Hole DIA	Torque Nm		
	Ref	Min	Max	Ref	Max	Ref	Max	Ref	Max	Ref	Max	Ref	Max	Ref	Max	Ref	Max	Ref	Max	±20%			±0.02	
207W213	.47	[12.0]	.39	[10.0]	.15	[4.0]	.60	[15.3]	.90	[23.0]	.78	[20.0]	2.44	[62.0]	1.93	[49.0]	.51	[13.0]	1.25	[32.0]	.04	[1.0]	.94	[24.0]
207W223	.78	[20.0]	.71	[18.0]	.27	[7.0]	1.18	[30.0]	2.83	[72.0]	2.32	[59.0]	2.63	[67.0]	2.32	[59.0]	.63	[16.0]	1.65	[42.0]	.07	[1.8]	1.33	[34.0]
207W234	1.22	[31.0]	1.10	[28.0]	.47	[12.0]	1.06	[27.0]	1.65	[42.0]	3.42	[87.0]	2.91	[74.0]	2.28	[58.0]	.71	[18.0]	2.28	[58.0]	.10	[2.5]	1.85	[47.0]
207W245	1.77	[45.0]	1.65	[42.0]	.71	[18.0]	1.26	[32.2]	2.34	[59.5]	4.01	[102.0]	3.50	[89.0]	2.79	[71.0]	.71	[18.0]	2.79	[71.0]	.12	[3.0]	2.38	[60.5]
207W258	2.67	[68.0]	2.52	[64.0]	1.18	[30.0]	1.53	[39.0]	3.30	[84.0]	4.80	[122.0]	4.29	[109.0]	3.82	[97.0]	.71	[18.0]	3.82	[97.0]	.12	[3.0]	3.34	[85.0]
207W264	1.57	[40.0]	1.49	[38.0]	.59	[15.0]	1.11	[28.3]	2.12	[54.0]	3.74	[95.0]	3.22	[82.0]	2.62	[66.5]	.71	[18.0]	2.62	[66.5]	.10	[2.5]	2.16	[55.0]

COMPATIBILITY CHART

MATERIAL DASH NO.	ADHESIVE (COATING) SLASH NUMBER	ADHESIVE (COATING) S NUMBER
-3	/42;/86;	S-1017; S-1048
-4	/42;/86;	S-1017; S-1048
-25	/86;/225	S-1048; S-1206
-100	/86;/180	S-1048; S-1030

RAYCHEM MOLDED PARTS CUSTOMER DRAWING

TE Connectivity

DATE: 5/28/12  
 DRAWN: MMZARIEGOS  
 APPROVED: D. HURRELL  
 DATE: 5/30/12

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE METRIC AND INCHES ARE IN BRACKETS. DECIMAL TOLERANCES: XXX ± 0.13 (.005) XX ± 0.25 (.01) X ± 0.50 (.10) ANGLE TOLERANCE: X ± 1 DEG. TYCO ELECTRONICS RESERVES THE RIGHT TO AMEND THIS DRAWING AT ANY TIME. USERS SHOULD EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION.

© 2014 Tyco Electronics Corporation. All rights reserved.

SCALE: NTS  
 DO NOT SCALE THIS DRAWING  
 SHEET 1 OF 1

REVISIONS

LTR	DESCRIPTION	DATE	APPROVED
S1	REVISED PER ECO-14-014091	09/03/2014	S. TRAN

A

B

C

D

A

B

C

D

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Cable Boots](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[618235-000](#) [622A014-3-0](#) [CX4132-000](#) [879103-4](#) [879515-000](#) [889092](#) [982033-2](#) [R280576000](#) [1300830729](#) [MTPSRBCL-C](#) [1811481-1](#)  
[200W531-3-0](#) [202A121-386-0](#) [202A142-4-00/42-0](#) [202A163-4-0-CS5067](#) [202B221-13-0](#) [202B231-13-0](#) [202B563-25-07-0](#)  
[202C621710CS5361](#) [202D132-4-07/42-0](#) [202D221-4-0-CS5349](#) [202D221-4-26-0](#) [202D263-25-08-0](#) [202D263-4-22/42-0](#) [202D263-4-88-0](#)  
[202D921-2542-0](#) [202E336-71-0](#) [202F211-50-22-0-CS8474](#) [202F242-50-05-0](#) [202F242-51-04/164-0](#) [202K121-25-CS-1858-0](#) [202K121-25-](#)  
[CS-2062-0](#) [202K132-25-01/225-0CS8387](#) [202K153-3-0186-0](#) [202S132-25-UP-0](#) [203W301-3/42-0](#) [207W613-100/184-0-CS5657](#) [207W623-](#)  
[100-01/184-0](#) [207W634-100/184-0-CS5657](#) [207W656-100-01/184-0](#) [207W667-100-01/184-0](#) [207W667-100/184-0](#) [208A011-3-0](#) [208A021-3-](#)  
[0](#) [221A011-51164-0-CS7133](#) [222A121-2586](#) [222A152-342-0](#) [222A213-25-0-CS5613](#) [222D221-25-13/86-0](#) [222D232-4-61-0-CS5078](#)