
Tyco Electronics

Specification Control Drawing


Raychem

202K232

a) Part as supplied.



b) Part after unrestricted recovery.



DIMENSIONS	iii iiii cciiiie cres
DIULIATION	{in inches.for r

	н		J	Р	К	ב	l	U	JU	ĦW	JW	Х	Y
Part No. Min	Max	Min	Max	±10%	±10%	±10%	±10%	±10%	±10%	±20%	±20%	±20%	±20%
Part No. Min	Ь	а	b	b	b	b	b	b	b	b	b	b	b
202K232 25 (0.98)	13.8	8.0 {0.31}	3.3 {0.13}	55 {2.17}	28 {1.10}	3.0 {0.12}	1.0 {0.04}	15 {0.59}	16 {0.63}	1.8 {0.07}	0.5 {0.02}	24 {0.94}	23 {0.90}

Copyright (!)
The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the condition that it is not copied, disclosed to a third party, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.

Drawn J.RIBBONS Checked Design MKTG.

Issue 5

Q.A.


Date March 2010

Conforms to ISO Recommendations 3rd Angle Projection Not to Scale

Page 1 of 2 202K232

Tyco Electronics Raychem Specification Control Draw			Part Number	202K232	Issue 5	
Iss.	Date	E.C.R. No.	Det	ails of Change		
2 3 4 5	May 1990 June 2001 October 2006 March 2010	5629 CR01-HM-0011 CR06-DM-104 ECR-10-004980	-12 add	was 7.0 led to available materials il description name changed as 18.		

Ordering Information



COMPATIBILITY CHART

Material Dash Number	Material Description	SPEC Number	Coating Slash Number
-3	POLYOLEFIN, SEMI-RIGID	RT-301, RK-6703	/42,/86,/180
-4	POLYOLEFIN, FLEXIBLE	RT-1304 RT-1050	/42 ,/86, /180
-6	SILICON	RT-602, RK-6706	N/A
-12	FLUOROELASTOMER, FLEXIBLE	RT-1312, RW-2071	/225
-25	ELASTOMER, FLUID RESISTANT	RT-1325, RK-6713	/42, /86, /225
-130	POLYOLEFIN, COMMERCIAL FLEXIBLE	RW-2008	/42

NOTES

- (1) As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.
- (2) Potting Ports are optional, when specified by suffix "-00" they will be located as shown.

Tyco Electronics UK Ltd.	Tyco Electronics Corporation
Faraday Road,	300, Constitution Drive,
Swindon, Wiltshire, SN3 5HH	Menlo Park, CA 94025
England	USA
Telephone: (01793) 528171 Fax: 572516	Telephone (650) 361-3860 Fax: (650) 361-5579
Cage Code K1010	Cage Code 06090




Specification Control Drawing


Raychem

a) Part as supplied.

202K232



b) Part after unrestricted recovery.



DIMENSIONS in millimetres (in inches, for reference)

	1	Н	,	J	Р	R	S	Т	U	JO	HW	JW	Χ	Υ
Part No.	Min	Max	Min	Max	±10%	±10%	±10%	±10%	±10%	±10%	±20%	±20%	±20%	±20%
	а	b	а	b	b	b	b	b	b	b	b	b	b	b
202K232	25 {0.98}	13.8 {0.54}	8.0 {0.31}	3.3 {0.13}	55 {2.17}	28 {1.10}	3.0 {0.12}	1.0	15 {0.59}	16 {0.63}	1.8 {0.07}	0.5 {0.02}	24 {0.94}	

Copyright(!)


The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the condition that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.

Drawn J.RIBBONS Checked Issue 5 Date March 2010 Conforms to ISO Recommendations 3rd Angle Projection Not to Scale Design MKTG. Q.A.

Page 1 of 2

₹ Tyco	e Electronica nem	s Specificat Control Dr		Part Number 202K232 Issue 5
Iss.	Date	E.C.R. No.	Det	iils of Change
3 \ 4 \ 0c	May 1990 June 2001 tober 2006 arch 2010	5629 CR01-HM-0011 CR06-DM-104 ECR-10-004980		ed to available materials l description name changed

Ordering Information



(COMPATIBILITY CHART)

Material Dash Number	Material Description	SPEC Number	Coating Slash Number
-3	POLYOLEFIN, SEMI-RIGID	RT-301, RK-6703	/42,/86,/180
-4	POLYOLEFIN, FLEXIBLE	RT-1304 RT-1050	/42 ,/86, /180
-6	SILICON	RT-602, RK-6706	N/A
-12	FLUOROELASTOMER, FLEXIBLE	RT-1312, RW-2071	/225
-25	ELASTOMER, FLUID RESISTANT	RT-1325, RK-6713	/42, /86, /225
-130	POLYOLEFIN, COMMERCIAL FLEXIBLE	RW-2008	/42

NOTES

- 1) As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.
- Potting Ports are optional, when specified by suffix "-00" they will be located as shown.

England	Tyco Electronics Corporation 300, Constitution Drive, Menlo Park, CA 94025 USA Telephone (650) 361-3860 Fax: (650) 361-5579
Cage Code K1010	Cage Code 06090

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Cable Boots category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

618235-000 622A014-3-0 CX4132-000 879103-4 879515-000 889092 982033-2 R280576000 1300830729 MTPSRBCL-C 1811481-1 200W531-3-0 202A121-386-0 202A142-4-00/42-0 202A163-4-0-CS5067 202B221-13-0 202B231-13-0 202B563-25-07-0 202C621710CS5361 202D132-4-07/42-0 202D221-4-0-CS5349 202D221-4-26-0 202D263-25-08-0 202D263-4-22/42-0 202D263-4-88-0 202D921-2542-0 202E336-71-0 202F211-50-22-0-CS8474 202F242-50-05-0 202F242-51-04/164-0 202K121-25-CS-1858-0 202K121-25-CS-2062-0 202K132-25-01/225-0CS8387 202K153-3-0186-0 202S132-25-UP-0 203W301-3/42-0 207W613-100/184-0-CS5657 207W623-100-01/184-0 207W634-100/184-0-CS5657 207W656-100-01/184-0 207W667-100-01/184-0 207W667-100/184-0 208A011-3-0 208A021-3-0 221A011-51164-0-CS7133 222A121-2586 222A152-342-0 222A213-25-0-CS5613 222D221-25-13/86-0 222D232-4-61-0-CS5078