



FIG. 1




FIG. 2





FIG. 3  
(8 POS ONLY)



.210/.180  
(STD .125 PC LEAD)  
.265/.235  
(LONG .180 PC LEAD)



P.C.B. HOLE LAYOUT  
TOLERANCE  $\pm .003$



1 MATERIALS:  
INSULATOR: POLYESTER, UL RATED 94V-0  
CONTACT:  
800 & 1800 SERIES CONTACT: 4 BEAM, COPPER ALLOY, MACHINED (PREMIUM VERSION) OR FORMED (ECONOMY VERSION, WITH SUFFIX -ES OR -ESL).  
800 SERIES HIGH RETENTION CONTACT: 4 BEAM, COPPER ALLOY, MACHINED.  
1000 SERIES CONTACT: 6 BEAM, COPPER ALLOY, MACHINED (LOW INSERTION FORCE SERIES)  
SLEEVE- ALL SERIES: COPPER ALLOY, FORMED

2 ELECTRICAL:  
CONTACT RESISTANCE: 10 MILLIOHMS MAX  
CONTACT RATING: 3 AMPS  
CAPACITANCE: 1.0 pF PER MIL-STD-202, METHOD 305  
INSULATION RESISTANCE: 5000 OHMS MIN @ 500 VDC PER MIL-STD-1344, METHOD 3003.1  
DIELECTRIC WITHSTANDING VOLTAGE: 1000 VOLTS (RMS) PER MIL-STD-1344, METHOD 3001.1

3 MECHANICAL:  
AFTER INSERTION FORCE: 37 GRAMS AVG (6 BEAM CONTACT) 134 GRAMS AVG (4 BEAM PREMIUM) 179 GRAMS AVG (4 BEAM ECONOMY) AND 334 GRAMS AVG (HIGH RETENTION)  
AFTER WITHDRAWAL FORCE: 15 GRAMS AVG (6 BEAM CONTACT) 63 GRAMS AVG (4 BEAM PREMIUM OR ECONOMY) AND 245 GRAMS AVG (HIGH RETENTION)

4 ENVIRONMENTAL:  
OPERATING TEMPERATURE: -55°C TO -105°C

5 PLATING: 25μ" MIN GOLD OVER 50μ" MIN NICKEL CONTACT WITH 5μ" MIN GOLD OVER 50μ" MIN NICKEL SLEEVE.

6 PLATING: 25μ" MIN GOLD OVER 50μ" MIN NICKEL CONTACT WITH 80μ" MIN TIN-LEAD OVER 50μ" MIN COPPER SLEEVE.

7 PLATING: 80μ" MIN TIN-LEAD OVER 75μ" MIN COPPER CONTACT WITH 180μ" MIN TIN-LEAD OVER 75μ" MIN NICKEL SLEEVE.

8 PLATING: 5μ" MIN GOLD FLASH OVER 50μ" MIN NICKEL CONTACT WITH 5μ" MIN GOLD FLASH OVER 50μ" MIN NICKEL SLEEVE.

9 PLATING: 5μ" MIN GOLD FLASH OVER 50μ" MIN NICKEL CONTACT WITH 80μ" MIN TIN-LEAD OVER 50μ" MIN COPPER SLEEVE.

10 PLATING: 7.5μ" MIN GOLD OVER 50μ" MIN NICKEL CONTACT WITH 80μ" MIN TIN-LEAD OVER 50μ" MIN COPPER SLEEVE.

11 PRELIMINARY PART - NOT RELEASED FOR PRODUCTION.

12 806-AGXXD-XXX SERIES IS SUPERSEDED BY 506-AGXXD-XXX SERIES (REFER TO CUSTOMER DRAWING 1437532-2)

13 PLATING: 25μ" MIN GOLD OVER 50μ" MIN NICKEL CONTACT WITH 80μ" MIN MATTE TIN OVER 50μ" MIN COPPER SLEEVE.

14 PLATING: 80μ" MIN MATTE TIN OVER 75μ" MIN COPPER CONTACT WITH 180μ" MIN MATTE TIN OVER 75μ" MIN NICKEL SLEEVE.

15 PLATING: 5μ" MIN GOLD FLASH OVER 50μ" MIN NICKEL CONTACT WITH 80μ" MIN MATTE TIN OVER 50μ" MIN COPPER SLEEVE.

16 PLATING: 7.5μ" MIN GOLD OVER 50μ" MIN NICKEL CONTACT WITH 80μ" MIN MATTE TIN OVER 50μ" MIN COPPER SLEEVE.

17 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

|  |            |                       |   |
|--|------------|-----------------------|---|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |            | DIN R BROWN 06MAY04   | Tyco Electronics<br>Tyco Electronics Corporation<br>Harrisburg, Pa 17105-3608 |
| DIMENSIONS: INCHES                     |            | CHK K WRIGHT 06MAY04  |   |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: |            | APVD K WRIGHT 06MAY04 | NAME  |
| 0 PLC ± -                              | 1 PLC ± -  | 2 PLC ± -             | 3 PLC ± .005  |
| 4 PLC ± -                              | ANGLES ± - | APPLICATION SPEC      |   |
| MATERIAL                               |            | FINISH                |   |
| WEIGHT                                 |            | SIZE                  | CAGE CODE   |
| CUSTOMER DRAWING                       |            | DRAWING NO            |   |
| SCALE 1:1                              |            | RESTRICTED TO         |   |
| SHEET 1 OF 4                           |            | REV A4                |   |

### 800 SERIES MACHINED PREMIUM CONTACT LEAD FREE PART NUMBER TABLE

| COMMENTS                      | PLATING | C         | B     | A     | FIG | AUGAT PART NO. | TE PART NO. |
|-------------------------------|---------|-----------|-------|-------|-----|----------------|-------------|
| HIGH RETENTION                | 13      | .895/.905 | 1.000 | 3.200 | 2   | 864-AG34D-LF   | 5-6437538-4 |
| HIGH RETENTION                | 13      | .595/.605 | .700  | 2.400 | 2   | 848-AG34D-LF   | 9-1437538-5 |
| OBSOLETE W/RAILS              | 13      |           |       |       |     | 840-AR11D-LF   | 8-1437538-6 |
| .180 PC LEAD                  | 14      | .595/.605 | .700  | 2.000 | 2   | 840-AG43D-LF   | 8-1437538-4 |
| HIGH RETENTION                | 13      |           |       |       |     | 840-AG34D-LF   | 8-1437538-3 |
| HIGH RETENTION                | 14      | .595/.605 | .700  | 1.600 | 2   | 832-AG38D-LF   | 9-6437533-4 |
| HIGH RETENTION                | 13      |           |       |       |     | 832-AG34D-LF   | 2-6437538-5 |
| OBSOLETE W/RAILS              | 14      |           |       |       |     | 828-AR12D-LF   | 6-6437538-9 |
| OBSOLETE W/RAILS              | 13      | .595/.605 | .700  | 1.400 | 1   | 828-AR11D-LF   | 1-6437538-6 |
| .180 PC LEAD                  | 14      |           |       |       |     | 828-AG43D-LF   | 6437538-4   |
| OBSOLETE HIGH RETENTION       | 13      |           |       |       |     | 828-AG34D-LF   | 1-6437538-3 |
| OBSOLETE W/RAILS              | 13      | .295/.305 | .400  | 1.200 | 1   | 824-AR31D-LF   | 5-6437538-1 |
| OBSOLETE W/RAILS              | 13      | .595/.605 | .700  | 1.200 | 1   | 824-AR11D-LF   | 9-6437537-9 |
| .180 PC LEAD                  | 13      | .295/.305 | .400  | 1.200 | 1   | 824-AG47D-LF   | 9-6437537-7 |
| OBSOLETE .180 PC LEAD         | 14      | .395/.405 | .500  | 1.200 | 1   | 824-AG446D-LF  | 9-6437537-6 |
| HIGH RETENTION                | 13      | .595/.605 | .700  | 1.200 | 1   | 824-AG34D-LF   | 9-6437537-5 |
| HIGH RETENTION                | 14      |           |       |       |     | 824-AG338D-LF  | 9-6437537-4 |
| HIGH RETENTION                | 13      | .295/.305 | .400  | 1.200 | 1   | 824-AG334D-LF  | 9-6437537-3 |
| .180 PC LEAD                  | 14      | .295/.305 | .400  | 1.000 | 1   | 820-AG43D-LF   | 7-6437537-3 |
| HIGH RETENTION                | 13      |           |       |       |     | 820-AG34D-LF   | 7-6437537-2 |
| OBSOLETE .180 PC LEAD W/RAILS | 13      | .295/.305 | .400  | .900  | 1   | 818-AR44D-LF   | 4-6437539-9 |
| OBSOLETE W/RAILS              | 13      |           |       |       |     | 818-AR11D-LF   | 6-6437537-2 |
| OBSOLETE W/RAILS              | 13      |           |       |       |     | 816-AR11D-LF   | 5-6437537-4 |
| HIGH RETENTION                | 13      | .295/.305 | .400  | .800  | 1   | 816-AG34D-LF   | 5-6437537-1 |
| OBSOLETE W/RAILS              | 13      |           |       |       |     | 814-AR11D-LF   | 3-6437537-5 |
| .180 PC LEAD                  | 14      | .295/.305 | .400  | .700  | 1   | 814-AG43D-LF   | 3-6437537-2 |
| HIGH RETENTION                | 13      |           |       |       |     | 814-AG34D-LF   | 3-6437537-1 |
| OBSOLETE W/RAILS              | 13      | .295/.305 | .400  | .400  | 3   | 808-AR11D-LF   | 1-6437537-9 |
| .180 PC LEAD                  | 14      |           |       |       |     | 808-AG43D-LF   | 6437537-5   |
| HIGH RETENTION                | 13      |           |       |       |     | 808-AG34D-LF   | 6437537-4   |

### 800 SERIES MACHINED PREMIUM CONTACT PART NUMBER TABLE

| COMMENTS                              | PLATING | C         | B    | A     | FIG | AUGAT PART NO. | TE PART NO. |
|---------------------------------------|---------|-----------|------|-------|-----|----------------|-------------|
| OBSOLETE W/RAILS                      | 6       | .295/.305 | .400 | 1.200 | 1   | 824-AR31D      | 0-1437538-1 |
| OBSOLETE W/RAILS                      | 6       | .595/.605 | .700 | 1.200 | 1   | 824-AR11D      | 9-1437537-9 |
| -                                     | 6       | .395/.405 | .500 | 1.200 | 1   | 824-AG66D      | 9-1437537-8 |
| .180 PC LEAD                          | 6       | .295/.305 | .400 | 1.200 | 1   | 824-AG47D      | 9-1437537-7 |
| .180 PC LEAD                          | 5       | .595/.605 | .700 | 1.200 | 1   | 824-AG45D      | 6-1437538-6 |
| .180 PC LEAD                          | 7       | .395/.405 | .500 | 1.200 | 1   | 824-AG446D     | 9-1437537-6 |
| HIGH RETENTION                        | 6       | .595/.605 | .700 | 1.200 | 1   | 824-AG34D      | 9-1437537-5 |
| HIGH RETENTION                        | 5       |           |      |       |     | 824-AG33D      | 8-1437539-2 |
| HIGH RETENTION                        | 7       |           |      |       |     | 824-AG338D     | 9-1437537-4 |
| HIGH RETENTION                        | 6       |           |      |       |     | 824-AG334D     | 9-1437537-3 |
| -                                     | 7       | .295/.305 | .400 | 1.200 | 1   | 824-AG32D      | 9-1437537-2 |
| -                                     | 6       |           |      |       |     | 824-AG31D      | 8-1437537-9 |
| -                                     | 6       |           |      |       |     | 824-AG30D      | 8-1437537-7 |
| -                                     | 5       | .395/.405 | .500 | 1.200 | 1   | 824-AG14D      | 8-1437537-6 |
| -                                     | 7       |           |      |       |     | 824-AG12D      | 8-1437537-5 |
| -                                     | 6       | .595/.605 | .700 | 1.200 | 1   | 824-AG11D      | 8-1437537-2 |
| -                                     | 5       |           |      |       |     | 824-AG10D      | 8-1437537-1 |
| -                                     | 6       | .395/.405 | .500 | 1.100 | 1   | 822-AG11D      | 7-1437537-8 |
| -                                     | 5       |           |      |       |     | 822-AG10D      | 7-1437537-7 |
| OBSOLETE W/RAILS                      | 6       |           |      |       |     | 820-AR11D      | 7-1437537-6 |
| .180 PC LEAD                          | 5       |           |      |       |     | 820-AG45D      | 7-1437537-5 |
| .180 PC LEAD                          | 6       |           |      |       |     | 820-AG44D      | 7-1437537-4 |
| .180 PC LEAD                          | 7       | .295/.305 | .400 | 1.000 | 1   | 820-AG43D      | 7-1437537-3 |
| HIGH RETENTION                        | 6       |           |      |       |     | 820-AG34D      | 7-1437537-2 |
| -                                     | 7       |           |      |       |     | 820-AG12D      | 6-1437537-9 |
| -                                     | 6       |           |      |       |     | 820-AG11D      | 6-1437537-6 |
| -                                     | 5       |           |      |       |     | 820-AG10D      | 6-1437537-4 |
| .180 PC LEAD W/RAILS                  | 6       | .295/.305 | .400 | .900  | 1   | 818-AR44D      | 4-1437539-9 |
| W/RAILS                               | 6       |           |      |       |     | 818-AR11D      | 6-1437537-2 |
| .180 PC LEAD                          | 6       |           |      |       |     | 818-AG44D      | 6-1437537-1 |
| HIGH RETENTION S/B 5-1437537-7        | 6       |           |      |       |     | 818-AG34D      | 5-1437538-8 |
| -                                     | 7       |           |      |       |     | 818-AG12D      | 6-1437537-0 |
| -                                     | 6       |           |      |       |     | 818-AG11D      | 5-1437537-7 |
| -                                     | 5       |           |      |       |     | 818-AG10D      | 5-1437537-6 |
| W/RAILS                               | 6       |           |      |       |     | 816-AR11D      | 5-1437537-4 |
| .180 PC LEAD                          | 5       | .295/.305 | .400 | .800  | 1   | 816-AG45D      | 5-1437537-3 |
| .180 PC LEAD                          | 6       |           |      |       |     | 816-AG44D      | 5-1437537-2 |
| HIGH RETENTION                        | 6       |           |      |       |     | 816-AG34D      | 5-1437537-1 |
| HIGH RETENTION                        | 5       |           |      |       |     | 816-AG33D      | 5-1437537-0 |
| -                                     | 7       |           |      |       |     | 816-AG12D      | 4-1437537-6 |
| -                                     | 6       |           |      |       |     | 816-AG11D      | 4-1437537-0 |
| -                                     | 5       |           |      |       |     | 816-AG10D      | 3-1437537-7 |
| .180 PC LEAD, W/RAILS S/B 3-1437537-3 | 6       |           |      |       |     | 814-AR44D      | 5-1437533-2 |
| W/RAILS                               | 6       |           |      |       |     | 814-AR11D      | 3-1437537-5 |
| .180 PC LEAD                          | 5       | .295/.305 | .400 | .700  | 1   | 814-AG45D      | 3-1437537-4 |
| .180 PC LEAD                          | 6       |           |      |       |     | 814-AG44D      | 3-1437537-3 |
| .180 PC LEAD                          | 7       |           |      |       |     | 814-AG34D      | 3-1437537-2 |
| HIGH RETENTION                        | 6       |           |      |       |     | 814-AG33D      | 3-1437537-1 |
| -                                     | 7       |           |      |       |     | 814-AG12D      | 2-1437537-9 |
| -                                     | 6       |           |      |       |     | 814-AG11D      | 2-1437537-4 |
| -                                     | 5       |           |      |       |     | 814-AG10D      | 2-1437537-1 |
| W/RAILS                               | 6       |           |      |       |     | 808-AR11D      | 1-1437537-9 |
| .180 PC LEAD                          | 5       | .295/.305 | .400 | .400  | 3   | 808-AG45D      | 1-1437537-8 |
| .180 PC LEAD                          | 6       |           |      |       |     | 808-AG44D      | 1-1437537-7 |
| .180 PC LEAD                          | 7       |           |      |       |     | 808-AG43D      | 1-1437537-5 |
| HIGH RETENTION                        | 6       |           |      |       |     | 808-AG34D      | 1-1437537-4 |
| -                                     | 7       |           |      |       |     | 808-AG12D      | 1-1437537-2 |
| -                                     | 6       |           |      |       |     | 808-AG11D      | 0-1437537-8 |
| -                                     | 5       |           |      |       |     | 808-AG10D      | 0-1437537-5 |
| S/B 6-1437529-8                       | 6       | .295/.305 | .400 | .300  | -   | 806-AG11D      | 2-1437533-5 |
| SUPERSEDED BY 6-1437529-5             | 5       |           |      |       |     | 806-AG10D      | 2-1437533-3 |

### 800 SERIES MACHINED PREMIUM CONTACT PART NUMBER TABLE

| COMMENTS                | PLATING | C         | B     | A     | FIG | AUGAT PART NO. | TE PART NO. |
|-------------------------|---------|-----------|-------|-------|-----|----------------|-------------|
| OBSOLETE HIGH RETENTION | 6       | .895/.905 | 1.000 | 3.200 | 2   | 864-AG34D      | 5-1437538-4 |
| -                       | 7       |           |       |       |     | 864-AG12D      | 5-1437538-2 |
| -                       | 6       |           |       |       |     | 864-AG11D      | 4-1437538-8 |
| -                       | 5       |           |       |       |     | 864-AG10D      | 3-1437540-1 |
| OBSOLETE W/RAILS        | 6       |           |       |       |     | 848-AR11D      | 4-1437538-6 |
| OBSOLETE HIGH RETENTION | 6       | .595/.605 | .700  | 2.400 | 2   | 848-AG34D      | 4-1437538-5 |
| -                       | 7       |           |       |       |     | 848-AG12D      | 4-1437538-4 |
| -                       | 6       |           |       |       |     | 848-AG11D      | 4-1437538-1 |
| OBSOLETE                | 5       | .595/.605 | .700  | 2.100 | 2   | 848-AG10D      | 3-1437538-9 |
| OBSOLETE                | 7       |           |       |       |     | 842-AG12D      | 3-1437538-8 |
| -                       | 6       |           |       |       |     | 842-AG11D      | 3-1437538-7 |
| OBSOLETE W/RAILS        | 6       |           |       |       |     | 840-AR11D      | 3-1437538-6 |
| .180 PC LEAD            | 6       | .595/.605 | .700  | 2.000 | 2   | 840-AG44D      | 3-1437538-5 |
| .180 PC LEAD            | 7       |           |       |       |     | 840-AG43D      | 3-1437538-4 |
| HIGH RETENTION          | 6       |           |       |       |     | 840-AG34D      | 3-1437538-3 |
| -                       | 7       |           |       |       |     | 840-AG12D      | 3-1437538-2 |
| -                       | 6       |           |       |       |     | 840-AG11D      | 3-1437538-0 |
| -                       | 5       | .595/.605 | .700  | 1.800 | 2   | 840-AG10D      | 2-1437538-9 |
| -                       | 6       |           |       |       |     | 836-AG11D      | 2-1437538-7 |
| S/B 2-1437528-4         | 7       |           |       |       |     | 832-AR12D      | 9-1437533-7 |
| OBSOLETE HIGH RETENTION | 7       | .595/.605 | .700  | 1.600 | 2   | 832-AG38D      | 9-1437533-4 |
| HIGH RETENTION          | 6       |           |       |       |     | 832-AG34D      | 2-1437538-5 |
| -                       | 7       |           |       |       |     | 832-AG12D      | 2-1437538-4 |
| -                       | 6       |           |       |       |     | 832-AG11D      | 2-1437538-2 |
| -                       | 5       |           |       |       |     | 832-AG10D      | 2-1437538-1 |
| W/RAILS                 | 7       |           |       |       |     | 828-AR12D      | 6-1437538-9 |
| OBSOLETE W/RAILS        | 6       |           |       |       |     | 828-AR11D      | 1-1437538-6 |
| .180 PC LEAD            | 6       | .595/.605 | .700  | 1.400 | 1   | 828-AG44D      | 1-1437538-5 |
| .180 PC LEAD            | 7       |           |       |       |     | 828-AG43D      | 1-1437538-4 |
| HIGH RETENTION          | 6       |           |       |       |     | 828-AG34D      | 1-1437538-3 |
| -                       | 7       |           |       |       |     | 828-AG12D      | 1-1437538-0 |
| -                       | 6       |           |       |       |     | 828-AG11D      | 0-1437538-4 |
| -                       | 5       |           |       |       |     | 828-AG10D      | 0-1437538-3 |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIN R BROWN 06MAY04  
 CHK K WRIGHT 06MAY04  
 APVD K WRIGHT 06MAY04

TOLERANCES UNLESS OTHERWISE SPECIFIED:  
 0. PLC ± -  
 1. PLC ± -  
 2. PLC ± -  
 3. PLC ± .005  
 4. PLC ± -  
 ANGLES ± -

MATERIAL - FINISH -

WEIGHT -

CUSTOMER DRAWING

THIS DRAWING IS A CONTROLLED DOCUMENT.  
 Tyco Electronics Corporation  
 Harrisburg, Pa 17105-3608

NAME  
 PRODUCT SPEC  
 APPLICATION SPEC

SIZE CASE CODE DRAWING NO  
 A1 00779 1437539-2

RESTRICTED TO  
 SCALE 1:1 SHEET 2 OF 4 REV A4

### 800 SERIES STAMPED ECONOMY CONTACT LEAD FREE PART NUMBER TABLE

| OBSOLETE | W/RAILS              | PLATING | C         | B    | A     | FIG | AUGAT PART NO.   | TE PART NO. |
|----------|----------------------|---------|-----------|------|-------|-----|------------------|-------------|
| OBSOLETE | W/RAILS              | 13      | .595/.605 | .700 | 2.400 | 2   | 848-AR11D-ES-LF  | 8-1437540-0 |
| OBSOLETE | W/RAILS              | 14      |           |      |       |     | 840-AR12D-ES-LF  | 6-6447099-8 |
| OBSOLETE | W/RAILS              | 15      |           |      |       |     | 840-AR11D-ESL-LF | 7-1437540-2 |
| OBSOLETE | W/RAILS              | 13      | .595/.605 | .700 | 2.000 | 2   | 840-AR11D-ES-LF  | 7-1437540-1 |
|          | .180 PC LEAD         | 15      |           |      |       |     | 840-AG44D-ESL-LF | 7-1437540-0 |
| OBSOLETE | W/RAILS              | 15      |           |      |       |     | 832-AR11D-ESL-LF | 0-6437540-9 |
| OBSOLETE | W/RAILS              | 13      |           |      |       |     | 832-AR11D-ES-LF  | 0-6437540-8 |
|          | .180 PC LEAD         | 13      | .595/.605 | .700 | 1.600 | 2   | 832-AG44D-ES-LF  | 0-6437540-7 |
|          | .180 PC LEAD         | 14      |           |      |       |     | 832-AG43D-ES-LF  | 0-6437540-6 |
| OBSOLETE | .180 PC LEAD W/RAILS | 15      |           |      |       |     | 828-AR44D-ESL-LF | 9-6437539-8 |
| OBSOLETE | W/RAILS              | 14      |           |      |       |     | 828-AR12D-ES-LF  | 6-6447099-7 |
| OBSOLETE | W/RAILS              | 13      | .595/.605 | .700 | 1.400 | 1   | 828-AR11D-ES-LF  | 9-6437539-6 |
|          | .180 PC LEAD         | 13      |           |      |       |     | 828-AG44D-ES-LF  | 9-6437539-5 |
| OBSOLETE | .180 PC LEAD W/RAILS | 15      | .295/.305 | .400 | 1.200 | 1   | 824-AR47D-ESL-LF | 8-6437533-3 |
| OBSOLETE | W/RAILS              | 13      | .295/.305 | .400 | 1.200 | 1   | 824-AR31D-ES-LF  | 8-6437539-7 |
| OBSOLETE | W/RAILS              | 14      | .595/.605 | .700 | 1.200 | 1   | 824-AR12D-ES-LF  | 6-6447099-6 |
|          | .180 PC LEAD         | 13      | .595/.605 | .700 | 1.200 | 1   | 824-AG44D-ESL-LF | 8-6437539-3 |
| (A4)     | .180 PC LEAD         | 15      | .395/.405 | .500 | 1.100 | 1   | 822-AG44D-ES-LF  | 6-6437539-5 |
| OBSOLETE | W/RAILS              | 15      | .295/.305 | .400 | 1.000 | 1   | 820-AR11D-ESL-LF | 5-6437539-8 |
| OBSOLETE | W/RAILS              | 13      |           |      |       |     | 820-AR11D-ES-LF  | 5-6437539-7 |
| OBSOLETE | W/RAILS              | 15      |           |      |       |     | 816-AR11D-ESL-LF | 3-6437539-5 |
| OBSOLETE | W/RAILS              | 13      |           |      |       |     | 816-AR11D-ES-LF  | 3-6437539-4 |
|          | .180 PC LEAD         | 15      | .295/.305 | .400 | .800  | 1   | 816-AG44D-ESL-LF | 3-6437539-2 |
| OBSOLETE | W/RAILS              | 13      | .295/.305 | .400 | .700  | 1   | 814-AR11D-ES-LF  | 2-6437539-2 |
| OBSOLETE | W/RAILS              | 13      |           |      |       |     | 808-AR11D-ES-LF  | 1-6437539-0 |
|          | .180 PC LEAD         | 14      | .295/.305 | .400 | .400  | 1   | 808-AG43D-ES-LF  | 6437537-6   |
|          | COMMENTS             | PLATING | C         | B    | A     | FIG | AUGAT PART NO.   | TE PART NO. |

### 800 SERIES STAMPED ECONOMY CONTACT PART NUMBER TABLE

| OBSOLETE               | W/RAILS                               | PLATING | C         | B    | A     | FIG | AUGAT PART NO. | TE PART NO. |
|------------------------|---------------------------------------|---------|-----------|------|-------|-----|----------------|-------------|
| (A7) OBSOLETE          | .180 PC LEAD W/RAILS                  | 9       | .295/.305 | .400 | 1.200 | 1   | 824-AR47D-ESL  | 8-1437533-3 |
| SUPERSEDED             | .180 PC LEAD W/RAILS S/B 8-1437539-3  | 9       | .595/.605 | .700 | 1.200 | 1   | 824-AR44D-ESL  | 8-1437533-2 |
|                        | W/RAILS                               | 9       | .295/.305 | .400 | 1.200 | 1   | 824-AR31D-ESL  | 3-1437540-9 |
|                        | W/RAILS                               | 6       |           |      |       |     | 824-AR11D-ES   | 8-1437539-7 |
| OBSOLETE               | W/RAILS                               | 7       |           |      |       |     | 824-AR12D-ES   | 6-1447099-6 |
| OBSOLETE               | W/RAILS                               | 9       | .595/.605 | .700 | 1.200 | 1   | 824-AR11D-ESL  | 8-1437539-6 |
| OBSOLETE               | W/RAILS                               | 6       |           |      |       |     | 824-AR11D-ES   | 8-1437539-5 |
| OBSOLETE               | -                                     | 9       | .395/.405 | .500 | 1.200 | 1   | 824-AG66D-ESL  | 8-1437539-4 |
|                        | .180 PC LEAD                          | 5       |           |      |       |     | 824-AG65D-ES   | 0-1571180-1 |
| (A7) OBSOLETE          | .180 PC LEAD                          | 9       | .595/.605 | .700 | 1.200 | 1   | 824-AG44D-ESL  | 8-1437539-3 |
|                        | -                                     | 7       |           |      |       |     | 824-AG32D-ES   | 8-1437539-1 |
|                        | -                                     | 9       |           |      |       |     | 824-AG31D-ESL  | 7-1437539-7 |
|                        | -                                     | 6       | .295/.305 | .400 | 1.200 | 1   | 824-AG31D-ES   | 7-1437539-6 |
|                        | -                                     | 8       |           |      |       |     | 824-AG30D-ESL  | 7-1437539-4 |
|                        | -                                     | 5       |           |      |       |     | 824-AG30D-ES   | 7-1437539-3 |
|                        | -                                     | 7       |           |      |       |     | 824-AG12D-ES   | 7-1437539-2 |
|                        | -                                     | 9       | .595/.605 | .700 | 1.200 | 1   | 824-AG11D-ESL  | 7-1437539-0 |
|                        | -                                     | 6       |           |      |       |     | 824-AG11D-ES   | 6-1437539-9 |
|                        | -                                     | 5       |           |      |       |     | 824-AG10D-ES   | 6-1437539-7 |
| OBSOLETE               | .180 PC LEAD                          | 6       |           |      |       |     | 822-AG44D-ES   | 6-1437539-5 |
|                        | -                                     | 7       | .395/.405 | .500 | 1.100 | 1   | 822-AG12D-ES   | 6-1437539-4 |
| (A4)                   | -                                     | 9       |           |      |       |     | 822-AG11D-ESL  | 6-1437539-3 |
|                        | -                                     | 6       |           |      |       |     | 822-AG11D-ES   | 6-1437539-2 |
| (A7) OBSOLETE          | -                                     | 5       |           |      |       |     | 822-AG10D-ES   | 6-1437539-0 |
| SUPERSEDED             | .180 PC LEAD W/RAILS S/B 7-1437537-4  | 9       |           |      |       |     | 820-AR44D-ESL  | 7-1437533-1 |
| OBSOLETE               | W/RAILS                               | 9       |           |      |       |     | 820-AR11D-ESL  | 5-1437539-8 |
| OBSOLETE               | W/RAILS                               | 6       | .295/.305 | .400 | 1.000 | 1   | 820-AR11D-ES   | 5-1437539-7 |
|                        | .180 PC LEAD S/B 7-1437537-4          | 9       |           |      |       |     | 820-AG44D-ES   | 7-1437533-0 |
|                        | -                                     | 7       |           |      |       |     | 820-AG12D-ES   | 5-1437539-6 |
|                        | -                                     | 9       |           |      |       |     | 820-AG11D-ESL  | 5-1437539-3 |
|                        | -                                     | 6       |           |      |       |     | 820-AG11D-ES   | 5-1437539-2 |
|                        | -                                     | 5       |           |      |       |     | 820-AG10D-ES   | 5-1437539-0 |
|                        | .180 PC LEAD W/RAILS S/B 4-1437539-9  | 9       |           |      |       |     | 818-AR44D-ESL  | 6-1437533-4 |
| OBSOLETE               | W/RAILS                               | 9       |           |      |       |     | 818-AR11D-ESL  | 4-1437539-8 |
| OBSOLETE               | W/RAILS                               | 6       |           |      |       |     | 818-AR11D-ES   | 4-1437539-7 |
| (A7) SUP. BY 1571552-5 | .180 PC LEAD S/B 6-1437537-1          | 9       | .295/.305 | .400 | .900  | 1   | 818-AG44D-ESL  | 6-1437533-3 |
|                        | -                                     | 7       |           |      |       |     | 818-AG12D-ES   | 4-1437539-6 |
|                        | -                                     | 9       |           |      |       |     | 818-AG11D-ESL  | 4-1437539-4 |
|                        | -                                     | 6       |           |      |       |     | 818-AG11D-ES   | 4-1437539-3 |
|                        | -                                     | 5       |           |      |       |     | 818-AG10D-ES   | 4-1437539-1 |
| OBSOLETE               | W/RAILS                               | 9       |           |      |       |     | 816-AR11D-ESL  | 3-1437539-5 |
| OBSOLETE               | W/RAILS                               | 6       |           |      |       |     | 816-AR11D-ES   | 3-1437539-4 |
| OBSOLETE               | .180 PC LEAD                          | 5       | .295/.305 | .400 | .800  | 1   | 816-AG45D-ES   | 3-1437539-3 |
| OBSOLETE               | .180 PC LEAD                          | 9       |           |      |       |     | 816-AG44D-ESL  | 3-1437539-2 |
|                        | -                                     | 7       |           |      |       |     | 816-AG12D-ES   | 3-1437539-1 |
|                        | -                                     | 9       |           |      |       |     | 816-AG11D-ESL  | 2-1437539-9 |
|                        | -                                     | 6       |           |      |       |     | 816-AG11D-ES   | 2-1437539-8 |
|                        | -                                     | 5       |           |      |       |     | 816-AG10D-ES   | 2-1437539-6 |
|                        | .180 PC LEAD, W/RAILS S/B 3-1437537-3 | 9       |           |      |       |     | 814-AR44D-ESL  | 5-1437533-3 |
| OBSOLETE               | W/RAILS                               | 9       |           |      |       |     | 814-AR11D-ESL  | 2-1437539-3 |
| OBSOLETE               | W/RAILS                               | 6       |           |      |       |     | 814-AR11D-ES   | 2-1437539-2 |
| OBSOLETE               | .180 PC LEAD                          | 5       | .295/.305 | .400 | .700  | 1   | 814-AG45D-ES   | 2-1437539-1 |
| SUPERSEDED             | .180 PC LEAD S/B 3-1437537-3          | 9       |           |      |       |     | 814-AG44D-ESL  | 4-1437540-5 |
|                        | -                                     | 7       |           |      |       |     | 814-AG12D-ES   | 2-1437539-0 |
|                        | -                                     | 9       |           |      |       |     | 814-AG11D-ESL  | 1-1437539-7 |
|                        | -                                     | 6       |           |      |       |     | 814-AG11D-ES   | 1-1437539-6 |
|                        | -                                     | 5       |           |      |       |     | 814-AG10D-ES   | 1-1437539-4 |
|                        | .180 PC W/RAILS, S/B 1437539-9        | 9       |           |      |       |     | 808-AR44D-ESL  | 3-1437533-1 |
| OBSOLETE               | W/RAILS                               | 9       |           |      |       |     | 808-AR11D-ESL  | 1-1437539-1 |
|                        | W/RAILS                               | 6       |           |      |       |     | 808-AR11D-ES   | 1-1437539-0 |
| OBSOLETE               | .180 PC LEAD                          | 9       | .295/.305 | .400 | .400  | 1   | 808-AG44D-ESL  | 0-1437539-9 |
| OBSOLETE               | .180 PC LEAD                          | 7       |           |      |       |     | 808-AG43D-ES   | 1-1437537-6 |
|                        | -                                     | 7       |           |      |       |     | 808-AG12D-ES   | 0-1437539-8 |
|                        | -                                     | 9       |           |      |       |     | 808-AG11D-ESL  | 0-1437539-6 |
|                        | -                                     | 6       |           |      |       |     | 808-AG11D-ES   | 0-1437539-5 |
|                        | -                                     | 5       |           |      |       |     | 808-AG10D-ES   | 0-1437539-2 |
|                        | S/B 7-1437529-1                       | 7       | .295/.305 | .400 | .300  | 1   | 806-AG12D-ES   | 2-1437533-8 |
|                        | S/B 1437535-8                         | 9       |           |      |       |     | 806-AG11D-ESL  | 8-1437536-5 |
|                        | S/B 1437535-7                         | 6       |           |      |       |     | 806-AG11D-ES   | 2-1437533-7 |
|                        | COMMENTS                              | PLATING | C         | B    | A     | FIG | AUGAT PART NO. | TE PART NO. |

### 800 SERIES STAMPED ECONOMY CONTACT PART NUMBER TABLE

| OBSOLETE      | W/RAILS                              | PLATING | C         | B     | A     | FIG | AUGAT PART NO. | TE PART NO. |
|---------------|--------------------------------------|---------|-----------|-------|-------|-----|----------------|-------------|
| (A7) OBSOLETE | -                                    | 7       | .895/.905 | 1.000 | 3.200 | 2   | 864-AG12D-ES   | 5-1437538-3 |
|               | -                                    | 9       |           |       |       |     | 864-AG11D-ESL  | 5-1437538-0 |
|               | -                                    | 6       |           |       |       |     | 864-AG11D-ES   | 4-1437538-9 |
| (A7) OBSOLETE | -                                    | 5       |           |       |       |     | 864-AG10D-ES   | 3-1437540-2 |
| OBSOLETE      | W/RAILS                              | 9       |           |       |       |     | 848-AR11D-ESL  | 6-1437540-2 |
| OBSOLETE      | W/RAILS                              | 6       |           |       |       |     | 848-AR11D-ES   | 3-1437540-0 |
|               | -                                    | 7       | .595/.605 | .700  | 2.400 | 2   | 848-AG12D-ES   | 2-1437540-8 |
|               | -                                    | 9       |           |       |       |     | 848-AG11D-ESL  | 4-1437538-2 |
| (A7) OBSOLETE | -                                    | 6       |           |       |       |     | 848-AG11D-ES   | 2-1437540-6 |
|               | -                                    | 9       | .595/.605 | .700  | 2.100 | 2   | 848-AG10D-ES   | 2-1437540-5 |
|               | -                                    | 9       |           |       |       |     | 842-AG11D-ESL  | 2-1437540-4 |
|               | .180 PC LEAD W/RAILS S/B 2-1437540-0 | 6       |           |       |       |     | 842-AG11D-ES   | 2-1437540-3 |
| (A7) OBSOLETE | W/RAILS                              | 7       |           |       |       |     | 840-AR44D-ESL  | 0-1437534-7 |
| OBSOLETE      | W/RAILS                              | 9       |           |       |       |     | 840-AR12D-ES   | 6-1447099-8 |
| OBSOLETE      | W/RAILS                              | 6       |           |       |       |     | 840-AR11D-ESL  | 2-1437540-2 |
|               | .180 PC LEAD                         | 9       | .595/.605 | .700  | 2.000 | 2   | 840-AR11D-ES   | 2-1437540-1 |
|               | -                                    | 7       |           |       |       |     | 840-AG44D-ESL  | 2-1437540-0 |
|               | -                                    | 9       |           |       |       |     | 840-AG12D-ES   | 1-1437540-9 |
|               | -                                    | 6       |           |       |       |     | 840-AG11D-ESL  | 1-1437540-7 |
|               | -                                    | 5       |           |       |       |     | 840-AG11D-ES   | 1-1437540-6 |
| (A7) OBSOLETE | -                                    | 9       | .595/.605 | .700  | 1.800 | 2   | 840-AG10D-ES   | 1-1437540-4 |
|               | -                                    | 7       |           |       |       |     | 836-AG12D-ES   | 1-1437540-2 |
|               | -                                    | 9       |           |       |       |     | 836-AG11D-ESL  | 1-1437540-1 |
|               | -                                    | 6       |           |       |       |     | 836-AG11D-ES   | 1-1437540-0 |
| OBSOLETE      | W/RAILS                              | 9       |           |       |       |     | 832-AR11D-ESL  | 0-1437540-9 |
| OBSOLETE      | W/RAILS                              | 6       |           |       |       |     | 832-AR11D-ES   | 0-1437540-8 |
|               | .180 PC LEAD S/B 1437540-1           | 8       |           |       |       |     | 832-AG45D-ESL  | 6-1437538-0 |
|               | .180 PC LEAD S/B 1437540-7           | 9       | .595/.605 | .700  | 1.600 | 2   | 832-AG44D-ESL  | 9-1437533-5 |
| (A7) OBSOLETE | .180 PC LEAD                         | 6       |           |       |       |     | 832-AG44D-ES   | 0-1437540-7 |
|               | -                                    | 7       |           |       |       |     | 832-AG43D-ES   | 0-1437540-6 |
|               | -                                    | 9       |           |       |       |     | 832-AG12D-ES   | 0-1437540-5 |
|               | -                                    | 6       |           |       |       |     | 832-AG11D-ESL  | 0-1437540-3 |
|               | -                                    | 5       |           |       |       |     | 832-AG11D-ES   | 0-1437540-2 |
|               | -                                    | 9       |           |       |       |     | 832-AG10D-ES   | 0-1437540-1 |
| (A7) OBSOLETE | .180 PC LEAD W/RAILS                 | 9       |           |       |       |     | 828-AR44D-ESL  | 9-1437539-8 |
| OBSOLETE      | W/RAILS                              | 7       |           |       |       |     | 828-AR12D-ES   | 6-1447099-7 |
| OBSOLETE      | W/RAILS                              | 9       |           |       |       |     | 828-AR11D-ESL  | 9-1437539-7 |
| OBSOLETE      | W/RAILS                              | 6       |           |       |       |     | 828-AR11D-ES   | 9-1437539-6 |
| (A7) OBSOLETE | .180 PC LEAD                         | 6       | .595/.605 | .700  | 1.400 | 1   | 828-AG44D-ES   | 9-1437539-5 |
|               | -                                    | 7       |           |       |       |     | 828-AG12D-ES   | 9-1437539-4 |
|               | -                                    | 9       |           |       |       |     | 828-AG11D-ESL  | 9-1437539-2 |
|               | -                                    | 6       |           |       |       |     | 828-AG11D-ES   | 9-1437539-1 |
|               | -                                    | 5       |           |       |       |     | 828-AG10D-ES   | 8-1437539-9 |
|               | COMMENTS                             | PLATING | C         | B     | A     | FIG | AUGAT PART NO. | TE PART NO. |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIN R BROWN 06MAY04  
CHK K WRIGHT 06MAY04  
APVD K WRIGHT 06MAY04

Tyco Electronics  
Tyco Electronics Corporation  
Harrisburg, Pa 17105-3608

NAME: DIP SOCKET, 800 SERIES

SIZE: A1 CASE CODE: 00779 DRAWING NO: 1437539-2

RESTRICTED TO: -

MATERIAL: - FINISH: - WEIGHT: - SCALE: 1:1 SHEET 3 OF 4 REV A4

1000 SERIES MACHINED PREMIUM CONTACT, LOW INSERTION FORCE PART NUMBER TABLE

| COMMENTS        | PLATING | C         | B     | A     | FIG | AUGAT PART NO. | TE PART NO. |
|-----------------|---------|-----------|-------|-------|-----|----------------|-------------|
| S/B 4-1437538-8 | 6       | .895/.905 | 1.000 | 3.200 | 2   | 1064-AG11D     | 2-1437529-4 |
| S/B 3-1437540-1 | 5       | .895/.905 | 1.000 | 3.200 | 2   | 1064-AG10D     | 2-1437529-3 |
| S/B 3-1437538-0 | 6       | .595/.605 | .700  | 2.000 | 2   | 1040-AG11D     | 2-1437529-2 |
| S/B 2-1437538-2 | 6       | .595/.605 | .700  | 1.600 | 2   | 1032-AG11D     | 2-1437529-1 |
| S/B 1437538-4   | 6       | .595/.605 | .700  | 1.400 | 1   | 1028-AG11D     | 1-1437529-9 |
| S/B 8-1437537-9 | 6       | .295/.305 | .400  | 1.200 | 1   | 1024-AG31D     | 1-1437529-8 |
| S/B 8-1437537-2 | 6       | .595/.605 | .700  | 1.200 | 1   | 1024-AG11D     | 1-1437529-6 |
| S/B 8-1437537-1 | 5       | .595/.605 | .700  | 1.200 | 1   | 1024-AG10D     | 1-1437529-5 |
| S/B 6-1437537-6 | 6       | .295/.305 | .400  | 1.000 | 1   | 1020-AG11D     | 1-1437529-4 |
| S/B 6-1437537-4 | 5       | .295/.305 | .400  | 1.000 | 1   | 1020-AG10D     | 1-1437529-3 |
| S/B 5-1437537-7 | 6       | .295/.305 | .400  | .900  | 1   | 1018-AG11D     | 1-1437529-2 |
| S/B 5-1437537-6 | 5       | .295/.305 | .400  | .900  | 1   | 1018-AG10D     | 1-1437529-1 |
| S/B 4-1437537-0 | 6       | .295/.305 | .400  | .800  | 1   | 1016-AG11D     | 1-1437529-0 |
| S/B 3-1437537-7 | 5       | .295/.305 | .400  | .800  | 1   | 1016-AG10D     | 0-1437529-9 |
| S/B 2-1437537-4 | 6       | .295/.305 | .400  | .700  | 1   | 1014-AG11D     | 0-1437529-7 |
| S/B 2-1437537-1 | 5       | .295/.305 | .400  | .700  | 1   | 1014-AG10D     | 0-1437529-6 |
| S/B 1437537-8   | 6       | .295/.305 | .400  | .400  | 3   | 1008-AG11D     | 0-1437529-5 |
| S/B 1437537-5   | 5       | .295/.305 | .400  | .400  | 3   | 1008-AG10D     | 0-1437529-4 |

1800 SERIES MACHINED PREMIUM CONTACT, LOW GOLD PART NUMBER TABLE

|                                    |    |           |       |       |   |             |             |
|------------------------------------|----|-----------|-------|-------|---|-------------|-------------|
| S/B 5-1437538-0                    | 10 | .895/.905 | 1.000 | 3.200 | 2 | 1864-AG111D | 5-1437529-1 |
| S/B 6-1437540-2 W/RAILS            | 10 | .595/.605 | .700  | 2.400 | 2 | 1848-AR111D | 5-1437529-0 |
| S/B 4-1437538-2                    | 10 | .595/.605 | .700  | 2.100 | 2 | 1848-AG111D | 4-1437529-9 |
| S/B 2-1437540-4                    | 10 | .595/.605 | .700  | 2.100 | 2 | 1842-AG111D | 4-1437529-8 |
| S/B 2-1437540-2 W/RAILS            | 10 | .595/.605 | .700  | 2.000 | 2 | 1840-AR111D | 4-1437529-7 |
| S/B 1-1437540-7                    | 10 | .595/.605 | .700  | 2.000 | 2 | 1840-AG111D | 4-1437529-6 |
| S/B 1437540-3                      | 10 | .595/.605 | .700  | 1.600 | 2 | 1832-AG111D | 4-1437529-5 |
| S/B 9-1437539-7 W/RAILS            | 10 | .595/.605 | .700  | 1.400 | 1 | 1828-AR111D | 4-1437529-4 |
| S/B 9-1437539-2                    | 10 | .595/.605 | .700  | 1.400 | 1 | 1828-AG111D | 4-1437529-3 |
| S/B 3-1437540-9 W/RAILS            | 10 | .295/.305 | .400  | 1.200 | 1 | 1824-AR131D | 4-1437529-2 |
| <del>S/B 8-1437539-6 W/RAILS</del> | 10 | .595/.605 | .700  | 1.200 | 1 | 1824-AR111D | 4-1437529-1 |
| <del>S/B 8-1437539-4</del>         | 10 | .395/.405 | .500  | 1.200 | 1 | 1824-AG141D | 4-1437529-0 |
| S/B 7-1437539-7                    | 10 | .295/.305 | .400  | 1.200 | 1 | 1824-AG131D | 3-1437529-9 |
| S/B 7-1437539-0                    | 10 | .595/.605 | .700  | 1.200 | 1 | 1824-AG111D | 3-1437529-8 |
| S/B 6-1437539-3                    | 10 | .395/.405 | .500  | 1.100 | 1 | 1822-AG111D | 3-1437529-7 |
| S/B 5-1437539-8 W/RAILS            | 10 | .295/.305 | .400  | 1.000 | 1 | 1820-AR111D | 3-1437529-6 |
| <del>S/B 5-1437539-3</del>         | 10 | .295/.305 | .400  | 1.000 | 1 | 1820-AG111D | 3-1437529-5 |
| S/B 4-1437539-8 W/RAILS            | 10 | .295/.305 | .400  | .900  | 1 | 1818-AR111D | 3-1437529-5 |
| S/B 4-1437539-4                    | 10 | .295/.305 | .400  | .900  | 1 | 1818-AG111D | 3-1437529-3 |
| <del>S/B 3-1437539-5 W/RAILS</del> | 10 | .295/.305 | .400  | .800  | 1 | 1816-AR111D | 3-1437529-2 |
| S/B 2-1437539-9                    | 10 | .295/.305 | .400  | .800  | 1 | 1816-AG111D | 3-1437529-1 |
| S/B 2-1437539-3 W/RAILS            | 10 | .295/.305 | .400  | .700  | 1 | 1814-AR111D | 3-1437529-0 |
| S/B 1-1437539-7                    | 10 | .295/.305 | .400  | .700  | 1 | 1814-AG111D | 2-1437529-9 |
| S/B 1-1437539-1 W/RAILS            | 10 | .295/.305 | .400  | .400  | 3 | 1808-AR111D | 2-1437529-6 |
| S/B 1437539-6                      | 10 | .295/.305 | .400  | .400  | 3 | 1808-AG111D | 2-1437529-5 |
| <del>S/B 1437539-8</del>           | 10 | .295/.305 | .400  | .300  |   | 1806-AG111D | 0-1437535-2 |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIN R BROWN 06MAY04  
 CHK K WRIGHT 06MAY04  
 APVD K WRIGHT 06MAY04

TOLERANCES UNLESS OTHERWISE SPECIFIED:  
 0 PLC ± -  
 1 PLC ± -  
 2 PLC ± -  
 3 PLC ± .005  
 4 PLC ± -  
 ANGLES ± -

MATERIAL - FINISH -

WEIGHT -

CUSTOMER DRAWING

Tyco Electronics Corporation  
 Harrisburg, Pa 17105-3608

NAME  
 PRODUCT SPEC  
 APPLICATION SPEC

SIZE A1 CASE CODE 00779 DRAWING NO. 1437539-2 RESTRICTED TO

SCALE 1:1 SHEET 4 OF 4 REV A4

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for IC & Component Sockets category:*

*Click to view products by TE Connectivity manufacturer:*

Other Similar products are found below :

[0066-3-17-15-30-14-02-0](#) [670](#) [672](#) [673](#) [694-13-640-00-672-000](#) [712-93-120-41-001000](#) [714-93-104-31-018000](#) [8059-4G1-LF](#) [807-22-001-10-001101](#) [807-22-001-10-006101](#) [807-22-001-30-011101](#) [807-22-001-30-012101](#) [807-22-001-30-013101](#) [807-22-001-30-014101](#) [8-1437531-4](#) [8150-6P10](#) [833-93-034-10-001000](#) [851-41-006-10-001000](#) [851-43-008-20-001000](#) [851-43-014-20-001000](#) [851-93-006-20-001000](#) [851-93-010-20-001000](#) [853-43-020-10-001000](#) [86.010.0053.0](#) [116-43-308-41-007000](#) [PX-68LCC](#) [121-13-318-41-001000](#) [121-13-320-41-001000](#) [121-13-308-41-001000](#) [123-43-314-41-801000](#) [123-43-420-41-001000](#) [122-13-316-41-001000](#) [123-13-624-41-001000](#) [123-43-306-41-001000](#) [12-3513-11](#) [123-91-320-41-001000](#) [126-43-310-41-002000](#) [AKSUN 37V-T](#) [1437503-9](#) [1437504-1](#) [146-44-308-41-013000](#) [146-43-308-41-012000](#) [160-10-308-00-001000](#) [160-40-320-00-001000](#) [214-99-306-01-670800](#) [232-1270-02-0602](#) [2-382761-4](#) [2-5331677-4](#) [2-640360-3](#) [2801-2-00-50-00-00-07-0](#)