

## **HIRSCHMANN MOBILITY**



# **CELLULAR (2G/3G/4G) Adhesive Antenna**

CEL 7026 A/series
Pt no.
920-409-...

- Interior and exterior installation on non-conductible materials
- For cellular networks

#### Subject to alterations

#### Technical data


l echnical data		
Dimensions		ca. 107 mm x 54 mm x 3,5 mm
Housing Materials		Flexible plastic mould materials
		(e.g. Hytrel) or comparable UV light
		resistible material
Weight		76 g
Temperature range		
Operations temperature range		-30 - +80° C
Storage temperature range		-40 - + 85 °C
Relative humidity		95%
Housing protection class		IP6k4 (acc. ISO 20653)
Electrical Specifications		
Frequency range	LTE (low):	698 to 862 MHz
	CELL (low):	824 to 960 MHz
	CELL (high):	1710 to 2170 MHz
	LTE (high):	2305 to 2690 MHz
Polarization (low band)		Linear
Gain (linear gain, vertical polarization)		2,15 dBi*
Return loss		< 2,0
Mechanical		
Cable type		RG 174 low loss
Cable length		3000 +30 mm (other length on request)
Connector	-001:	FAKRA female, Code D (bordeaux)
	-002:	SMA male
		(other connectors on request)

<sup>\*</sup> dBi: referenced to an isotropic radiator

#### **CELLULAR (2G/3G/4G) ADHESIVE ANTENNA**

CEL 7026 A/series Pt no. 920-409-...


#### **Technical drawings**



#### Installation







#### www.te.com/hirschmann-mobility hirschmann-mobility@te.com

TE, TE Connectivity, TE connectivity (logo), and EVERY CONNECTION COUNTS are trademarks. Hirschmann is a trademark.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.

© 2019 TE Connectivity Ltd. family of companies All Rights Reserved



02/2019

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

GAN30084EU 930-033-R GW17.07.0250E 1513563-1 EXE902SM APAMPG-117 MAF94383 W3908B0100 W6102B0100 YE572113-30RSMM 108-00014-50 66089-2406 SPDA17RP918 A09-F8NF-M A09-F5NF-M RGFRA1903041A1T W3593B0100 W3921B0100 SIMNA-868 SIMNA-915 SIMNA-433 W1044 W1049B090 A75-001 WTL2449CQ1-FRSMM CPL9C EXB148BN 0600-00060 TRA9020S3PBN-001 Y4503 GD5W-28P-NF MA9-7N GD53-25 GD5W-21P-NF C37 MAF94051 MA9-5N EXD420PL B1322NR QWFTB120 MAF94271 MAF94300 GPSMB301 FG4403 AO-AGSM-OM54 5200232 MIKROE-2349 WCM.01.0111 MIKROE-2393 MIKROE-2352