

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2008

© COPYRIGHT 2008

ALL RIGHTS RESERVED.

LOC  
AL  
DIST  
2

REVISIONS

| P | LTR | DESCRIPTION               | DATE      | DWN | APVD |
|---|-----|---------------------------|-----------|-----|------|
|   | Y4  | REVISED PER ECN-21-128636 | 02DEC2021 | WLS | VS   |
|   |     |                           |           |     |      |
|   |     |                           |           |     |      |

1 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

Terminal Conductor: FLK-Cable  
Conductor: F-Crimp  
Insulation: F-Crimp

| Cross-section in mm <sup>2</sup> |   | 0.50 | 0.75 | 1.00 | 1.50 | 2.00 | 2.50 | 3.00 | 4.00 | 6.00 |
|----------------------------------|---|------|------|------|------|------|------|------|------|------|
| Single connection                |   |      |      |      |      |      |      |      |      |      |
| 0.50                             | X | X    | X    | X    | X    |      |      |      |      |      |
| 0.75                             | X | X    | X    | X    |      |      |      |      |      |      |
| 1.00                             | X | X    | X    | X    |      |      |      |      |      |      |
| 1.50                             | X | X    |      |      |      |      |      |      |      |      |
| 2.00                             |   |      |      |      |      |      |      |      |      |      |
| 2.50                             |   |      |      |      |      |      |      |      |      |      |
| 3.00                             |   |      |      |      |      |      |      |      |      |      |
| 4.00                             |   |      |      |      |      |      |      |      |      |      |
| 6.00                             |   |      |      |      |      |      |      |      |      |      |

0- -1,2,3,4,6,7 as shown

Wire size: 0.5-2.0 mm<sup>2</sup>

| 1 | OBSOLETE | Bright         | Brass           | -925660-7- |
|---|----------|----------------|-----------------|------------|
|   |          | Gold over Ni   | Phosphor Bronze | 925660-6   |
|   | OBSOLETE | Pre-tin plated | Steel           | -925660-5- |
|   |          | Bright         | Phosphor Bronze | 925660-4   |
|   |          | Silver         | Phosphor Bronze | 925660-3   |
|   |          | Pre-tin plated | Phosphor Bronze | 925660-2   |
|   |          | Pre-tin plated | Brass           | 925660-1   |
|   |          | Finish         | Material        | Part no.   |

THIS DRAWING IS A CONTROLLED DOCUMENT.

|                  |                |           |
|------------------|----------------|-----------|
| DWN              | J. Salo        | 12NOV2008 |
| CHK              | R. Sole        | 12NOV2008 |
| APVD             | P. E. Grassano | 12NOV2008 |
| PRODUCT SPEC     | 108-1032       |           |
| APPLICATION SPEC | 114-1007       |           |
| WEIGHT           | -              |           |
| CUSTOMER DRAWING |                |           |

TE Connectivity

|       |           |            |               |              |  |     |  |
|-------|-----------|------------|---------------|--------------|--|-----|--|
| NAME  |           |            |               | .140 DIA PIN |  |     |  |
| SIZE  | CAGE CODE | DRAWING NO | RESTRICTED TO |              |  |     |  |
| A3    | -         | 925660     |               |              |  |     |  |
| SCALE |           | SHEET      |               | OF           |  | REV |  |
| 2:1   |           | 1          |               | 1            |  | Y4  |  |

DIMENSIONS:  
mm

MATERIAL See table

TOLERANCES UNLESS OTHERWISE SPECIFIED:

|        |           |
|--------|-----------|
| 0 PLC  | ±0.2      |
| 1 PLC  | ±0.2      |
| 2 PLC  | ±0.2      |
| 3 PLC  | ±         |
| 4 PLC  | ±         |
| ANGLES | ±1° 30'   |
| FINISH | See table |

1470-19 (3/11)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Pin & Socket Connectors](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[6450822-1](#) [770392-1](#) [794042-1](#) [796885-1](#) [8-794535-1](#) [PLR3455ACS-222](#) [R929991004](#) [R929993003](#) [1403611-1](#) [1-480349-5](#) [152302-5](#)  
[153211-2](#) [1586092-1](#) [1586129-1](#) [1586681-4](#) [1586700-1](#) [1586368-1](#) [1586380-1](#) [1586616-1](#) [1586680-5](#) [16-06-0038](#) [164164-5](#) [1-6609930-1](#)  
[172296-1](#) [19-09-2035](#) [200503-1](#) [200788-2](#) [2029090-4](#) [2029095-4](#) [925061-7](#) [293734-4](#) [293737-2](#) [1-765362-4](#) [1-794606-3](#) [1871534-1](#)  
[200833-4](#) [2008625-2](#) [2029027-2](#) [2029096-4](#) [R929991000](#) [R929991002](#) [R929993000](#) [319-10-101-00-005000](#) [319-10-102-00-001000](#)  
[319-10-104-00-001000](#) [319-10-105-00-001000](#) [319-10-108-00-001000](#) [319-10-112-00-006000](#) [39-01-8019](#) [319-10-101-00-001000](#)