

What can we help you find?

**Products Industries** 

Resources

**About TE** 

My Account

**Innovation** 

**Support Center** 


Home > Products > Wire & Cable > Product Feature Selector > Product Details

## 99M0111-16-9 Product Details









# **Product Highlights:**

- Cable Type = Spec 99M Cable Style = Primary
- Wire Size (AWG or Metric) = 16 AWG [1.23mm<sup>2</sup>]

Spec 99 and Spec 100 Wire and Cable

Always EU RoHS/ELV Compliant (Statement of Compliance)

- Number of Conductors = 1
- **Equipment Wire Application**

View all Features

## **Quick Links**

- Pricing & Availability
- Search for Tooling
- Product Feature Selector
- ▶ Contact Us About This Product

99M0111-16-9



🕒 Add to My Part List 👣 Request Sample \mid 🏠 Find Similar Products 🛹 Buy Product







#### **Documentation & Additional Information**

#### **Product Drawings:**

Customer Drawing (PDF, English)

## Catalog Pages/Data Sheets:

None Available

## **Product Specifications:**

None Available

#### **Application Specifications:** None Available

#### **Instruction Sheets:** None Available

## CAD Files:

None Available

#### **Related Products:**

Tooling

List all Documents

## Product Features (Please use the Product Drawing for all design activity)

#### **Product Type Features:**

- Cable Type = Spec 99M
- Cable Style = Primary

#### **Electrical Characteristics:**

- Wire Size (AWG or Metric) = 16 AWG [1.23mm<sup>2</sup>]
- Voltage Rating (VAC) = 600

#### **Dimensions:**

• Conductor Outer Diameter (mm [in]) = 1.42 [0.056]

#### **Body Features:**

- Wire Color = White
- Nominal Outside Diameter (mm [in]) = 1.80 [0.071]
- Wire Diameter (mm [in]) = 1.80 [0.071]
- Conductor Type = Tin-Plated Copper

#### **Configuration Features:**

• Number of Conductors = 1

#### **Industry Standards:**

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- Lead Free Solder Processes = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

#### **Conditions for Usage:**

- Wire Size Details = 16 AWG 1.23 mm<sup>2</sup>, 0.002 in<sup>2</sup>, 19 x 29 AWG
- Temperature Range (°C) = -55 +125

#### Operation/Application:

• Application = Equipment Wire

### Packaging Features:

• Wire Source = United Kingdom

### Other:

• Brand = Raychem

## Corporate Information

About TE Investors News Room

Supplier Portal Careers

## **Quick Links**

**Distributor Inventory Product Cross Reference Documents & Drawings Product Compliance Support Center** Site Map

**Customer Support** 

Email or Chat With Us Find a Phone Number Knowledge Base Manage Your Account

## **Keep Me Informed**











Terms & Conditions

Privacy Policy AODA Accessibility Policy AODA Multi-Year Accessibility Plan

© 2014 TE Connectivity Ltd. family of companies. All Rights Reserved

[+] Provide Website Feedback

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Hook-up Wire category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

8918-BRN-1000 8920-DK-BLU-1000 CR6328-000 01776.38.01 M22759/16-14-5-500FT 7053-RED-1000 7053-SLATE-1000 F25935-000 F60898-000 8055 81044/12-18-9CS3209 82A0811-4-9-G110 83004-ORG-1000 83005-LT-BLU-1000 83025-VIO-1000 8523-RED-100 8524-WHT-100 8525-ORG-1000 8530-BLK-1000 8530-LT-BLU-100 8538-009-1000 8597-LT-BLU-100 8898-BLK-100 138498-000 E76065-000 EPD50886A-20-9 BFWUL3239-24-PINK C2015A.12.04 C2015A.12.05 C2015A.12.08 C2015A.12.10 C2015A.12.19 C2016A.12.05 C2016A.12.07 C2065A.12.02 C77653-000 220368-001 8916-GRY-500 8918-RED-100 8919-DK-BLU-1000 8919-YEL-100 8920-YEL-100 9242833001 933205-000 2841/7-YELLOW-1000 2842/7-ORANGE-100 2842/7-RED-1000 2843/19-BLUE-100 2843/1-YELLOW-100 2843/7-GREEN-100