🗓 Share



🦊 My Cart | 🕒 My Part Lists | Sign In/Register

Email

English (Change)

Have a Question? Chat with a Product Information Specialist

What can we help you find?

Innovation My Account **Support Center Products Industries** Resources **About TE** 

#### 1-1825058-9 Product Details

1-1825058-9

(ADE08S04) ternal Number: 1-1825058-9

🔁 V iew 3D PDF



#### **Product Highlights:**

- Switch
- Switch Type = DIP
- PCB Mount Style = Surface Mount
  Single Pole Single Throw Configuration (Pole-Throw)
- Actuator Style = Extended, Slide

View all Features

### Quick Links

- Pricing & AvailabilitySearch for Tooling
- Product Feature Selector
- Contact Us About This Product

🗎 Print

Add to My Part List

Request Sample

Find Similar Products

#### **Buy Product**

#### Documentation & Additional Information

#### Product Drawings:

• DIP SWITCH, ADE-SMT SERIES (PDF, English)

#### Catalog Pages/Data Sheets:

SWITCHES\_CORE\_PROGRAM\_CATALOG (PDF, English)

Product Features (Please use the Product Drawing for all design activity)

#### **Product Specifications:**

· None Available

### **Application Specifications:**

None Available

#### Instruction Sheets: · None Available

## CAD Files: (CAD Format & Compression Information)

- 2D Drawing (DXF, Version O)
- 3D Model (IGES, Version O)
- 3D Model (STEP, Version O)

#### Additional Information:

· Product Line Information

#### Related Products:

Tooling

# List all Documents

#### Product Type Features:

- Product Type = Switch
- PCB Mount Style = Surface Mount
- Actuator Style = Extended, Slide
- Sealed = No

#### Termination Features:

• Termination Style = Outside "L"

# **Body Features:**

- Switch Type = DIP
- Actuator Color = White

#### Contact Features:

- Auto-Insertable = Yes
- Contact Base Material = Copper Alloy
- Contact Plating, Mating Area, Material = Gold Flash

- Centerline (mm [in]) = 2.54 [0.100]
- Housing Color = Black
- Housing Material = Polyphenylene Sulfide (PPS)

#### Configuration Features:

- Configuration (Pole-Throw) = Single Pole Single Throw
- Number of Switches = 8

#### **Industry Standards:**

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- Lead Free Solder Processes = Reflow solder capable to 245°C, Reflow solder capable to 260°C
- RoHS/ELV Compliance History = Always was RoHS
- UL Flammability Rating = UL 94V-0

### Other:

- Series = AD
- Brand = TE Connectivity

# **Corporate Information**

# **Customer Support**

About TE Distributor Inventory Investors Product Cross Reference Email or Chat With Us Find a Phone Number

## 3/18/2014

## 1-1825058-9 Product Details - TE

News Room

Documents & Drawings

Supplier Portal Product Compliance Support Center

© 2014 TE Connectivity Ltd. family of companies. All Rights Reserved

Careers

Site Map

Terms & Conditions

Privacy Policy

Global Accessibility Statement

Knowledge Base

Manage Your Account

# **Keep Me Informed**









[+] Provide Website Feedback

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for DIP Switches/SIP Switches category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

78M03S 79B10T 8136-475G4T G7G-1A2-CB-DC12 H7CZL8AC100240 A7SS-M A8CA-201 DRR60016 DRS4016 1825008-1 1825444-1 25.350.0653.0 SBS 5004 TG SDA10H1BDA 97R06ST A2C-2A5 1825444-7 ADE08SA04 ADE12S04 192960010 2-1825058-8 25.330.0653.1 25.352.0353.0 CXDRIVEV2X IKN0600000 IKN0800000 LA2-002-DC24 DBS1003 438872000 DRD10CRAE04 DSR02T DSS 208 N E2FMX2D1M1TGJ03M NDI10H 219-9MSTP 204-6ES EPM02FV 701521596 NDS08V 76SB05 79A10 TD06H0SK1 Z7.255.9027.0 1-1825058-3 1825428-4 219-10LPSTF E3ZG6111D03M G4D212PUSTV2DC5 195-7MSTN NDI05H