B07D034BB2-0120 - ACTIVE

CII

TE Internal #: 1617004-9 Full-Size Relays, 2 Form C, DPDT, 2 C/O, Silver Cadmium Oxide, 12 VDC Input, 10 A, 12 VDC Coil Voltage, 75 Ω Coil Resistance, 1920 mW Coil Power (DC)

View on TE.com >

Relays, Contactors & Switches > Relays > Mil-Aero Relays > Full-Size Relays



Full-Size Relay Contact Arrangement: 2 Form C, DPDT, 2 C/O
Contact Base Material: Silver Cadmium Oxide
Full-Size Relay Input Voltage: 12 VDC
Full-Size Relay Contact Current Rating: 10 A

Coil Voltage: 12 VDC

Features

Product Type Features

Enclosure Type	Hermetically Sealed				
Coil Latching	Without				
Product Type	Relay				
Relay Туре	Military/Aerospace High Performance				
MOSFET Driver	Without				
Configuration Features					
Transistor Driver	Without				
Electrical Characteristics					
Actuating System	DC				
Vibration	20G's, 10–2000Hz				
Coil Magnetic System	Non-Polarized, Monostable				
Shock	100G's, 6ms				
Coil Suppression Diode	Without				
Coil Polarity Protection Diode	Without				
Full-Size Relay Input Voltage	12 VDC				
Coil Voltage	12 VDC				
Full-Size Relay Coil Resistance	75 Ω				



B07D034BB2-0120

Full-Size Relays, 2 Form C, DPDT, 2 C/O, Silver Cadmium Oxide, 12 VDC Input, 10 A, 12 VDC Coil Voltage, 75 Ω Coil Resistance, 1920 mW Coil Power (DC)



Full-Size Relay Coil Power Rating (DC)	1920 mW				
Coil Power Measurement	Milliwatts				
Full-Size Relay Contact Switching Voltage (Max)	28 VDC				
Contact Features					
Full-Size Relay Contact Arrangement	2 Form C, DPDT, 2 C/O				
Contact Base Material	Silver Cadmium Oxide				
Full-Size Relay Contact Current Rating	10 A				
Termination Features					
Termination Type	Socket Pins				
Mechanical Attachment					
Full-Size Relay Mounting Type	Plain Case				
Usage Conditions					
Operating Temperature Range	-65 – 125 °C				
Product Compliance For compliance documentation, visit the product page on TE.com>					

EU RoHS Directive 2011/65/EU

Not Compliant

liant
Materials Above Threshold
CHA Candidate List: JUNE 2022 List Declared Against: JAN 2022 nreshold: eviewed
en - Br, Cl, F, I < 900 ppm per ous material. Also BFR/CFR/PVC

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in

B07D034BB2-0120

Full-Size Relays, 2 Form C, DPDT, 2 C/O, Silver Cadmium Oxide, 12 VDC Input, 10 A, 12 VDC Coil Voltage, 75 Ω Coil Resistance, 1920 mW Coil Power (DC)



articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



Customers Also Bought



0001-07202 30	IJETO-F7337 30	MOD. IV SNAF-IN HSG 70 FOS.	MOUNTING P
GENICOM ALFR DISCA JSBCISOJA2 IM SOCIA /ISI-DISTI			
TE Part #2-1617072-6 3SBC1517A2 = M39016/13-056M	TE Part #DT06-2S-FP02 PLG, 2P, BLK, N, FLOURO SEAL RET, CAP	TE Part #171111-1 SINGL CIRCUIT 2.36 DIA REC HSG	TE Part #4-1608065-9 187-32C200=R3397

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1617004-9_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1617004-9_C.3d_igs.zip

English

B07D034BB2-0120

Full-Size Relays, 2 Form C, DPDT, 2 C/O, Silver Cadmium Oxide, 12 VDC Input, 10 A, 12 VDC Coil Voltage, 75 Ω Coil Resistance, 1920 mW Coil Power (DC)



Customer View Model ENG_CVM_CVM_1617004-9_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 5-1773450-5_sec1_07

English

RELAY

English

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Industrial Relays category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below :

6-1617801-8 6-1618107-9 7-1618273-3 EV250-4A-02 EV250-6A-01 FCA-125-CX8 FCA-325-159 FCA-410-138 GCA63A220VAC60HZ GCA63A600VAC60HZ 1-1672275-3 1-1833005-4 H-16/S1 H-8C ACC530U20 RF303ZM4-12 DH18DA RM699BV-3011-85-1005 AR4-15F13-C01 AR7-41F11 AVR907 15732A200 B329 B490A 1618279-1 BHR124Y N417 2071229-4 P30C42A12D1-120 2-1618375-1 2-1618396-6 2-1618398-1 JMAPD-5XL JMGACD-5M JMGSCD-5L K8DSPH1200480VAC KA-3C-12A 2307497 RT334012WG SAH159 301-17SX SL6H3-26.5VDC 1618105-2 1618112-6 1618113-5 1618276-6 A837D A862B1 ACC530U10 ACC730-8025B