

# **TECHNICAL DATA SHEET**

TTDS-113	TE Document:
4	Issue:
April 2014	Date:



### **KEY FEATURES**

- Highly flame resistant excellent resistance to burning (Oxygen Index 35%)
- Resistant to key industrial and military grade fluids (defined by RW-2513)

# **APPLICATIONS**

- Post termination cable identification
- Identification of large cables, wire bundles or pipework
- Installation friendly easy to replace, ideal for retrofitting and repairs. Only cable ties wraps are needed
- Mass transit, Rail, Aerospace, Marine, Military and Industrial

#### **PRINTER INFORMATION**

Print Quality and Print Performance can only be guaranteed when specific TE printer and ribbons are used

The current list of printers and ribbons can be found in TE document 411-121005 '**Identification Printer Product Ribbon Matrix**'

This document can be found at the TE document repository: <u>http://www.te.com/commerce/DocumentDelivery/DDE</u> Controller

# **CM-SCE-TP Cable Marker**

CM-SCE-TP Cable markers are flat, non-adhesive labels that can be used to identify large cables and wire bundles in particularly aggressive environments. Cable markers can be applied post cable termination using cable ties.

Manufactured using a specially developed radiation cross-linked flame retarded polymer. Typical installations include mass transit, Military and Aerospace.

These Cable markers are printed using Thermal transfer technology

## **TEMPERATURE RATING**

Operating Temperature Range -55°C to 135°C (-67°F to 275°F)

### **ENVIRONMENTAL**

The Cable marker, including the print, does not promote mould growth (ASTM G21 / 28 days – zero rating)

Does not migrate substances which will damage or corrode the surrounding environment, including the conductor

Further information and a downloadable declaration covering RoHS and REACH compliance can be found at the 'TE Product Compliance Support Centre':

http://www.te.com/en/resources/product-compliance.html

## **SPECIFICATIONS / APPROVALS**

#### **TE Connectivity Standard**

• RW-2513

#### Industry

• UL Certification MH26328 Group PG1S2

#### Mass Transit

• EN45545-2 'Hazard Classification 3' Requirement Set R24

#### **SOFTWARE**

Cable Markers are fully supported by WINTOTAL and PrintEasy label printing software, available from the TE product store:

http://www.te.com/en/general/label-printing-software.html

Contact a TE representative for further information

Where possible, TE have tested product as a finished item, including the print. Operational tests are followed by an assessment of mark adherence to validate fit form and function. Further details can be found in TE standard RW-2513




# **TECHNICAL DATA SHEET**

TE Document:	TTDS-113
Issue:	4
Date:	April 2014

### **ORDERING INFORMATION**

# **CM-SCE-TP Cable Marker**

# PART DESCRIPTION



#### OPTIONS Cable marker size


• <sup>1</sup>/<sub>4</sub> or <sup>1</sup>/<sub>2</sub> inch

#### Cable tie holes

- 4 or 6
- Pack sizes
  - 250 or 2500 (2.5k) pieces
- Color
  - White standard (-9) or Yellow non-standard (-4)

ORDERING INFORMATION: Specify product family, pack size, markable height, number of cable tie holes and color.

# **AVAILABLE FORMATS**



CM-SCE-TP-1/4-4H

CM-SCE-TP-1/4-6H

CM-SCE-TP-1/2-6H

#### **Dimensions in mm**

Part Description	Markable height		Markable lengt		Recommended cable use range	
	mm	inches	mm	inches	mm	inches
CM-SCE-TP-1/4-	6.4	0.25	50.8	2	5.08 - 12.5	0.2 - 0.492
CM-SCE-TP-1/2-	12.7	0.50	50.8	2	12.5 and up	0.492 and up

While TE has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.

\*Trademark. TE Connectivity, TE connectivity (logo), and TE (logo) are trademarks. Other logos, product and/or company names may be trademarks of their respective owners.

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Wire Labels & Markers category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below :

89078GBEST 89082GBESR 89082GBEST PCL025-4 5761-2SF 58400 M1.040.0000.6 CRS-CM5M CRS-M18M CS1836-000 CS8626-000 CU6337-000 CU6342-000 CU6343-000 CWD01-0 CWD012-0 CWD012-7 CWD015-3 CWD015-7 CWD02-0 CWD02-3 CWD02-4 CWD02-6 CWD02-8 CWD02-A CWD02-D CWD02-H CWD02-K CWD02-L CWD02-M CWD02-P CWD02-Q CWD02-R CWD02-U CWD02-W CWD02-Y CWD03-+ CWD03-0 CWD03-P CWD06-0 CWD06-8 CWD06-9 CWD06-L CWD06-N CWD09-0 CWD09-5 CWD09-7 6806810001 CZ2857-000 6V1J0