SPECIFICATION CONTROL DRAWING

PECIFICATION CONTROL DRAWING

Date 6-15-12
Revision A

75 ± 3 ohms, Method B

17.4 pF/ft. (nominal)

78% (nominal)

7522B1522

THIS SPECIFICATION SHEET FORMS A PART OF THE LATEST ISSUE OF RAYCHEM SPECIFICATION 1200.

CAPACITANCE

CHARACTERISTIC IMPEDANCE

VELOCITY OF PROPAGATION

75 OHM, AWG 22, 19 STRANDS OF AWG 34, COAXIAL CABLE

CONSTRUCTION DETAILS

CHEMINAX

.143

.164

.182

ELECTRICAL CHARACTERISTICS

ADDITIONAL REQUIREMENTS

DIMENSIONS ARE NOMINAL VALUES IN INCHES UNLESS OTHERWISE DESIGNATED.

.0315 CONDUCTOR

AWG 22, 19 Strands of AWG 34, Silver-Coated Copper

DIELECTRIC

SHIELD

JACKET

UXL-ETFE

AWG 36.

Rayfoam H

Color - White

Tin-Coated Copper

ELECTRICAL

CONDUCTOR RESISTANCE 14.4 ohms/1000 ft. (nominal)
INSULATION RESISTANCE 10,000 megohms (minimum)

for 1000 ft.
JACKET FLAWS

SPARK TEST 1.0 kV (rms)
IMPULSE TEST 6.0 kV (peak)

VOLTAGE WITHSTAND (DIELECTRIC) 1000 volts (rms) (minimum)

ENVIRONMENTAL

FLAMMABILITY Method B

LOW TEMPERATURE-COLD BEND -55°C/5.00 inch mandrel VOLTAGE WITHSTAND 1000 volts (rms), 1 minute

(Post Environmental)

PHYSICAL

INSULATION (DIELECTRIC)

ELONGATION 50% (minimum)
TENSILE STRENGTH 600 lbf/in² (minimum)

JACKET

ELONGATION 150% (minimum)
TENSILE STRENGTH 5000 lbf/in² (minimum)

JACKET THICKNESS .009 inch (nominal)

SHIELD COVERAGE 90% (minimum)

Outer jacket color will be white (designated by a "-9" appended to the part number, e.g. 7522B1522-9) unless otherwise specified.

Designate outer jacket color with a dash number in accordance with MIL-STD-681. Other codes and suffixes may be added to the part number, as necessary, to capture any additional requirements imposed by the purchase order.

WEIGHT 25.4 lbs/1000 ft. (nominal)

Users should evaluate the suitability of this product for their application. Specifications are subject to change without notice. Tyco Electronics Corporation also reserves the right to make changes in materials or processing, which do not affect compliance with any specification, without notification to Buyer.

Page 1 of 1

Rayfoam, Cheminax, Raychem, TE Connectivity, TE connectivity (logo) and TE (logo) are trademarks.



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Coaxial Cables category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

89880-003-1000 CY2389-000 8221-010-U1000 9116-010-U500 1322R-010-1000 1807A-B59-U1000 2020K8421-9X-CS3417 9251-010-1000 9275-010-U1000 935240-000 980704-001 CF2823-000 33312-010-500 CZ1589-000 5022W0809-0CS3263 10610-4-4 EF8108-000 535719-000 1673B TIN100 672525-001 144517-000 735A1-008-1000 134655-000 8212-010-U500 480414-000 7915A 009U1000 5024A1311-0 1281S5 010250 1281S5 000250 1530A 010U1000 1505A 0081000 9272 006U1000 9248 010U1000 7809WB 010500 9244 0101000 1694A 0081000 1190A 0101000 8241F J5C1000 1674A TIN50 7915A 0091000 TRCH-50-2 9066 0031000 7805R 008100 1674A TIN100 9116SB 0101000 1525A 0031000 9271 0061000 1613A 0101000 1807A B591000 5339Q5 009U500