


CUSTOMER DRAWING



| Product Name | Product Dimensions | | | | Cable Dimensions | |
|--------------|--------------------|---------------|-----------------|-----------------|------------------|-----------------|
| | L max | E min | Ø A min | Ø B min | Ø D min | Ø D max |
| D-108-06 | 127 (5.0) | 73 (2.875) | 8.9 (0.350) | 7.5 (0.295) | 4.5 (0.175) | 7.5 (0.295) |
| D-108-07 | 127 (5.0) | 74 (2.915) | 10.2 (0.400) | 8.8 (0.345) | 5 (0.200) | 8.8 (0.345) |
| D-108-08 | 131 (5.150) | 74 (2.915) | 12.7 (0.500) | 11.3 (0.445) | 7 (0.275) | 11.3 (0.445) |


MATERIALS


1. INSULATION SLEEVE: Heat-shrinkable, transparent blue, radiation cross-linked modified polyvinylidene fluoride
2. SOLDER PREFORM WITH FLUX:
 SOLDER: TYPE Sn96 per ANSI-J-STD-006.
 FLUX: TYPE ROM1 per ANSI-J-STD-004.
3. MELTABLE INSERT: Melttable thermoplastic. Color: clear.

APPLICATION

1. These parts are designed to attach an overshield to butt spliced shielded cables.
2. Temperature range: -55°C to +150°C.

Cable dimensions: see table.



| | | | | | |
|--|---|--|---------------------------------------|---------------------------|----------------------|
|  | | Raychem THERMOFIT DEVICES | TITLE: SOLDERSLEEVE* DEVICE | | |
| Unless otherwise specified dimensions are in millimeters. [Inches dimensions are shown in brackets] | | | DOCUMENT NO.: D-108-06/-08 | | |
| TOLERANCES: 0.00 N/A 0.0 N/A 0 N/A | ANGLES: N/A ROUGHNESS IN MICRON | TE Connectivity reserves the right to amend this drawing at any time. Users should evaluate the suitability of the product for their application. | REV : 2 | DATE : 16-Apr-2020 | |
| DRAWN BY: M. FORONDA | DATE: 29-JUN-98 | ECO: ECO-20-005255 | SCALE: NTS | SIZE: A | SHEET: 1 of 1 |

© 2020 TE Connectivity Ltd. Family of Companies. All Rights Reserved.

If this document is printed it becomes uncontrolled. Check for the latest revision.

*TE Connectivity, TE connectivity (logo), Raychem, THERMOFIT, SolderSleeve are trademarks

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Thermostats](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[66F060-0099](#) [66F060-0396](#) [66L085-0477](#) [67F080-0356](#) [67L060-0368](#) [67L080-0038](#) [77877-00](#) [ASP200-22](#) [22636-00](#) [2450 00210626](#) [2450 00880010](#) [2450RC 79080002](#) [2455R--01000844](#) [2455R 80580176](#) [2455R 81610172](#) [2455R--90820376](#) [2455RA-94170955](#) [2455RC-00980620](#) [2455RCG81170352](#) [2455RM 80820736](#) [2455RM-90980499](#) [2455RP-91000430](#) [2455RP-91000433](#) [2455RP-91000436](#) [2455RP-91000442](#) [300004530001](#) [300100140436](#) [300100630004](#) [3001 00830006](#) [2450G 83950014](#) [2450RC-90820307](#) [2455R--00030829](#) [2455R--01000140](#) [2455R 80820813](#) [2455R 80820815](#) [2455R 86890009](#) [2455R--99130436](#) [2455RA-04170929](#) [2455RBV00290011](#) [2455RC-01000545](#) [2455RM 80820767](#) [300000460015](#) [300005510124](#) [300100240048](#) [310000011390](#) [310000030602](#) [310000031798](#) [310000560067](#) [310000010552](#) [310000031674](#)