D-150-0232 ACTIVE

Raychem

TE Internal #: 608633-000 Splices, SolderShield Splice Kit, Splice, 16 – 18AWG Wire Size, 1.5 – .75mm² Wire Size, Sealable, Copper Alloy, Blue, One-to-One Splice View on TE.com >

Terminals & Splices > Splices



Splice Product Type: SolderShield Splice Kit

Terminal & Splice Type: Splice

Wire Size: **1.5 – .75 mm²**

Sealable: Yes

Features

Product Type Features

Splice Product Type	SolderShield Splice Kit
Sealable	Yes
Splice Type	One-to-One Splice
Serrated	No
Splice Barrel Type	Closed Barrel
Splice Wire/Cable Type	Multi-Conductor
Insulated	Yes
Configuration Features	
Splice Configuration	Single to Single
Number of Conductors	2
Body Features	
Insulation Sleeve Material	Polyvinylidene Fluoride
Weight per Piece	7.75 g
Plating Material	Nickel
Insulation Material	Heat Shrink Radiation-Crosslinked Modified Polyvinylidene Fluoride
Splice Material	Copper Alloy
Splice Color	Blue
Contact Features	
Terminal & Splice Type	Splice



D-150-0232

Splices, SolderShield Splice Kit, Splice, 16 – 18AWG Wire Size, 1.5 – .75mm² Wire Size, Sealable, Copper Alloy, Blue, One-to-One Splice



Termination Features

Termination Method	Crimp, Solder
Dimensions	
Wire Size	1.5 – .75 mm²
Splice Overall Length	105.92 mm[4.17 in]
Usage Conditions	
Insulation Requirement	Fully Insulated
Cable Temperature Rating	135 °C
Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]
Operation/Application	
Heavy Duty	No
Industry Standards	
Government Qualified Splice	No
Packaging Features	
Packaging Quantity	10
Splice Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Pb (37% in Solder) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability
Product Compliance Disclaimer	

D-150-0232

Splices, SolderShield Splice Kit, Splice, 16 – 18AWG Wire Size, 1.5 – .75mm² Wire Size, Sealable, Copper Alloy, Blue, One-to-One Splice




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach


Compatible Parts





TE Part # CJ2087-000 HL2010E-KIT-120V

Customers Also Bought









Documents

Product Drawings D-150-0232

English

Datasheets & Catalog Pages 1654025_Sec8_D-150

D-150-0232

Splices, SolderShield Splice Kit, Splice, 16 – 18AWG Wire Size, 1.5 – .75mm² Wire Size, Sealable, Copper Alloy, Blue, One-to-One Splice



English

1654025_Sec8_D-150_D-500_DK-621

English

Harness Repair Products Quick Reference Guide

English

Product Specifications

Installation Procedure for TE Connectivity Shielded Cable Splice Kits with Mini-Seal Crimp Primary Splices

English

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Solder Sleeves & Shield Tubing category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below :

 899170-000
 620040N001
 620069N003
 CTA-0050-01
 629624-000
 6500750004
 6501390002
 CX0781-000
 696396-000
 697080-000
 D-150

 0331CS2902
 D-181-1222-90/9CS2800
 D-300-01CS1108
 715325N001
 908357N001
 982127-1
 D-436-0182CS246
 D-436-37CS2651
 D-436

 61CS246
 D-436-82-CS2621
 D-659-0087
 E53797N001
 CB0213-000
 CB0219-000
 S200-2-01
 S200-4-00CS2904
 LSS-81-16AA-CS5575

 ST18-2-00
 FLX40-020-04-CS8651
 325534-000
 CTA-0025
 D-108-07CS436
 D-128-0010
 D-141-0108CS404
 D-144-41CS1371
 D-150-0231

 NRCS2896
 D-150-1011
 395947-000
 427243N001
 B-801-18-01
 515-9
 C67137-000
 CB0220-000
 D-436-0185CS1102
 D-436-36CS2908
 D

 436-37CS2908
 D-436-52CS246
 D44133N001
 LSS-26-8A
 626168-000
 CB0220-000
 D-436-0185CS1102
 D-436-36CS2908
 D