



# Flag Labels

User Guide – How to create repeatable flag labels

411-121050 - 29 February 2016



# Position Label

Ensure label is at right angles to the cable and at equal distances from the centre.




# Fold-up sides

Applying equal pressure  
and fold up sides.




# Affixing Flag Label

- Lightly apply pressure to the flag faces so label ends meet.
- Increase pressure on flag faces to ensure maximum bond.
- Progressively apply pressure down the label towards the cable.




# Flag Label

When flag made either run fingernail along label crease line or lightly fold flag along crease line to ensure maximum contact.



Crease line



# Flag Label Fundamentals

To achieve optimum conditions when applying a label in a flag configuration there are key points that must be adhered to:

- Cable must be centrally aligned and at right angles to label.
- Label top & bottom edges must be equidistance from cable.
- Label length = (flag length \* 2) + (diameter of cable \* 3.14).

See TE Connectivity document 411-121050 (Guide to Repeatable Flag Labelling.pdf) for detailed information pertaining to Flag Labelling.

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Labels and Industrial Warning Signs](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[ESSW30-025](#) [FTP-020P0704](#) [8WA8-848-0AM](#) [8WA8-848-0AT](#) [QC105](#) [QCC613](#) [DAT-18-502-10](#) [DAT-5-502-10](#) [132465](#) [13803](#) [142810](#)  
[15425](#) [18453](#) [1878678-5](#) [HTS795-1](#) [LAT-4-410-10](#) [29760](#) [30288](#) [1768021-2](#) [18347](#) [18432](#) [18581](#) [18722](#) [18730](#) [1878679-3](#) [28951](#) [28958](#)  
[PVF225194WE2.5](#) [30239](#) [30545](#) [35070](#) [CA0375-000](#) [WM-15-PK](#) [WM-20-PK](#) [WO-10](#) [06770](#) [11196](#) [11197](#) [11178](#) [111852](#) [111932](#)  
[WOAF-34](#) [06742](#) [18327](#) [8-1768039-4](#) [1878983-4](#) [WO-10-VP](#) [PTL-7-423](#) [06736](#) [B422](#) [25X85MM](#)