




REV
E DRB12-128P*NE-L018

| REVISIONS | | | |
|-----------|-------------------------|---------|----------|
| SYM | DESCRIPTION | DATE | APPROVED |
| B | REVISED PER E.O. P20504 | 5-3-10 | D.M. |
| C | REVISED PER E.O. P20969 | 6-10-11 | R.D.R. |
| D | REVISED PER E.O. P21364 | 5-17-12 | R.D.R. |
| E | REVISED PER E.O. P21533 | 2/11/13 | dm |



8 SEE SHEET 2 FOR OTHER KEY ARRANGEMENTS.

7. MATERIAL: RECEPTACLE: PLASTIC;
THREADED INSERT: STEEL.

6 WIRE ROUTER CAP IS INCLUDED WITH RECEPTACLE (-L018).

5. THIS RECEPTACLE MATES WITH DRB16-128S*E-**** PLUG
(* = A, B, C, D KEYS; **** = ALL MODIFICATIONS. CONSULT FACTORY FOR MODS)

4 FOR CONTACTS AND WIRE PERFORMANCE AND APPLICATION
CHARACTERISTICS SEE INFORMATION DRAWING 0425-015-0000.

3. ITEMS SOLD SEPARATELY: SECONDARY LOCK: WB-64P* (2 REQUIRED).
INTERFACE FLANGE: DRBF-1*. (* = A, B, C, D KEYS)

2. DIMENSION TOLERANCE: ±.025 [.64].

1. DIMENSIONS ARE IN INCHES [mm].

NOTES: UNLESS OTHERWISE SPECIFIED


| CONTACT SIZE | MAX. INSUL. O.D. [mm] | WIRE RANGE [mm ²] REF ONLY |
|--------------|-----------------------|--|
| 12 | .200 [5.334] | 12-14 AWG [3.0-2.0] |
| 16 | .140 [3.556] | 14-20 AWG [2.0-0.5] |

| SIGNATURE & DATE | |
|------------------|--------------------------|
| DR | J. APOSTOL 08FEB2013 |
| CHK | <i>Paul Carl</i> 2/11/13 |
| PE | <i>Paul Carl</i> 2/11/13 |
| APPD | <i>D. Mewy</i> 2/11/13 |
| SCALE | NONE WT |


RECEPTACLE, 128 CONTACTS
KEYS: A, B, C, D
NON ENVIRONMENTAL
COLOR: BLACK
-L018 MOD
DRB SERIES
ENVELOPE

EP 202
MATERIAL CODE
3850 INDUSTRIAL AVE.
HEMET, CA 92545
DEUTSCH
INDUSTRIAL
B DRB12-128P*NE-L018
DWG SIZE 11139 SHEET 1 OF 2


| | | | | |
|----------|--------------------|-----------|----------|--|
| REV E | DRB12-128P*NE-L018 | REVISIONS | | |
| SYM | DESCRIPTION | DATE | APPROVED | |
| E | SEE SHEET 1 | 2/11/13 | DM | |
| | | | | |
| | | | | |




DRB12-128PANE-L018
KEY: A



DRB12-128PBNE-L018
KEY: B



DRB12-128PCNE-L018
KEY: C




DRB12-128PDNE-L018
KEY: D

NOTES: SEE SHEET 1.

| | |
|-------|----------------------------|
| | SIGNATURE & DATE |
| DR | J. APOSTOL 08FEB2013 |
| CHK | <i>[Signature]</i> 2/11/13 |
| PE | <i>[Signature]</i> 2/11/13 |
| | |
| APPD | <i>[Signature]</i> 2/11/13 |
| SCALE | NONE 4 WT |

RECEPTACLE, 128 CONTACTS
KEYS: A, B, C, D
NON ENVIRONMENTAL
COLOR: BLACK
-L018 MOD
DRB SERIES
ENVELOPE

| | |
|---|---------------------------|
| EP 202 | MATL. CODE |
| 3850 INDUSTRIAL AVE. HEMET, CA 92545 | |
| B | DRB12-128P*NE-L018 |
| DWG SIZE | CODE 11139 SHEET 2 OF 2 |



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Automotive Connectors](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[003-018-000](#) [60403001](#) [60993906-B](#) [M902-2131](#) [M902-2161](#) [72.330.1035.1](#) [73.353.4028.0](#) [F119300-B](#) [F166900](#) [F258300-B](#) [F358300-B](#)
[F407400](#) [F444110](#) [F487000](#) [F509500B-B](#) [827153-1](#) [8N1515-32-24P](#) [9-1326729-8](#) [925474-1](#) [928905-1](#) [964562-4](#) [968782-1](#) [GT17SA-8DS-](#)
[HU](#) [98891-1012](#) [98947-1016](#) [12004147](#) [12004475-L](#) [12010290](#) [12010309-B](#) [12015454](#) [12020219-B](#) [12020308](#) [12041318-B](#) [12052225-L](#)
[12052466](#) [12059125](#) [12064869](#) [12004327-B](#) [12010503-B](#) [12015308](#) [12015384](#) [12015909](#) [1-21030-1](#) [12041254](#) [12041318](#) [12047946-B](#)
[12047957](#) [12047957-L](#) [12059473](#) [12066261](#)