




REV A	DRB16-48S*E-L018	REVISIONS		
SYM	DESCRIPTION	DATE	APPROVED	
NC	NEW RELEASE PER E.O. P17165	3-7-01	R.D.R.	
A	REVISED PER E.O. P20466	3-11-10	RDR	



7. MATING TORQUE REQUIREMENT: 30-35 IN-LB [3.38-3.95 NM]
6. WIRE ROUTER CAP IS INCLUDED WITH PLUG (-L018 MOD).
5. THIS PLUG MATES WITH DRB12-48P\*(N)E-\*\*\*\* RECEPTACLE (\* = A,B,C,D KEYS; \*\*\*\* = ALL MODIFICATIONS). CONSULT FACTORY FOR MODS.
4. FOR CONTACTS AND WIRE PERFORMANCE AND APPLICATION CHARACTERISTICS, SEE INFORMATION DRAWING 0425-015-0000.
3. ITEMS SOLD SEPARATELY: SECONDARY LOCK: WB-48S\*  
INTERFACE FLANGE: DRBF-2\*
2. DIMENSION TOLERANCE: ±.025 [.64].
1. DIMENSIONS ARE IN INCHES [mm].

9. SEE SHEET 2 FOR OTHER KEY ARRANGEMENTS.
8. MATERIAL - PLUG: PLASTIC  
SEAL/GROMMET: RUBBER  
CLIP: STEEL  
BOLT: STEEL WITH SILVER PLATE,  
BOLT MAY TARNISH.

CONTACT SIZE	MIN. INSUL. O.D.	MAX. INSUL. O.D.	WIRE RANGE [mm <sup>2</sup> ] REF ONLY
12	.097 [2.464]	.158 [4.013]	12-14 AWG [3.0-2.0]
16	.053 [1.346]	.120 [3.048]	14-20 AWG [2.0-0.5]
20	.040 [1.016]	.095 [2.413]	16-20 AWG [1.0-0.5]


NOTES:

SIGNATURE & DATE	
DR	S. PALLUTH 02/28/01
CHK	<i>Paul Larnal</i> 3/11/2010
PE	<i>D. Meyer</i> 3/11/10
APPD	<i>D. Meyer</i> 3/11/10
SCALE	NONE


PLUG, 48 CONTACTS  
KEY ARRANGEMENTS  
A, B, C, & D  
"E" SEAL, -L018 MOD  
COLOR: BLACK  
DRB SERIES  
ENVELOPE

EP 063	MATL. CODE
3850 INDUSTRIAL AVE. HEMET, CA 92545	
DWG SIZE	CODE 11139 SHEET 1 OF 2


REV A	DRB16-48S*E-L018	REVISIONS			
		SYM	DESCRIPTION	DATE	APPROVED
		A	SEE SHEET 1	3-11-10	RDR




**DRB16-48SAE-L018**  
KEY ARRANGEMENT -A-



**DRB16-48SBE-L018**  
KEY ARRANGEMENT -B-



**DRB16-48SCE-L018**  
KEY ARRANGEMENT -C-




**DRB16-48SDE-L018**  
KEY ARRANGEMENT -D-

NOTES:

	SIGNATURE & DATE
DR	S. PALLUTH 02/28/01
CHK	<i>Kulshreshna</i> 3/11/2010
PE	<i>Kulshreshna</i> 3/11/2010
APP'D	<i>D. Meyer</i> 7/11/10
SCALE	NONE (WT)

PLUG, 48 CONTACTS  
KEY ARRANGEMENTS  
A, B, C, & D  
"E" SEAL, -L018 MOD  
COLOR: BLACK  
DRB SERIES  
ENVELOPE

EP 063	MATL. CODE
 3850 INDUSTRIAL AVE. HEMET, CA 92545	
<b>DEUSCH INDUSTRIAL</b>	
<b>B</b>	<b>DRB16-48S*E-L018</b>
DWG SIZE	CODE 11139 SHEET 2 OF 2

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Automotive Connectors](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[003-018-000](#) [60403001](#) [60993906-B](#) [M902-2131](#) [M902-2161](#) [72.330.1035.1](#) [73.353.4028.0](#) [F119300-B](#) [F166900](#) [F258300-B](#) [F358300-B](#)  
[F407400](#) [F444110](#) [F487000](#) [F509500B-B](#) [827153-1](#) [8N1515-32-24P](#) [9-1326729-8](#) [925474-1](#) [928905-1](#) [964562-4](#) [968782-1](#) [GT17SA-8DS-](#)  
[HU](#) [98891-1012](#) [98947-1016](#) [12004147](#) [12004475-L](#) [12010290](#) [12010309-B](#) [12015454](#) [12020219-B](#) [12020308](#) [12041318-B](#) [12052225-L](#)  
[12052466](#) [12059125](#) [12064869](#) [12004327-B](#) [12010503-B](#) [12015308](#) [12015384](#) [12015909](#) [1-21030-1](#) [12041254](#) [12041318](#) [12047946-B](#)  
[12047957](#) [12047957-L](#) [12059473](#) [12066261](#)