


REVISIONS




P	LTR	DESCRIPTION	DATE	DWN	APVD
A		INITIAL RELEASE PER PCN E-17-014006	11SEP2017	SS	DM
B		REVISED PER PCN E-19-014633	15FEB2019	AK	NS



CONTACT SIZE	MIN. INSUL. O.D.	MAX. INSUL. O.D.	WIRE RANGE [mm ²] REF ONLY
16	.053 [1.35]	.120 [3.05]	14-20 AWG. [2.5-0.5]

-E- SYMBOL DESIGNATES REDUCED DIAMETER WIRE

DATE CODE:
 MONTH IS REPRESENTED BY SEQUENTIAL ALPHA CHARACTERS.
 A = JANUARY



DATE CODE:
 YEAR IS REPRESENTED BY THE LAST NUMERICAL DIGIT.
 EX: 0 = 2010

TE INTERNAL PN	DEUTSCH PN
DT04-12PA-CE04	DT04-12PA-CE04
2323768-2	DT04-12PB-CE04
2323768-3	DT04-12PC-CE04
2323768-4	DT04-12PD-CE04

4. FOR CONTACTS AND WIRE PERFORMANCE AND APPLICATION CHARACTERISTICS SEE CUSTOMER DRAWING 0425-015-0000.

3. MATERIAL: HOUSING: PA66 GF15, SEE SHEET 2 FOR COLOR GROMMET: VMQ (BURNT RED)

2. THIS RECEPTACLE MATES WITH DT06-12SX-XXXX PLUG. (X=A,B,C,D KEY, XXXX = ALL MODIFICATIONS)


1. SECONDARY WEDGE LOCK SOLD SEPARATELY: W12P-XXXX. (XXXX = ALL MODIFICATIONS)

NOTES:

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN SHASHI.S 11SEP2017	TE Connectivity			
DIMENSIONS: INCHES [mm]		CHK D.MEYER 14SEP2017				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D.MEYER 14SEP2017	NAME 12 WAY RECEPTACLE -CE04 MOD. DT SERIES			
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ±.025 [0.64] 4 PLC ± ANGLES ±0°30'0"		PRODUCT SPEC 108-151009				
MATERIAL		APPLICATION SPEC 114-151009	SIZE A3	CAGE CODE 4AFU8	DRAWING NO. DT04-12PX-CE04	RESTRICTED TO
FINISH		WEIGHT 23 G	SCALE 2:1		SHEET 1 OF 2	REV B
		CUSTOMER DRAWING				


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

DT04-12PA-CE04
KEY -A-
HOUSING AND CAP COLOR: GREY




KEY -A-

DT04-12PB-CE04
KEY -B-
HOUSING AND CAP COLOR: BLACK




KEY -B-

DT04-12PC-CE04
KEY -C-
HOUSING COLOR: GREEN
CAP COLOR: BLACK



KEY -C-


DT04-12PD-CE04
KEY -D-
HOUSING COLOR: BROWN
CAP COLOR: BLACK



KEY -D-

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
 INCHES [mm]



MATERIAL



TOLERANCES UNLESS OTHERWISE SPECIFIED:

- 0 PLC ±
- 1 PLC ±
- 2 PLC ±
- 3 PLC ±.025 [0.64]
- 4 PLC ±
- ANGLES ±0°30'0"
- FINISH

DWN	SHASHI.S	11SEP2017
CHK	D.MEYER	14SEP2017
APVD	D.MEYER	14SEP2017
PRODUCT SPEC	108-151009	
APPLICATION SPEC	0425-017-0000	
WEIGHT	23 G	
CUSTOMER DRAWING		



NAME
 12 WAY RECEPTACLE -CE04 MOD.
 DT SERIES

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	4AFU8	DT04-12PX-CE04	-
SCALE		SHEET	REV
2:1		2 OF 2	B

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Automotive Connectors](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[003-018-000](#) [60403001](#) [60993906-B](#) [M902-2131](#) [M902-2161](#) [72.330.1035.1](#) [73.353.4028.0](#) [F119300-B](#) [F166900](#) [F258300-B](#) [F358300-B](#)
[F407400](#) [F444110](#) [F487000](#) [F509500B-B](#) [827153-1](#) [8N1515-32-24P](#) [9-1326729-8](#) [925474-1](#) [928905-1](#) [964562-4](#) [968782-1](#) [GT17SA-8DS-](#)
[HU](#) [98891-1012](#) [98947-1016](#) [12004147](#) [12004475-L](#) [12010290](#) [12010309-B](#) [12015454](#) [12020219-B](#) [12020308](#) [12041318-B](#) [12052225-L](#)
[12052466](#) [12059125](#) [12064869](#) [12004327-B](#) [12010503-B](#) [12015308](#) [12015384](#) [12015909](#) [1-21030-1](#) [12041254](#) [12041318](#) [12047946-B](#)
[12047957](#) [12047957-L](#) [12059473](#) [12066261](#)