



**ES CAPS**  
**Polyolefin, Dual-Wall**  
**Semi-Rigid, Heat - Shrinkable**

**As Supplied**




**After Unrestricted Recovery**



Color: Black or Clear  
 Temperature rating: -40°C to 105°C  
 Material: Per RW-3006

**Specification Control Drawing**

|   |  |                |   |             |                  |  |
|---|--|----------------|---|-------------|------------------|--|
|  | TE Connectivity<br>300 Constitutional Drive<br>Menlo Park, CA 94025 USA  | <b>Raychem</b> | Title: <b>ES CAPS</b><br><b>Polyolefin, Dual-Wall</b><br><b>Semi-Rigid, Heat - Shrinkable</b> |             |                  |  |
|   | TE Connectivity reserves the right to amend this drawing at any time. Users should evaluate the suitability of the product for their application |                | Document No : <b>ES CAPS</b>  |             |                  |  |
| Cage Code:<br>06090   | Scale:<br>None   | Size:<br>A     | Rev. Date:<br>18-Apr-11   | Rev.:<br>B1 | Sheet:<br>1 of 2 |  |

Print Date: 12-May-11 *If this document is printed it becomes uncontrolled. Check for the latest revision.*

**Table 1**  
Dimensions (mm /In)

| Part No.         | A $\pm 3.81/.150$ | B Min.      | C Min.   | D Max.   | W Min.   | Adhesive Wall min. |
|------------------|-------------------|-------------|----------|----------|----------|--------------------|
| ES-CAP-No.1-30mm | 30/1.18           | 16.78/660   | 5.7/225  | 1.3/050  | 1.2/047  | .56/022            |
| ES-CAP-No.1-35mm | 35/1.38           | 21.18/833   | 5.7/225  | 1.3/050  | 1.2/047  | .56/022            |
| ES-CAP-No.1-40mm | 40/1.575          | 25.58/1.005 | 5.7/225  | 1.3/050  | 1.2/047  | .56/022            |
| ES-CAP-No.1-45mm | 45/1.772          | 28.45/1.120 | 5.7/225  | 1.3/050  | 1.2/047  | .56/022            |
| ES-CAP-No.1-50mm | 50/1.97           | 36.68/1.445 | 5.7/225  | 1.3/050  | 1.2/047  | .56/022            |
| ES-CAP-No.2-30mm | 30/1.18           | 16.78/660   | 7.4/293  | 1.7/065  | 1.52/060 | .76/030            |
| ES-CAP-No.2-35mm | 35/1.38           | 21.18/833   | 7.4/293  | 1.7/065  | 1.52/060 | .76/030            |
| ES-CAP-No.2-40mm | 40/1.575          | 25.58/1.005 | 7.4/293  | 1.7/065  | 1.52/060 | .76/030            |
| ES-CAP-No.2-50mm | 50/1.97           | 36.68/1.445 | 7.4/293  | 1.7/065  | 1.52/060 | .76/030            |
| ES-CAP-No.3-30mm | 30/1.18           | 16.78/660   | 10.8/427 | 2.41/095 | 1.91/075 | 1.02/040           |
| ES-CAP-No.3-35mm | 35/1.38           | 21.18/833   | 10.8/427 | 2.41/095 | 1.91/075 | 1.02/040           |
| ES-CAP-No.3-40mm | 40/1.575          | 22.48/920   | 10.8/427 | 2.41/095 | 1.91/075 | 1.02/040           |
| ES-CAP-No.3-50mm | 50/1.97           | 33.58/1.320 | 10.8/427 | 2.41/095 | 1.91/075 | 1.02/040           |

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Heat Shrink Cable Boots & End Caps](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[577159N001](#) [645494-000](#) [CX4132-000](#) [687025-000](#) [705331-000](#) [718446-000](#) [725666N001](#) [729257-000](#) [F27131-000](#) [F85868-000](#) [770-003S106W2](#) [770-013210W1](#) [770-013311](#) [770-013312](#) [806542N001](#) [807507-000](#) [808362-000](#) [808618-000](#) [809125-000](#) [809130-000](#) [809218-000](#) [812014-000](#) [812047-000](#) [813166-000](#) [813767N002](#) [814741-000](#) [819117N001](#) [823026-000](#) [823070-000](#) [825002-000](#) [841189N001](#) [861471-000](#) [866647-000](#) [879515-000](#) [937577-000](#) [957073-000](#) [982033-2](#) [A77813-000](#) [R280576000](#) [D96192-000](#) [163549-000](#) [EN3BOOTLKIT](#) [MTPSRBCL-C](#) [1954015-1](#) [200W531-3-0](#) [202A163-4-0-CS5067](#) [202A343-3-00-0](#) [202B221-13-0](#) [202B231-13-0](#) [202B563-25-07-0](#)