

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY - TE IND.


ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	Change dimension (A total of one)	26OCT2016	T.Z	S.Z
	B	ECO-18-016894 cmbine QR code	26OCT2018	T.Z	XN.Z
	B1	Add 3C LOGO ECO-20-016235	26NOV2020	T.Z	XN.Z




1

BOTTOM MOUNTING TYPE



2

SIDE MOUNTING TYPE



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 06SEP2016

CHK XN.ZHANG

APVD 06SEP2016

SUNNY_ZHANG

PRODUCT SPEC


APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± 0.1
1 PLC ± 0.01
2 PLC ± 0.001
3 PLC ± 0.0001
4 PLC ± 0.0001
ANGLES ± 0.1

MATERIAL

FINISH

06SEP2016

XN.ZHANG

06SEP2016

SUNNY_ZHANG

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME IHV100 SERIES PRODUCT

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

C-2071408

SCALE

1:1

SHEET


1 OF 2

REV B1

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

LABEL PRINT CONTENT

SCALE 4:1



PRODUCT NAME

PART NUMBER

COIL VOLTAGE

MANUFACTURING FACILITY CODE

DATE CODE (YYWW)

NOTES:

- 1 22AWG, WIRE LENGTH 380±25MM ABOUT;
- 2 HARDWARE IS RECOMMENDED TO USE:
2X M5 BOLT, LOCKWASHER AND WASHER;
TORQUE: 30 TO 40 IN-LB (3.4 TO 4.5 NM)
- 3 HARDWARE IS RECOMMENDED TO USE:
2X M4 BOLT, LOCKWASHER AND WASHER
TORQUE: 20 IN-LB MAX. (2.3 NM MAX.)
- 4 QR CODE PRINTED CONTENT:

MMYY-001,PPPPPP,0001

SERIALS NUMBER(1~9999)
PRODUCT NUMBER(1-7-1)
MANUFACTURING BATCH NUMBER(1~999)
YEAR OF MANUFACTURE(LAST 2 DIG OF YEAR)
MONTH OF MANUFACTURE(MONTH)

SIDE	NORMALLY OPEN	48 VDC	IHV100H6ANH	3-2071408-3
SIDE	NORMALLY OPEN	24 VDC	IHV100H5ANH	3-2071408-2
SIDE	NORMALLY OPEN	12 VDC	IHV100H4ANH	3-2071408-1
BOTTOM	NORMALLY OPEN	48 VDC	IHV100H6ANG	2-2071408-3
BOTTOM	NORMALLY OPEN	24 VDC	IHV100H5ANG	2-2071408-2
BOTTOM	NORMALLY OPEN	12 VDC	IHV100H4ANG	2-2071408-1
SIDE	NONE	48 VDC	IHV100A6ANH	1-2071408-3
SIDE	NONE	24 VDC	IHV100A5ANH	1-2071408-2
SIDE	NONE	12 VDC	IHV100A4ANH	1-2071408-1
BOTTOM	NONE	48 VDC	IHV100A6ANG	2071408-3
BOTTOM	NONE	24 VDC	IHV100A5ANG	2071408-2
BOTTOM	NONE	12 VDC	IHV100A4ANG	2071408-1

MOUNT POSITION AUX. CONTACT COIL VOLTAGE PRODUCT NAME PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	-	TE Connectivity	
		CHK	-		
		APVD	-		
		PRODUCT SPEC	-		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ±-		-	
		1 PLC ±0.1		-	
		2 PLC ±0.01		-	
		3 PLC ±0.001		-	
4 PLC ±0.0001		APPLICATION SPEC		-	
MATERIAL		FINISH		WEIGHT	
TBD		-		-	
-		-		-	
CUSTOMER DRAWING				SIZE	RESTRICTED TO
				A3	-
				CAGE CODE	-
				DRAWING NO	©-2071408
				SCALE	4:1
				SHEET	2 OF 2
				REV	B1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[7-1103638-1](#) [1775485-2](#) [1-1393565-8](#) [539664-2](#) [5-1814821-1](#) [796136-1](#) [1-967621-5](#) [504021-1](#) [W57-XA8A4A10-5](#) [172131-1](#) [8-917542-2](#)
[892583-000](#) [5-690482-4](#) [5745928-2](#) [CRB-48-70060](#) [5747250-4](#) [5747846-4](#) [5767006-7](#) [58061-1](#) [58062-1](#) [58079-3](#) [583785-000](#) [58380-2](#)
[58435-1](#) [58524-2](#) [585435-000](#) [58571-1](#) [5864-5002-10](#) [586863-000](#) [59170](#) [592165-000](#) [013750-000](#) [59773-1](#) [004845-000](#) [5J0-1000LG-SIL](#)
[5JO-1000CD-SIL](#) [5R4-SS-PAL](#) [600850-1](#) [0104-201-2402](#) [0113-201-2029](#) [601156-000](#) [603995-2](#) [604200-1](#) [609-1030](#) [609-1441](#) [60AYP6C](#)
[60DCB6](#) [61243C500](#) [6131-207-1158P](#) [6131-207-2358P](#)