K41P332=RELAY, VACUUM, SPST, L 🗸 ACTIVE

Kilovac | Kilovac K41 TE Part # 6-1618239-5 TE Internal #: K41P332 View on TE.com >



Relays, Contactors & Switches > Relays > High Voltage Relays



Contact Voltage Rating: 5 kVDC

Contact Arrangement: 1 Form P, SPST-Latching, 1 Latching

High Voltage Connection (Coil): Bus Wires

High Voltage Connection (Power): High Voltage Tabs

Economizer: Without

Features

Product Type Features


RF Rated	Yes
Product Type	Relay
Relay Type	High Voltage

Configuration Features

Economizer	Without				
Power Switching	Yes				
Electrical Characteristics					
Contact Voltage Rating	5 kVDC				
Voltage (Max)	26.5 VDC				
Coil Voltage Rating	26.5 VDC				
Coil Resistance	Ω 08				
Contact Features					
Contact Arrangement	1 Form P, SPST-Latching, 1 Latching				
Auxiliary Contacts	Without				
Contact Current Rating	30 A				
Termination Features					
High Voltage Connection (Coil)	Bus Wires				
High Voltage Connection (Power)	High Voltage Tabs				
Termination Style	Bus Wires				

K41P332=RELAY, VACUUM, SPST, L

TE Part # 6-1618239-5 TE Internal #: K41P332



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.



Compatible Parts



Also in the Series | Kilovac K41

C For support call+1 800 522 6752



TE Part # 6-1618239-5 TE Internal #: K41P332





Customers Also Bought



CAGE ASSY, 1X6, QSFP28,	QSFP28, 1X2, CAGE ASSY,	POWER DBL LOCK PLUG	H4P 510K 1% 100PPM
SPRING, HS, LP	SPRING, HS, LP	HSG 4P(GWT)	

Documents

Datasheets & Catalog Pages 5-1773450-5_sec7_K41

English

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for General Purpose Relays category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below :

PCN-105D3MH,000 59641F200 5JO-1000CD-SIL LY1SAC110120 5X827E 5X837F 5X840F 5X842F 5X848E LY2N-AC120 LY2S-AC220/240 LY2-US-AC120 LY3-US-AC120 LY4F-UA-DC12 LY4F-UA-DC24 LY4F-US-AC120 LY4F-US-AC240 LY4F-US-DC24 LY4F-VD-AC110 LYQ20DC12 M115C60 M115N010 M115N0150 6031007G 603-12D 61211T0B4 61212T400 61222Q400 61243B600 61243C500 61243Q400 61311BOA2 61311BOA6 61311BOA8 61311C0A2 61311COA1 61311COA6 61311F0A2 61311QOA1 61311QOA4 61311T0D6 61311TOA6 61311TOA7 61311TOB3 61311TOB4 61311U0A6 61312Q600 61312T400 61312T600 61313U200