




TERMINAL,PIDG R IR 22 6



✓ ACTIVE

PIDG

TE Part # **2-36149-3**

TE Internal #: **2-36149-3**

Mil-Spec: **M7928/1-12**

Terminal Type : **Ring Tongue**

Stud Diameter : **3.68 mm [.145 in]**

Tongue Thickness : **.79 mm [.031 in]**

Wire Size (AWG): **22**

Wire Size (mm²): **.3 – .4, .3 – .4**

☰ Add to List ▾

[Compatible Parts & Tooling](#)

We are here to help!

Get in touch with our product experts.



[CHAT WITH US](#)



[EMAIL US](#)



[CALL US](#)



FEATURES

Product Description

Pre-Insulated Diamond Grip Ring Tongue Terminals

[View All PIDG RING TONGUE TERMINALS \(428\)](#)

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Sealable : **No**

Barrel Type : **Closed Barrel**

Wire/Cable Type : **Regular Wire**

Insulated : **Yes**

Support Style : **Insulation Restriction**

Stud Size : **6, M3.5**

Shape Code : **RING-042**

Barrel Style : **Standard**

Discrete Wire Type : **Stranded**

Configuration Features

Number of Holes : **1**
Terminal Angle : **Straight**

Electrical Characteristics

Voltage (Max) (V): **300**

Body Features

Plating Material : **Copper, Tin**
Insulation Sleeve Material : **Nylon**
Weight per Piece (g): **.662**
Plating Thickness : **2.54 µm [100 µin]**
Stripe Color : **Green**
Insulation Type : **Pre-Insulated**
Inspection Slot : **No**

Contact Features

Terminal Type : **Ring Tongue**
Terminal Orientation : **Straight**
Military Part Class : **Class I**

Mechanical Attachment

Wire Insulation Support : **With**

Dimensions

Stud Diameter : **3.68 mm [.145 in]**
Tongue Thickness : **.79 mm [.031 in]**
Wire Size (AWG): **22**
Wire Size (mm²): **.3 – .4, .3 – .4**
Wire Insulation Diameter (Max) : **2.79 mm [.11 in]**
Wire Insulation Diameter : **.97 – 2.79 mm [.038 – .11 in]**
Wire Size (CMA): **754**
Material Thickness : **.79 mm [.031 in]**
Overall Length : **17.07 mm [.672 in]**

Usage Conditions

Operating Temperature Range (°C): **105**

Operation/Application

Heavy Duty : **No**

Industry Standards

Government Qualified : **Yes**



Packaging Features

Packaging Method: **Loose Piece**
Packaging Quantity: **1000**

Other

Barrel Color: **Red**

Compatible Parts



TE Part # 59170
T-HD HT, SH PIDG 22-14

From **\$2,032.000**
In-Stock

[Add To Cart](#)



TE Part # 59824-1
TETRA-CRIMP HT ASSY

From **\$328.000**
In-Stock

[Add To Cart](#)



TE Part # 58433-3
PRO CR ASSY, RBY IS9252

From **\$121.000**
In-Stock

[Add To Cart](#)



TE Part # 59250
T-HD HT, PIDG 22-14

From **\$1,276.000**
In-Stock

[Add To Cart](#)



Feedback

Also in the Series | PIDG



Crimp Terminal Housings (1)



Crimp Wire Pins, Tabs & Ferrules (41)



Knife Disconnects (11)



PCB Terminals (9)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Terminals](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[00-054007-01074-6](#) [00-054007-70206-1](#) [00-054007-70210-8](#) [00-054007-70217-7](#) [00-054007-70226-9](#) [00-054007-70228-3](#) [00-054007-70248-1](#) [00-054007-70256-6](#) [00-054007-70301-3](#) [00-054007-70316-7](#) [00-054007-49560-4](#) [00-054007-70209-2](#) [00-054007-70225-2](#) [00-054007-70227-6](#) [00-054007-70231-3](#) [00-054007-70241-2](#) [00-054007-70242-9](#) [00-054007-70244-3](#) [00-054007-70246-7](#) [00-054007-70263-4](#) [00-054007-70288-7](#) [00-054007-70290-0](#) [00-054007-70300-6](#) [00-054007-70304-4](#) [01-2065-1-0216](#) [01-2900-1-04412](#) [00581P0075](#) [600TS-10](#) [60205-1](#) [604200-1](#) [605601-1](#) [60598-1-CUT-TAPE](#) [61314-6-C](#) [61810-3](#) [61-S](#) [61-SN](#) [626-0194](#) [62-NBM-A](#) [62-SN](#) [62-SP](#) [63-S](#) [640179-1](#) [M55155/059I03](#) [M55155/079C01](#) [M55155/099H02](#) [M55155/109H01](#) [M55155/109H02](#) [M55155/12XH05](#) [M55155/16XH02](#) [M55155/29-5S](#)