댈 Share

Ouick Links

Pricing & Availability

Search for ToolingProduct Feature SelectorContact Us About This Product

Find Similar Products

Tooling



Print

English (Change)


What can we help you find?

Email

Buy Product

Products Industries Resources About TE My Account Innovation Support Center

81044/12-22-9 Product Details



81044/12-22-9 (M81044/12-22-9) TE Internal Number: 282256-004 A ctive

Spec 44, Spec 55 and Spec RCW Wire and Cable

able

Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- Cable Type = Spec 44
- Wire Source = United States
- Cable Style = Primary
- Wire Size (A WG/C M) = 22 A WG
- Voltage Rating = 600 VAC

Add to My Part List

View all Features

Documentation & Additional Information Product Drawings: Related Products:

Request Sample

Product Drawings:

• WIRE, ELECTRIC, RADIATION-CROSSLINKED, TIN-COATED CO... (PDF,

Catalog Pages/Data Sheets:

None Available

Product Specifications:

None Available

Application Specifications:

· None Available

Instruction Sheets:

None Available

CAD Files:

• None Available

List all Documents

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Cable Type = Spec 44
- Cable Style = Primary

Electrical Characteristics:

• Voltage Rating (VAC) = 600

Dimensions:

• Conductor Outer Diameter (mm [in]) = 0.79 [0.031]

Body Features:

- Wire Size (AWG/CM) = 22 AWG
- Conductor Type = Tin-Pland Copper
- Wire Color = White
- Nominal Outside Diameter (mm [in]) = 1.19 [0.047]
- Wire Diameter (mm [in]) = 1.19 [0.047]

Configuration Features:

• Number of Conductors = 1

Industry Standards:

- Government/Industry Qualification = Yes
- Government/Industry Part Number = M81044/12-22-9
- RoHS/ELV Compliance = RoHS compliant. ELV compliant
- Lead Free Solder Processes = Not relevant for lead free process
- RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:

- Temperature Range (°C) = -65 +150
- Wire Size Details = 22 AWG 0.38 mm², 0.00059 in², 19 x 34 AWG

Operation/Application:

Application = General Purpose - Lightweight

Packaging Features:

Wire Source = United States

Other:

• Brand = Raychem

Corporate Information Quick Links

A bout TE
Investors
News Room
Supplier Portal

Distributor Inventory
Product Cross Reference
Documents & Drawings
Product Compliance Support Center

Customer Support

Email or Chat With Us
Find a Phone Number
Knowledge Base
Manage Your Account

Careers

Terms & Conditions
Privacy Policy

AODA Accessibility Policy

 ${\tt AODA\ Multi-Year\ Accessibility}$

Dlan

© 2014 TE Connectivity Ltd. family of companies . All Rights Reserved

Site Map

Keep Me Informed



[-] Provide Website Feedback

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Hook-up Wire category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

8918-BRN-1000 8920-DK-BLU-1000 CR6328-000 01776.38.01 M22759/16-14-5-500FT 7053-RED-1000 7053-SLATE-1000 F25935-000 F60898-000 8055 81044/12-18-9CS3209 82A0811-4-9-G110 83004-ORG-1000 83005-LT-BLU-1000 83025-VIO-1000 8523-RED-100 8524-WHT-100 8525-ORG-1000 8530-BLK-1000 8530-LT-BLU-100 8538-009-1000 8597-LT-BLU-100 8898-BLK-100 138498-000 E76065-000 EPD50886A-20-9 BFWUL3239-24-PINK C2015A.12.04 C2015A.12.05 C2015A.12.08 C2015A.12.10 C2015A.12.19 C2016A.12.05 C2016A.12.07 C2065A.12.02 C77653-000 220368-001 8916-GRY-500 8918-RED-100 8919-DK-BLU-1000 8919-YEL-100 8920-YEL-100 9242833001 933205-000 2841/7-YELLOW-1000 2842/7-ORANGE-100 2842/7-RED-1000 2843/19-BLUE-100 2843/1-YELLOW-100 2843/7-GREEN-100