


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
A		PRODUCTION RELEASE	03 SEP 08	BJR	MKS		



- 1 CONNECTOR SHALL BE MARKED IN ACCORDANCE WITH METHOD 1 OF MIL-STD-1285. MARKING SHALL CONTAIN THE MILITARY PIN, CAGE CODE (OR TE), AND DATE CODE. EXAMPLE: M83513/04-XXXX TE YYWW (WHERE XXXX IS PART OF THE PIN SHOWN IN THE "MIL-DTL-83513" COLUMN OF PART NUMBER TABLE, AND YYWW IS THE DATE CODE). FOR THE SIZE 9 RECEPTACLE, THE MARKING MUST BE PRINTED ON BOTH SIDES OF THE FLANGE. TEXT HEIGHT SHALL BE .035 INCH MINIMUM.
- 2 POSITION 1 SHALL BE INDICATED BY AN IDENTIFIABLE MARK, LOCATED APPROXIMATELY AS SHOWN ON THE POSITION 1 SIDE OF THE CONNECTOR FLANGE. THIS MARK SHALL BE INCLUDED AS PART OF THE PART MARKING INFORMATION.
- 3 LENGTH IS SHOWN IN THE "L DIM" COLUMN OF THE PART NUMBER TABLE. LENGTH TOLERANCE IS +1.0/-0.0 FOR INSULATED WIRE TERMINATIONS, AND +0.20/-0.00 FOR UNINSULATED WIRE TERMINATIONS
- 4 INSULATED WIRE IS SHOWN FOR REFERENCE ONLY. PART MAY BE TERMINATED WITH INSULATED OR UNINSULATED WIRE ACCORDING TO THE PART NUMBER TABLE.
- 5 EPOXY ENCAPSULATION. EPOXY MAY WICK .125 INCH MAX FOR INSULATED WIRE, AND .050 INCH MAX FOR UNINSULATED WIRE.
- 6 ALL DIMENSIONS AND REQUIREMENTS ARE PER MIL-DTL-83513/4

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. ROMANCHUK	03 SEP 08	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES		CHK -	-	NAME RECEPTACLE ASSEMBLY, MICRO-D PER MIL-DTL-83513/04, MCKS SERIES, 9 POSITION	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. STORRY	03 SEP 08	CAGE CODE 98278	
0 PLC ± -		PRODUCT SPEC	-	DRAWING NO 1532171	
1 PLC ± -		APPLICATION SPEC	-	RESTRICTED TO -	
2 PLC ± .010		WEIGHT	-	SCALE 4:1	
3 PLC ± .005		CUSTOMER DRAWING	-	SHEET 1 of 2	
4 PLC ± -				REV A	
ANGLES ± 1°					
MATERIAL SEE NOTES					
FINISH -					

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

TE PART NUMBER	$\triangle 3$	$\triangle 1$	MIL-DTL-83513 PIN	MICRODOT P/N	MCKS DESCRIPTION
	L DIM				
1532171-1	18		M83513/04-A01N	094-6126-0001	MCKS-N1-B-9S6G1-18.0
1532171-2	36		M83513/04-A02N	094-6126-0002	MCKS-N1-B-9S6G1-36.0
1532171-3	18		M83513/04-A03N	094-6126-0003	MCKS-N1-B-9S6G9-18.0
1532171-4	36		M83513/04-A04N	094-6126-0004	MCKS-N1-B-9S6G9-36.0
1532171-5	18		M83513/04-A09N	094-6126-0009	MCKS-N1-B-9S6Q1-18.0
1532171-6	36		M83513/04-A10N	094-6126-0010	MCKS-N1-B-9S6Q1-36.0
1532171-7	18		M83513/04-A11N	094-6126-0011	MCKS-N1-B-9S6Q9-18.0
1532171-8	36		M83513/04-A12N	094-6126-0012	MCKS-N1-B-9S6Q9-36.0
1532171-9	72		M83513/04-A13N	094-6126-0013	MCKS-N1-B-9S6G1-72.0
1-1532171-0	72		M83513/04-A14N	094-6126-0014	MCKS-N1-B-9S6G9-72.0
1-1532171-1	72		M83513/04-A15N	094-6126-0015	MCKS-N1-B-9S6Q1-72.0
1-1532171-2	72		M83513/04-A16N	094-6126-0016	MCKS-N1-B-9S6Q9-72.0
1-1532171-3	0.5		M83513/04-A05N	094-6126-0005	MCKS-N1-B-9S5L4-0.5
1-1532171-4	1.0		M83513/04-A06N	094-6126-0006	MCKS-N1-B-9S5L4-1.0
1-1532171-5	0.5		M83513/04-A07N	094-6126-0007	MCKS-N1-B-9S5L5-0.5
1-1532171-6	1.0		M83513/04-A08N	094-6126-0008	MCKS-N1-B-9S5L5-1.0
1-1532171-7	18		M83513/04-A01C	094-6136-0001	MCKS-C2-B-9S6G1-18.0
1-1532171-8	36		M83513/04-A02C	094-6136-0002	MCKS-C2-B-9S6G1-36.0
1-1532171-9	18		M83513/04-A03C	094-6136-0003	MCKS-C2-B-9S6G9-18.0
2-1532171-0	36		M83513/04-A04C	094-6136-0004	MCKS-C2-B-9S6G9-36.0
2-1532171-1	0.5		M83513/04-A05C	094-6136-0005	MCKS-C2-B-9S5L4-0.5
2-1532171-2	1.0		M83513/04-A06C	094-6136-0006	MCKS-C2-B-9S5L4-1.0
2-1532171-3	0.5		M83513/04-A07C	094-6136-0007	MCKS-C2-B-9S5L5-0.5
2-1532171-4	1.0		M83513/04-A08C	094-6136-0008	MCKS-C2-B-9S5L5-1.0
2-1532171-5	18		M83513/04-A09C	094-6136-0009	MCKS-C2-B-9S6Q1-18.0
2-1532171-6	36		M83513/04-A10C	094-6136-0010	MCKS-C2-B-9S6Q1-36.0
2-1532171-7	18		M83513/04-A11C	094-6136-0011	MCKS-C2-B-9S6Q9-18.0
2-1532171-8	36		M83513/04-A12C	094-6136-0012	MCKS-C2-B-9S6Q9-36.0
2-1532171-9	72		M83513/04-A13C	094-6136-0013	MCKS-C2-B-9S6G1-72.0
3-1532171-0	72		M83513/04-A14C	094-6136-0014	MCKS-C2-B-9S6G9-72.0
3-1532171-1	72		M83513/04-A15C	094-6136-0015	MCKS-C2-B-9S6Q1-72.0
3-1532171-2	72		M83513/04-A16C	094-6136-0016	MCKS-C2-B-9S6Q9-72.0

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. ROMANCHUK	03 SEP 08	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES		CHK -	-	APVD M. STORRY 03 SEP 08 NAME RECEPTACLE ASSEMBLY, MICRO-D PER MIL-DTL-83513/04, MCKS SERIES, 9 POSITION	
		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± - FINISH -		PRODUCT SPEC - APPLICATION SPEC - WEIGHT -	
MATERIAL SEE NOTES		CUSTOMER DRAWING		SIZE A2	CAGE CODE 98278
		DRAWING NO 1532171		RESTRICTED TO -	SCALE 4:1
		SHEET 2 of 2		REV A	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [D-Sub MIL Spec Connectors](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[M85049/50-5F](#) [D38999/24WG11PB-LC](#) [MDM-9SH006A](#) [1218697-4](#) [D38999/26WJ61PC L/C](#) [1484349-1](#) [17D25HV](#) [1996840-1](#) [243082-15](#)
[1757682-1](#) [17D-E51218-1](#) [17SDA15S](#) [1883533-1](#) [1883886-1](#) [1883889-1](#) [192900-0377](#) [M24308/8-347](#) [M83513/03-E09C](#) [443961-3](#) [5-](#)
[1218949-1](#) [550-031NF1R6K](#) [3-1236089-2](#) [550E001NF1R3J0L](#) [550T001NF1R6K0L](#) [557T283NF5B08](#) [DB121073-56](#) [DC121073157](#)
[443869-3](#) [443869-4](#) [443869-5](#) [550S004NF1R1B0F03](#) [557E283NF1A06](#) [527-019NF0303R2K1F](#) [5-446405-1](#) [550-031NF1R2E](#)
[550E003M2R9J0F04](#) [550E003M3R9J0F05](#) [550E024M104R9J0](#) [550E024NF102R3J0B](#) [550E039NF1R3J1-02](#) [550S003M3R9B0F05](#)
[550S004M4R7M0F04](#) [550S004NF1R1B1F02](#) [550S008M3F0K0F04](#) [550S086M5R3J0L](#) [550S100NF3F0E](#) [550T001M2R7E0L](#)
[550T001NF1F0B1L](#) [550T001NF1R1K0G](#) [550T001NF1R3K0G](#)