



TE Connectivity: Every Connection Counts
© 2015 TE Connectivity Ltd. family of companies. All Rights Reserved

+ TERMINALS & SPLICES



CRIMP RINGS & SPADES



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE) TERMINAL,SOLIS R 2 3/8 SOLISTRAND | SOLISTRAND

321600
TE Internal Number: 321600
Mil-Spec: MS20659-114

Always EU RoHS/ELV Compliant

Terminal Shape **Ring Tongue**

Stud Diameter (mm) **9.53, 9.91**

Stud Diameter (in) **.39**

Sealed **No**

Heavy Duty **No**

Wire Size (AWG) **2**

Product Drawings

TERMINAL, RING TONGUE, SOLISTRAND

PDF
English

CAD Files

3D PDF
PDF
English

Customer View Model
2D_DXF.ZIP
English

Customer View Model
3D_IGS.ZIP
English

Customer View Model
3D_STP.ZIP
English

Product Environmental Compliance

TE Material Declaration

MD_321600_10082015635_dmtec
PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features





Sealed

No

	Barrel Type	Closed Barrel
	Wire/Cable Type	Regular Wire
	Insulated	No
	Insulated Wire Support	No
	Stud Size	3/8
	Shape Code	RING-051
	Barrel Style	Standard
	Wire/Cable Composition	Solid or Stranded
<hr/>		
Configuration Features	Number of Holes	1
<hr/>		
Body Features	Plating Material	Copper, Tin
	Plating Thickness (µm)	2.54
	Weight per Piece (g)	14.492
<hr/>		
Contact Features	Terminal Shape	Ring Tongue
	Terminal Orientation	Straight
	Class	2
<hr/>		
Dimensions	Stud Diameter (mm)	9.53, 9.91
	Stud Diameter (in)	.39
	Wire Size (AWG)	2
	Wire Size (mm ²)	26.7 – 42.4
	Wire Size (CMA)	52600 – 83700
	Aluminum Wire Size (AWG)	2
	Barrel Inside Diameter	9.39 mm [.369 in]
	Material Thickness	1.85 mm [.073 in]
	Overall Length	38.79 mm [1.524 in]
	Barrel Inside Diameter (Min)	9.39 mm [.37 in]
<hr/>		
Usage Conditions	Operating Temperature Range (°C)	170
<hr/>		
Operation/Application	Heavy Duty	No

Industry Standards	Government Qualified	Yes
Packaging Features	Packaging Method	Loose Piece
	Packaging Quantity	50
Product Compliance	Statement of Compliance PDF	
	VIEW ALL PRODUCT COMPLIANCE	

CUSTOMERS ALSO BOUGHT

<p>RIBBON CABLE CONNECTORS</p>  <p>40 NOVO MIL 30DP, LEAD FREE 1658623-9</p> <p>Save to List Find Similar Products</p>	<p>CRIMP RINGS & SPADES</p>  <p>TERMINAL, SOLIS R 2 5/16 322870</p> <p>Save to List Find Similar Products</p>	<p>CHASSIS PANEL MOUNT RESISTORS</p>  <p>HSC150 100R 5% HSC150100RJ</p> <p>Save to List Find Similar Products</p>	<p>CRIMP RINGS & SPADES</p>  <p>PIDG R 22-16COMM 22-18MIL 5/16 320572</p> <p>Save to List Find Similar Products</p>
---	--	--	--

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Terminals](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[00-054007-01074-6](#) [00-054007-70206-1](#) [00-054007-70210-8](#) [00-054007-70217-7](#) [00-054007-70226-9](#) [00-054007-70228-3](#) [00-054007-70248-1](#) [00-054007-70256-6](#) [00-054007-70301-3](#) [00-054007-70316-7](#) [00-054007-49560-4](#) [00-054007-70209-2](#) [00-054007-70225-2](#) [00-054007-70227-6](#) [00-054007-70231-3](#) [00-054007-70241-2](#) [00-054007-70242-9](#) [00-054007-70244-3](#) [00-054007-70246-7](#) [00-054007-70263-4](#) [00-054007-70288-7](#) [00-054007-70290-0](#) [00-054007-70300-6](#) [00-054007-70304-4](#) [01-2065-1-0216](#) [01-2900-1-04412](#) [00581P0075](#) [600TS-10](#) [60205-1](#) [604200-1](#) [605601-1](#) [60598-1-CUT-TAPE](#) [61314-6-C](#) [61810-3](#) [61-S](#) [61-SN](#) [626-0194](#) [62-NBM-A](#) [62-SN](#) [62-SP](#) [63-S](#) [640179-1](#) [M55155/059I03](#) [M55155/079C01](#) [M55155/099H02](#) [M55155/109H01](#) [M55155/109H02](#) [M55155/12XH05](#) [M55155/16XH02](#) [M55155/29-5S](#)