

✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

WIRE CAP,RED 22-18

Closed End Splice

328307

TE Internal Number: 328307

Mil-Spec: MS25274-2

Always EU RoHS/ELV Compliant

Product Type **Splice Accessory**

Sealed **No**

Wire Insulation Diameter (Max) **3.15 mm [.124 in]**

Wire Size (AWG) **22 – 18**

Wire Size (CMA) **509 – 3248**

Product Drawings

[SPARE WIRE CAP, WIRE SIZE, 22-18 AWG](#)

PDF
English

CAD Files

[3D PDF](#)

PDF
English

[Customer View Model](#)

2D_DXF.ZIP
English

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Product Specifications

Application Specification

[Pre-Insulated Diamond Grip \(PIDG\) Terminals, Splices, And End Caps](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_328307_07282011726](#)

PDF
English

Instruction Sheets













Instruction Sheet (U.S.)

[Spare Wire Caps 328307, 328308, And 328309](#)

PDF
English

Product Type Features	Product Type	Splice Accessory
	Sealed	No
	Serrated	Yes
	Accessory Type	Wire Cap
	Wire/Cable Type	Stripped Wire
	Insulated	Yes
	Support Style	Insulation Support
Configuration Features	Number of Serrations	12
Body Features	Splice Material	Copper
	Color	Red
	Insulation Material	Nylon
	Plating Material	Tin
	Insulation Type	Pre-Insulated
Contact Features	Class	1 & 2
Dimensions	Wire Insulation Diameter (Max)	3.15 mm [.124 in]
	Wire Size (AWG)	22 – 18
	Wire Size (CMA)	509 – 3248
	Wire Size (mm ²)	.3 – .9
	Overall Length	11.303 mm [.445 in]
Usage Conditions	Operating Temperature (Max)	105 °C [221 °F]
Industry Standards	Government Qualified	Yes
	Military Category	Yes
Packaging Features	Packaging Method	Loose Piece
	Packaging Quantity	1000
Product Compliance	<p>Statement of Compliance PDF</p> <p>VIEW ALL PRODUCT COMPLIANCE</p>	

CUSTOMERS ALSO BOUGHT

CRIMP RINGS & SPADES	CRIMP RINGS & SPADES	CRIMP RINGS & SPADES	HEAT SHRINK MARKER SLEEVES
			
<p>DIAMOND GRIP 22-16 HT R 10 321898</p>	<p>TERMINAL, SOLIS R HR 6 1/4 323170</p>	<p>SOLIS SP SPD 22- 16COM22-18MIL4 53175-1</p>	<p>HX-SCE-1K-12.7-50-S1-4 HX-SCE-1K-12.7-50-S1-4</p>
<p> Save to List  Find Similar Products</p>	<p> Save to List  Find Similar Products</p>	<p> Save to List  Find Similar Products</p>	<p> Save to List  Find Similar Products</p>

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Terminals](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[00-054007-01074-6](#) [00-054007-70206-1](#) [00-054007-70210-8](#) [00-054007-70217-7](#) [00-054007-70226-9](#) [00-054007-70228-3](#) [00-054007-70248-1](#) [00-054007-70256-6](#) [00-054007-70301-3](#) [00-054007-70316-7](#) [0-0320562-0](#) [00-054007-49560-4](#) [00-054007-70209-2](#) [00-054007-70225-2](#) [00-054007-70227-6](#) [00-054007-70231-3](#) [00-054007-70241-2](#) [00-054007-70242-9](#) [00-054007-70244-3](#) [00-054007-70246-7](#) [00-054007-70263-4](#) [00-054007-70288-7](#) [00-054007-70290-0](#) [00-054007-70300-6](#) [00-054007-70304-4](#) [01-2065-1-0216](#) [01-2900-1-04412](#) [00581P0075](#) [600TS-10](#) [60205-1](#) [604200-1](#) [605601-1](#) [60598-1-CUT-TAPE](#) [61314-6-C](#) [61810-3](#) [61-S](#) [61-SN](#) [626-0194](#) [62-NBM-A](#) [62-SN](#) [62-SP](#) [63-S](#) [640179-1](#) [M55155/059I03](#) [M55155/079C01](#) [M55155/099H02](#) [M55155/109H01](#) [M55155/109H02](#) [M55155/12XH05](#) [M55155/16XH02](#)