

CII

TE Internal #: 2-1617109-6

TO-5/.100 Grid Relays, 2 Form C, DPDT, 2 C/O, 12VDC TO-5/.100 Grid Relay Input Voltage, 1A TO-5/.100 Grid Relay Contact Current

Rating

View on TE.com >



Relays, Contactors & Switches > Relays > Mil-Aero Relays > TO-5/.100 Grid Relays



TO-5/.100 Grid Relay Contact Arrangement: 2 Form C, DPDT, 2 C/O

TO-5/.100 Grid Relay Input Voltage: 12 VDC

Coil Suppression Diode: Without

MOSFET Driver: Without
Transistor Driver: Without

Features

Product Type Features

| Enclosure Type | Hermetically Sealed |
|----------------|-------------------------------------|
| Relay Type | Military/Aerospace High Performance |
| Coil Latching | Without |
| Product Type | Relay |
| MOSFET Driver | Without |

Configuration Features

Electrical Characteristics

| Coil Magnetic System | Non-Polarized, Monostable |
|--------------------------------------|---------------------------|
| Vibration | 30G's, 10 – 3000Hz |
| Actuating System | DC |
| Shock | 75G's, 6ms |
| Coil Power Measurement | Milliwatts |
| TO-5/.100 Grid Relay Input Voltage | 12 VDC |
| Coil Suppression Diode | Without |
| Coil Voltage | 12 VDC |
| TO-5/.100 Grid Relay Coil Resistance | 390 Ω |



| TO-5/.100 Grid Relay Coil Power Rating (DC) | 369 mW |
|--|-----------------------|
| Coil Polarity Protection Diode | Without |
| TO-5/.100 Grid Relay Contact Switching Voltage (Max) | 28 |
| Contact Features | |
| Contact Current Class | Low Level – 1 A |
| TO-5/.100 Grid Relay Contact Arrangement | 2 Form C, DPDT, 2 C/O |
| TO-5/.100 Grid Relay Contact Current Rating | 1 A |
| Termination Features | |
| Termination Type | PC Pins |
| Mechanical Attachment | |
| TO-5/.100 Grid Relay Mounting Type | Printed Circuit Board |
| Usage Conditions | |
| Operating Temperature Range | -65 – 125 °C |

Product Compliance

Other

Comment

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Not Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not lead free process capable |

X Level Testing

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 1617036-6 HFW4A1201D00 = HFW 4A RELAY



TE Part # 3-1617033-0 HFW1230K06M = M39016/6-105M



TE Part # 3-1617028-5 HFW1106K12 = M39016/6-128L



TE Part # 3-1617039-0 HMS1201S111M = M39016/44-035M



TE Part # 2-1617030-0 HFW1201F01 = M39016/6-123L



TE Part # 2-1617030-9 HFW1201G02 = M39016/6-216L



TE Part # 3-1617028-8 HFW1106K13M = M39016/6-228M



TE Part # 7-1617814-4 A07B332BD1 FULL SIZE 10A RELAY



TE Part # 2-1617037-3 HFW5A1230L00 = HFW5A RELAY



TE Part # 1617039-5 HMS1130S04L = M39016/44-028L



TE Part # 1617030-2 HFW1201B00 = HFW 1/2 SIZE RELA



TE Part # 2-1617019-3 FW1109G06 = M5757/10-035



TE Part # 1-1617029-5 HFW1130K07M = M39016/6-204M



TE Part # 3-1617033-2 HFW1230K07M = M39016/6-205M



TE Part # 1-1607029-5 HFW1130K07M = M39016/6-204M



TE Part # 1-1617028-0 HFW1101G01 = M39016/6-130L












Customers Also Bought

















Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-1617109-6_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-1617109-6_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-1617109-6_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

RELAY

English

TO-5/.100 Grid Relays, 2 Form C, DPDT, 2 C/O, 12VDC TO-5/.100 Grid Relay Input Voltage, 1A TO-5/.100 Grid Relay Contact Current Rating



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for General Purpose Relays category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

PCN-105D3MH,000 59641F200 5JO-1000CD-SIL LY1SAC110120 5X827E 5X837F 5X840F 5X842F 5X848E LY2N-AC120 LY2S-AC220/240 LY2-US-AC120 LY3-US-AC120 LY4F-UA-DC12 LY4F-UA-DC24 LY4F-US-AC120 LY4F-US-AC240 LY4F-US-DC24 LY4F-VD-AC110 LYQ20DC12 M115C60 M115N010 M115N0150 6031007G 603-12D 61211T0B4 61212T400 61222Q400 61243B600 61243C500 61243Q400 61311BOA2 61311BOA6 61311BOA8 61311COA2 61311COA1 61311COA6 61311F0A2 61311QOA1 61311QOA4 61311T0D6 61311TOA6 61311TOA7 61311TOB3 61311TOB4 61311U0A6 61312Q600 61312T400 61312T600 61313U200