

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	25JUN2015	DL	CW
	B	ECR-20-008181	13JUL2020	WQR	CW

57  
43  
73  
27  
4-M3

26  
IG2

(99.7)  
75.6  
(94.3)

53.9  
26  
(94.3)  
IG1

82  
45  
94  
57  
4-Ø6

TYPE I: HIGH BODY + DOUBLE STAINLESS STEEL LOCKING

NOTES:

1. TECHNICAL CHARACTERISTICS:  
 BODY MATERIAL: DIE CAST ALUMINIUM ALLOY  
 SURFACE TREATMENT: POWDER-COATED, GRAY  
 DEGREE OF PROTECTION: IP65 (MATED)

注释:

1. 技术参数:  
 主体材料: 铝合金  
 表面处理: 粉末喷涂, 灰色  
 防护等级: IP65(配合)

TI470101121-000	TYPE I	H10B-SGRHS-PG21	PG21	-
TI470101129-000		H10B-SGRHS-PG29	PG29	-
TI470101132-000		H10B-SGRHS-M32	M32	-
TI470101221-000		H10B-SGRHS-2PG21	PG21	PG21
TI470101229-000		H10B-SGRHS-2PG29	PG29	PG29
TI470101232-000		H10B-SGRHS-2M32	M32	M32
ASSEMBLY PART NUMBER	TYPE	ASSEMBLY PART DESCRIPTION	IG1	IG2

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 25JUN2015

DAVID LI

CHK 25JUN2015

CHRIS WANG

APVD 25JUN2015

XU XIANG

PRODUCT SPEC

108-137013

APPLICATION SPEC

114-137013

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME  
H10B-SGRHS-PG/M

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A3 - C-TI47010XXXX000

SCALE 1:1 SHEET 1 OF 2 REV B

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±-
2 PLC	±-
3 PLC	±-
4 PLC	±-
ANGLES	±-

MATERIAL  
TBD

FINISH

-

1470-19 (3/13)

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

TYPE 2: HIGH BODY + DOUBLE STEEL LOCKING  
OTHER SPEC REFER TO TYPE 1

TYPE 3: HIGH BODY + DOUBLE STEEL LOCKING  
BOTTOM CUT OUT  
OTHER SPEC REFER TO TYPE 2

T1470102116-000	TYPE 2	H10B-SGRH-PG16	PG16	-
T1470102121-000		H10B-SGRH-PG21	PG21	-
T1470102125-000		H10B-SGRH-M25	M25	-
T1470102129-000		H10B-SGRH-PG29	PG29	-
T1470102132-000		H10B-SGRH-M32	M32	-
T1470102221-000		H10B-SGRH-2PG21	PG21	PG21
T1470102225-000		H10B-SGRH-2M25	M25	M25
T1470102229-000		H10B-SGRH-2PG29	PG29	PG29
T1470102232-000		H10B-SGRH-2M32	M32	M32
T1470100000-000		TYPE 3	H10B-SGRH	-
ASSEMBLY PART NUMBER	TYPE	ASSEMBLY PART DESCRIPTION	IG1	IG2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	DAVID LI	25JUN2015	 TE Connectivity	
DIMENSIONS:		CHK	CHRIS WANG	25JUN2015		
mm		APVD	XU XIANG	25JUN2015		
		PRODUCT SPEC		NAME		H10B-SGRH-PG/M
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC		108-137013	SIZE	A3
0 PLC ±-		4 PLC ±-		114-137013	CAGE CODE	-
1 PLC ±-		ANGLES ±-		WEIGHT	DRAWING NO	©-T147010XXXX000
2 PLC ±-		MATERIAL		TBD	RESTRICTED TO	
3 PLC ±-		FINISH		-	SCALE	3:5
4 PLC ±-		CUSTOMER DRAWING			SHEET	2 OF 2
FINISH					REV	B

1470-19 (3/13)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Heavy Duty Power Connectors](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[647757-1](#) [6643411-1](#) [6646058-2](#) [6646137-1](#) [6646138-1](#) [6646479-1](#) [6646608-1](#) [6646786-1](#) [6646940-1](#) [6651091-1](#) [6651525-1](#) [6651529-1](#)  
[6651788-1](#) [696475-1](#) [702-32-01109](#) [703-25-02205](#) [73000005059](#) [73000005642](#) [73080255059](#) [73080965046](#) [765-15-0080A](#) [765-16-0080B](#)  
[765-18-0080D](#) [829992-1](#) [902-77-02113](#) [PS00/A0620/6300](#) [PS25/A0420/63](#) [129-1J](#) [1409400](#) [AN0024023](#) [E6374G1](#) [e6389g2](#) [157-43GW8](#)  
[MS3117-14AC](#) [1643543-1](#) [1650540-1](#) [1651811-2](#) [1766260-1](#) [1766282-1](#) [1766966-1](#) [1791340000](#) [NLDFT-3-BL-L-S120-M40A](#) [NLDFT-N-](#)  
[W-L-C240-M40B](#) [NLS-2-R-C240-M40B](#) [NLS-N-W-C240-M40B](#) [NPS-3-BL-T6](#) [1986615-1](#) [2-1589900-8](#) [2199314-1](#) [KA8102](#)