

SMD Low Ohmic - Current Sense Resistors



Type TL Series



Tyco are pleased to offer this unique High Power, metal chip resistor for current sensing positions. It has a special metal resistive element and suitable barrier layers beneath the solder to prolong terminal life. Following the developments by semiconductor manufacturers in the production of a range of IC's for battery charge management and low voltage power supplies, the TL Series satisfies the demand for a low ohmic shunt resistor to act as a current sensor. It has particular applications in the automotive industry for sensing in EMU's.

Key Features

- Up to 1 Watt at 70°C
- Supplied on Tape
- Ideal for Current Detection
- Wide Value Range R001 to 1R0 Possible
- Fully Automated Manufacture
- 12:06, 20:10 and 25:12 Packages Available
- Available in Distribution

Characteristics - Electrical

Type TL Series


1206		2010	2512		
Resistance Value Range:	R003-R20	R003-R50	R001-R50		
Resistance Tolerance:	± 1%				
Power Rating:	Up to 1 watt at 70°C derating to zero at 170°C				
Operating Temperature:	-65°C to +170°C				
Inductance:	< 5 Nanohenries				
T.C.R.	±75ppm/°C (R007-R20/R50)				
T.C.R.	±75ppm/°C (R007-R20/R50)				

Characteristics - Mechanical

Body Construction:	Fully Welded Element		
Terminations:	100% Tin		
Coating:	Ероху		


Power Derating Curve

Туре	Power Rating		
TL2B	0.25 Watts		
TL2H*	0.5 Watts		
TL3A	1.0 Watts		




For resistors operated in ambient temperatures above 70°C, power rating must be derated in accordance with this curve.

Dimensions



Type	L	W	Н	D
TL2B	3.2	1.6	0.6	0.5
TL2H*	5.1	2.5	0.6	0.5
TL3A	6.4	3.2	0.6	0.8

How to Order



 $^{^{\}star}$ - 20:10 available by special request. Minimum Orders of 10000 pcs to apply

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Current Sense Resistors - SMD category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below:

5112 65709-330JE PF2512FKF7W0R007L PR2512FKF7W0R003L PR2512FKF7W0R005L RCWL0603R500JNEA ERJ-3BQF1R1V ERJ-L14UJ42MU 2-2176088-5 PF2512FKF7W0R006L PF2512FKF7W0R003L 2-2176089-4 CD2015FC-0.10-1% PR2512FKF7W0R004L CGSSL1R01J CGSSL1R047J RC1005F124CS RCWE2512R110FKEA RCWL0805R330JNEA RL73H3AR47FTE RL73K3AR56JTDF RL7520WT-R001-F RL7520WT-R009-G RL7520WT-R020-F RLP73N1ER43JTD TL3AR01FTDG TLR3A20DR0005FTDG LRC-LR2512LF-01-R820J ERJ-3BQF4R3V ERJ-L14UF68MU TLR3A20DR001FTDG TLR3A30ER0005FTDG WR06X104JGLJ RLP73K1ER82JTD TL2BR01F TLR3A20DR01FTDG WSR3R0600FEA32 ERJ-14BQF1R6U ERJ-14BQJR30U SP1220RJT SP1R12J ERJ-14BQF6R2U RL7520WT-R039-G PF1206FRF7W0R02L RL7520WT-R002-F RL7520WT-R047-F RLP73N2BR068FTDF RL7520WT-R005-F RCWE2512R220FKEA RCWE120625L0FMEA