

TINEL RING SWEPT ELBOW BACKSHELLS (TXR)

PROVIDES A SMOOTH 90° CABLE TERMINATION OPTION FOR SCREENED CABLES

TE Connectivity's (TE) Tinel Ring (TXR) swept elbow backshells are designed with a smooth internal bore and a continuous bend radius. TE is complementing the recently introduced banding (BT) backshell with a tinel-lock version (TXR) to suit a wide range of circular connectors. These backshells offer up to 20% weight savings over traditional backshells. Swept elbow backshells can be utilized in many aerospace and defense applications where highly reliable termination solutions are required.

APPLICATIONS/MARKETS

- Aerospace
- Defense

STANDARDS AND SPECIFICATIONS

- TXR40 mates to MIL-DTL-38999 Series III & IV and when mated shall provide water-tight seal meeting the requirements of MIL-C-85049
- TXR54 mates to MIL-DTL-26482 Series II and MIL-DTL-83723 Series I and II

PART NUMBERING SERIES	TXR	40	<u>AB</u>	<u>9W</u>	<u>16</u> -	08	H
CONNECTOR INTERFACE 40 54							
MATERIAL & FINISH (TABLE 1) —							
ANGLE							
NUMBER (TABLE 2)							
ENTRY SIZE (TABLE 3)							
RING OPTION AI To Suit Single Braid BI To Suit Double Braid							
MODIFICATION CODE H Helical Conduit Thread							



*Contact TE for all modification options



WEIGHT SAVINGS

• Up to 20% over the traditional right angle design

MULTIPLE CONFIGURATIONS

• Multiple shell sizes and plating finishes available

EASY INSTALLATION

- Simple and fast termination solutions
- The spin coupling nut allows for improved reliability

HIGH-RELIABILITY SOLUTIONS

- With a heat shrink boot, backshells can provide strain relief and cable support to help prevent bending or overflexing
- Overall 360° screening against EMI/RFI interference

TE REPAIR RINGS

• TE has a wide variety of Side Entry Tinel (SETR) repair rings available for rework in the field

TABLE 1

Code	Material & Plating					
AB	Aluminum, cadmium olive drab over electroless nickel					
AC	Aluminum, electroless nickel					
AZ	Aluminum, zinc nickel black passivate over electroless nickel					


*Contact TE for all material and plating options


Connector Interface 40 TABLE 2

Order Number	Shell Size	A Thread	ØB Max	K Max	F Max	R Ref.	ØT Min	Entry Sizes
08	09	M12 x 1.0	18.0	19.2	31.9	9.0	6.7	04
10	11	M15 x 1.0	21.0	22.4	35.1	12.2	10.2	04, 05
12	13	M82 x 1.0	24.5	25.6	38.3	15.4	13.5	06, 07
14	15	M22 x 1.0	29.0	28.7	41.4	18.5	16.2	07, 08
16	17	M25 x 1.0	32.5	31.9	44.6	21.7	19.4	08, 10
18	19	M28 x 1.0	35.5	35.1	47.8	24.9	21.8	10, 12
20	21	M31 x 1.0	37.0	38.3	51.0	28.1	25.1	12, 14
22	23	M34 x 1.0	40.0	41.4	54.1	31.2	28.2	14, 16
24	25	M37 x 1.0	43.5	44.6	57.3	34.4	31.4	16, 18

TABLE 3

Entry Size	ØG Min	ØJ	ØH ± 0.3
04	6.35	9.49 +/-0.04	14.0
05	7.92	11.06 +/-0.04	15.5
06	9.53	12.66 +/-0.04	17.1
07	11.10	14.21 +/-0.07	18.7
08	12.70	15.81 +/-0.07	20.3
10	15.88	18.96 +/-0.08	23.5
12	19.05	22.14 +/-0.08	26.7
14	22.23	25.30 +/-0.08	29.8
16	25.40	28.48 +/-0.08	33.0
18	28.58	31.65 +/-0.08	36.2






Connector Interface 54 TABLE 2

Order Number	Shell Size	A Thread	ØB Max	K Max	F Max	R Ref.	ØT Min	Entry Sizes
08	08	1/2 - 20UNF	15.6	19.2	31.9	9.0	6.6	04
10	10	5/8 - 24UNEF	18.6	22.4	35.1	12.2	9.3	04, 05
12	12	3/4 - 20UNEF	21.7	25.6	38.3	15.4	12.8	06, 07
14	14	7/8 - 20UNEF	24.9	28.7	41.4	18.5	14.7	07, 08
16	16	1 - 20UNEF	28.2	31.9	44.6	21.7	17.8	08, 10
18	18	1 1/16 - 18UNEF	30.9	35.1	47.8	24.9	19.8	10, 12
20	20	1 3/16 - 18UNEF	34.1	38.3	51.0	28.1	23.0	12, 14
22	22	1 5/16 - 18UNEF	37.3	41.4	54.1	31.2	26.2	14, 16
24	24	1 7/16 - 18UNEF	40.4	44.6	57.3	34.4	29.1	16, 18

TABLE 3

Entry Size	ØG Min	ØJ	ØH ± 0.3
04	6.35	9.49 +/-0.04	14.0
05	7.92	11.06 +/-0.04	15.5
06	9.53	12.66 +/-0.04	17.1
07	11.10	14.21 +/-0.07	18.7
08	12.70	15.81 +/-0.07	20.3
10	15.88	18.96 +/-0.08	23.5
12	19.05	22.14 +/-0.08	26.7
14	22.23	25.30 +/-0.08	29.8
16	25.40	28.48 +/-0.08	33.0
18	28.58	31.65 +/-0.08	36.2

All dimensions in mm



te.com/txr-swept-elbow-backshells

© 2021 TE Connectivity. All Rights Reserved.

2390915-1 05/21

AMP, AGASTAT, CII, DEUTSCH, DRI, HARTMAN, KILOVAC, MICRODOT, NANONICS, POLAMCO, Raychem, Rochester, SEACON, TE, TE Connectivity and the TE connectivity (logo) are trademarks owned or licensed by TE Connectivity.

Other products, logos, and company names mentioned herein may be trademarks of their respective owners.

While TE Connectivity (TE) has made every reasonable effort to ensure the accuracy of the information herein, nothing herein constitutes any guarantee that such information is error-free, or any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. The TE entity issuing this publication reserves the right to make any adjustments to the information contained herein at any time without notice. All implied warranties regarding the information contained herein, including, but not limited to change without notice. Specifications are subject to change without notice.

Consult TE for the latest dimensions and design specifications.

North America +1 800 522 6752 • Asia Pacific +86 0 400 820 6015 • France +33 1 34 20 86 86 • Germany +49 6251 133 1999 • United Kingdom +44 800 267 666 Visit te.com for additional country contacts.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Circular MIL Spec Backshells category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below :

5M2919-3DW 5M2953-1HW 5PTC0023-28C 5PTV7106-AC 5PTV7107-HC 610HS012M15 M28840/805WB M28840/809WA M28840/815WA M28840/816WA 627AS017M14 655HS002NF11 CW3899-000 M85049/10-134S M85049/10-17S M85049/10-33S M85049/10-94W M85049/11-63N M85049/120-14W M85049/124-23W M85049/1919N05 M85049/24-71N M85049/25-47N M85049/25-94W M85049/27S12N M85049/39-11S M85049/39-17S M85049/39-9S M85049/6-10B M85049/6-19N M85049/6-20B M85049/79-25N04 M85049/81-10 M85049/82-22P02 M85049/85-24P01 M85049/86-16P03 M85049/88-19P02 M85049/88-21P02 M85049/88-23P02 M85049/89-11P03 M85049/90-11J03 M85049/90-13P02 M85049/90-15P03 M85049/90-19P02 M85049/92-09T 801-005-02Z19-19PA 84030008 8500-2472 900 85202A14 FRCIR020R-16-10P-F80-T108-VO