


AMP | Get .64 Connector System

TE Internal #: 1393366-1 Get .64 Connector System, Automotive Terminals, Receptacle, Tab Width 1 mm [.039 in], Tab Thickness .64 mm [.025 in] View on TE.com >



Terminals & Splices > Automotive Terminals > GET .64 CONNECTOR SYSTEM, RECEPT AND TAB



Terminal & Splice Type: Receptacle

Mating Tab Width: 1 mm [.039 in]

Mating Tab Thickness: .64 mm [.025 in]

Terminal Transmits: 0 – 24 A (Low Power)

Wire Size: .5 – .75 mm²

All GET .64 CONNECTOR SYSTEM, RECEPT AND TAB (29)

Features

Product Type Features

Receptacle Style	180°
Sealable	No
Primary Locking Feature	Clean Body
Wire Type	Copper
Contact Features	
Typical Current Rating	11 A
Crimp Type	F-Crimp
Terminal & Splice Type	Receptacle
Mating Tab Width	1 mm[.039 in]
Mating Tab Thickness	.64 mm[.025 in]
Interface Plating	Tin (Sn)
Contact Termination Area Plating Material	Tin (Sn)
Termination Features	
Termination Method	Crimp
Dimensions	
Wire Size	.5 – .75 mm²
Wire Size Search	.5 mm², .6 mm², .75 mm²

Get .64 Connector System, Automotive Terminals, Receptacle, Tab Width 1 mm [.039 in], Tab Thickness .64 mm [.025 in]



Wire Insulation Diameter	1.6 – 1.9 mm[.055 – .081 in]
Usage Conditions	
Operating Temperature Range	-40 – 125 °C, -40 – 125 °C[-40 – 125 °F]
Packaging Features	
Packaging Method	Reel
Packaging Quantity	10000
Other	
Terminal Transmits	0 – 24 A (Low Power)
Product Compliance	
Product Compliance For compliance documentation, visit the product page on TE.com>	Compliant
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant
For compliance documentation, visit the product page on TE.com>	Compliant Compliant
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	·

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not applicable for solder process capability

Solder Process Capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

Get .64 Connector System, Automotive Terminals, Receptacle, Tab Width 1 mm [.039 in], Tab Thickness .64 mm [.025 in]







Also in the Series | Get .64 Connector System

Get .64 Connector System, Automotive Terminals, Receptacle, Tab Width 1 mm [.039 in], Tab Thickness .64 mm [.025 in]





Customers Also Bought



TE Model / Part #967056-1

TE Model / Part #1394872-1

TE Model / Part #967067-1

Documents

Product Drawings

```
V23540X7000Y 21=GET-FEM TERM S
```

English

V23540X7000Y 21=GET-FEM TERM S

English

V23540X7000Y 21=GET-FEM TERM S

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1393366-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1393366-1_B.3d_igs.zip

English

C For support call+1 800 522 6752

Get .64 Connector System, Automotive Terminals, Receptacle, Tab Width 1 mm [.039 in], Tab Thickness .64 mm [.025 in]



Customer View Model

ENG_CVM_CVM_1393366-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages GET 0.64 Interconnection System

English

Product Specifications

Application Specification

English

Product Environmental Compliance MD_1393366-1_05032018317_dmtec

English

MD_1393366-1_05032018317_dmtec

English

Instruction Sheets
UNSEALED GET/MCP 81/40 SLIDER LEVER TYPE CONNECTOR

Japanese

Instruction Sheet (non U.S.)

Japanese

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Automotive Connectors category:

Click to view products by TE Connectivity manufacturer:

Other Similar products are found below :

003-018-000 60403001 60993906-B M902-2131 M902-2161 M902-2344 72.330.1035.1 73.353.4028.0 F119300-B F166900 F258300-B F358300-B F407400 F444110 F487000 F509500B-B 827153-1 8N1515-32-24P 9-1326729-8 925474-1 928905-1 964562-4 968782-1 GT17SA-8DS-HU 98891-1012 98947-1016 12004147 12004475-L 12010290 12010309-B 12015454 12020219-B 12041318-B 12052225-L 12052466 12064869 12004327-B 12015308 12015384 12015909 1-21030-1 12041254 12041318 12047946-B 12047957 12047957-L 12059473 12066261 12110546 12110546-B