


| Product description code | Part Number | Style & Number of Positions | Termination Posts | Loaded Rows | Standard Pre-Mating (mm J) | Performance Level | Board Locks |
|---------------------------|--------------------|-----------------------------|-------------------|------------------------------|-----------------------------|-------------------|-------------|
| SUPERSEDED BY 5-1393644-6 | V42254-B1100-B200 | 1393644-1 | B20 | right-angle solder leads | every row, every pitch | No | 1 No |
| | V42254-B1100-B230 | 1393644-2 | B20 | right-angle solder leads | every row, every pitch | Yes | 1 No |
| SUPERSEDED BY 5-1393644-9 | V42254-B1100-B320 | 1393644-3 | B32 | right-angle solder leads | every row, every pitch | No | 1 No |
| SUPERSEDED BY 6-1393644-3 | V42254-B1100-B640 | 1393644-4 | B64 | right-angle solder leads | every row, every pitch | No | 1 No |
| | V42254-B1100-B641 | 1393644-5 | B64 | right-angle solder leads | row a, every pitch | No | 1 No |
| OBSOLETE | V42254-B1100-B645 | 1393644-6 | B64 | right-angle solder leads | every row, every even pitch | No | 1 No |
| | V42254-B1100-C480 | 1393644-9 | C48 | right-angle solder leads | every row, every pitch | No | 1 No |
| OBSOLETE | V42254-B1100-C483 | 1-1393644-0 | C48 | right-angle solder leads | every row, every pitch | No | 1 No |
| | V42254-B1100-C910 | 1-1393644-2 | C96 | right-angle solder leads | row atc, every pitch | No | 1 Yes |
| | V42254-B1100-C960 | 1-1393644-6 | C96 | right-angle solder leads | every row, every pitch | No | 1 Yes |
| | V42254-B1100-C963 | 1-1393644-7 | C96 | right-angle solder leads | every row, every pitch | No | 1 No |
| | V42254-B1100-C965 | 1-1393644-8 | C96 | right-angle solder leads | row atc, every pitch | No | 1 No |
| | V42254-B1100-C968 | 1-1393644-9 | C96 | right-angle solder leads | every row, every even pitch | No | 1 No |
| | V42254-B1100-C968H | 2-1393644-0 | C96 | right-angle solder leads | row atc, every even pitch | No | 1 No |
| OBSOLETE | V42254-B1101-B230 | 3-1393644-2 | B20 | 2.9mm straight solder leads | every row, every pitch | Yes | 1 No |
| | V42254-B1102-B320 | 3-1393644-3 | B32 | 4.5mm straight solder leads | every row, every pitch | No | 1 No |
| | V42254-B1102-B640 | 3-1393644-4 | B64 | 4.5mm straight solder leads | every row, every pitch | No | 1 No |
| | V42254-B1102-C960 | 3-1393644-5 | C96 | 4.5mm straight solder leads | every row, every pitch | No | 1 No |
| | V42254-B1102-C963 | 3-1393644-6 | C96 | 4.5mm straight solder leads | row atc, every pitch | No | 1 No |
| | V42254-B1135-B640 | 4-1393644-0 | B64 | solder lugs | every row, every pitch | No | 1 No |
| OBSOLETE | V42254-B1200-B200 | 5-1393644-6 | B20 | right-angle solder leads | every row, every pitch | No | 2 No |
| | V42254-B1200-B310 | 5-1393644-8 | B32 | right-angle solder leads | every row, every pitch | No | 2 Yes |
| | V42254-B1200-B320 | 5-1393644-9 | B32 | right-angle solder leads | every row, every pitch | No | 2 No |
| OBSOLETE | V42254-B1200-B321 | 6-1393644-0 | B32 | right-angle solder leads | row a, every pitch | No | 2 No |
| | V42254-B1200-B610 | 6-1393644-3 | B64 | right-angle solder leads | every row, every pitch | No | 2 Yes |
| OBSOLETE | V42254-B1200-B611 | 6-1393644-4 | B64 | right-angle solder leads | row a, every pitch | No | 2 Yes |
| | V42254-B1200-B630 | 6-1393644-5 | B64 | right-angle solder leads | every row, every pitch | Yes | 2 No |
| | V42254-B1200-B640 | 6-1393644-6 | B64 | right-angle solder leads | every row, every pitch | No | 2 No |
| | V42254-B1200-B641 | 6-1393644-7 | B64 | right-angle solder leads | row a, every pitch | No | 2 No |
| OBSOLETE | V42254-B1200-B645 | 6-1393644-8 | B64 | right-angle solder leads | every row, every even pitch | No | 2 No |
| | V42254-B1200-C300 | 6-1393644-9 | C30 | right-angle solder leads | every row, every pitch | No | 2 No |
| SUPERSEDED BY 6-1393644-9 | V42254-B1200-C303 | 7-1393644-0 | C30 | right-angle solder leads | row atc, every pitch | No | 2 No |
| | V42254-B1200-C310 | 7-1393644-1 | C30 | right-angle solder leads | every row, every pitch | No | 2 Yes |
| SUPERSEDED BY 7-1393644-1 | V42254-B1200-C313 | 7-1393644-2 | C30 | right-angle solder leads | row atc, every pitch | No | 2 Yes |
| | V42254-B1200-C410 | 7-1393644-4 | C48 | right-angle solder leads | every row, every pitch | No | 2 Yes |
| SUPERSEDED BY 5650978-5 | V42254-B1200-C413 | 7-1393644-5 | C48 | right-angle solder leads | row atc, every pitch | No | 2 Yes |
| | V42254-B1200-C430 | 7-1393644-6 | C48 | right-angle solder leads | every row, every pitch | Yes | 2 No |
| OBSOLETE | V42254-B1200-C433 | 7-1393644-7 | C48 | right-angle solder leads | row atc, every pitch | No | 2 No |
| | V42254-B1200-C453 | 7-1393644-9 | C48 | right-angle solder leads | row atc, every pitch | Yes | 2 Yes |
| | V42254-B1200-C480 | 8-1393644-0 | C48 | right-angle solder leads | every row, every pitch | No | 2 No |
| | V42254-B1200-C483 | 8-1393644-1 | C48 | right-angle solder leads | row atc, every pitch | No | 2 No |
| OBSOLETE | V42254-B1200-C485 | 8-1393644-2 | C48 | right-angle solder leads | every row, every even pitch | No | 2 No |
| | V42254-B1200-C910 | 8-1393644-3 | C96 | right-angle solder leads | every row, every pitch | No | 2 Yes |
| OBSOLETE | V42254-B1200-C912 | 8-1393644-4 | C96 | right-angle solder leads | row atb, every pitch | No | 2 Yes |
| | V42254-B1200-C913 | 8-1393644-5 | C96 | right-angle solder leads | row atc, every pitch | No | 2 Yes |
| | V42254-B1200-C918 | 8-1393644-6 | C96 | right-angle solder leads | row atc, every even pitch | No | 2 Yes |
| | V42254-B1200-C930 | 8-1393644-7 | C96 | right-angle solder leads | every row, every pitch | Yes | 2 No |
| | V42254-B1200-C933 | 8-1393644-8 | C96 | right-angle solder leads | row atc, every pitch | Yes | 2 No |
| OBSOLETE | V42254-B1200-C938 | 8-1393644-9 | C96 | right-angle solder leads | row atc, every even pitch | Yes | 2 No |
| | V42254-B1200-C953 | 9-1393644-0 | C96 | right-angle solder leads | row atc, every pitch | Yes | 2 Yes |
| | V42254-B1200-C960 | 9-1393644-1 | C96 | right-angle solder leads | every row, every pitch | No | 2 No |
| OBSOLETE | V42254-B1200-C960B | 9-1393644-2 | C96 | right-angle solder leads | every row, every pitch | No | 2 No |
| | V42254-B1200-C961 | 9-1393644-3 | C96 | right-angle solder leads | row a, every pitch | No | 2 No |
| | V42254-B1200-C963 | 9-1393644-4 | C96 | right-angle solder leads | row atc, every pitch | No | 2 No |
| OBSOLETE | V42254-B1200-C963B | 9-1393644-5 | C96 | right-angle solder leads | row atc, every pitch | No | 2 No |
| | V42254-B1200-C965 | 9-1393644-6 | C96 | right-angle solder leads | every row, every even pitch | No | 2 No |
| | V42254-B1200-C968 | 9-1393644-7 | C96 | right-angle solder leads | row atc, every even pitch | No | 2 No |
| OBSOLETE | V42254-B1201-B320 | 2-1393645-5 | B32 | 2.9mm straight solder leads | every row, every pitch | No | 2 No |
| | V42254-B1201-B640 | 1392009-8 | B64 | 2.9mm straight solder leads | every row, every pitch | No | 2 No |
| | V42254-B1201-C300 | 2-1393645-6 | C30 | 2.9mm straight solder leads | every row, every pitch | No | 2 No |
| | V42254-B1201-C480 | 2-1393645-7 | C48 | 2.9mm straight solder leads | every row, every pitch | No | 2 No |
| | V42254-B1201-C960 | 2-1393502-6 | C96 | 2.9mm straight solder leads | every row, every pitch | No | 2 No |
| | V42254-B1201-C963 | 2-1393502-7 | C96 | 2.9mm straight solder leads | row atc, every pitch | No | 2 No |
| | V42254-B1202-B200 | 2-1393645-9 | B20 | 4.5mm straight solder leads | every row, every pitch | No | 2 No |
| | V42254-B1202-B320 | 3-1393645-0 | B32 | 4.5mm straight solder leads | every row, every pitch | No | 2 No |
| | V42254-B1202-B640 | 3-1393645-1 | B64 | 4.5mm straight solder leads | every row, every pitch | No | 2 No |
| | V42254-B1202-C300 | 1392009-9 | C30 | 4.5mm straight solder leads | every row, every pitch | No | 2 No |
| | V42254-B1202-C480 | 3-1393645-4 | C48 | 4.5mm straight solder leads | every row, every pitch | No | 2 No |
| | V42254-B1202-C483 | 3-1393645-5 | C48 | 4.5mm straight solder leads | row atc, every pitch | No | 2 No |
| | V42254-B1202-C960 | 3-1393645-6 | C96 | 4.5mm straight solder leads | every row, every pitch | No | 2 No |
| | V42254-B1202-C963 | 3-1393645-7 | C96 | 4.5mm straight solder leads | row atc, every pitch | No | 2 No |
| | V42254-B1202-C968 | 3-1393645-8 | C96 | 4.5mm straight solder leads | row atc, every even pitch | No | 2 No |
| OBSOLETE | V42254-B1235-C480 | 4-1393645-5 | C48 | solder lugs | every row, every pitch | No | 2 No |
| | V42254-B1235-C960 | 4-1393645-7 | C96 | solder lugs | every row, every pitch | No | 2 No |
| | V42254-B1235-C963 | 4-1393645-8 | C96 | solder lugs | row atc, every pitch | No | 2 No |
| | V42254-B1240-B320 | 5-1393645-1 | B32 | 13mm straight wire-wrap pins | every row, every pitch | No | 2 No |
| | V42254-B1240-B640 | 5-1393645-2 | B64 | 13mm straight wire-wrap pins | every row, every pitch | No | 2 No |
| | V42254-B1240-C300 | 5-1393645-3 | C30 | 13mm straight wire-wrap pins | every row, every pitch | No | 2 No |
| | V42254-B1240-C480 | 5-1393645-4 | C48 | 13mm straight wire-wrap pins | every row, every pitch | No | 2 No |
| | V42254-B1240-C960 | 5-1393645-5 | C96 | 13mm straight wire-wrap pins | every row, every pitch | No | 2 No |
| | V42254-B1240-C963 | 5-1393645-7 | C96 | 13mm straight wire-wrap pins | row atc, every pitch | No | 2 No |
| | V42254-B1240-C963B | 5-1393645-8 | C96 | 13mm straight wire-wrap pins | row atc, every pitch | No | 2 No |
| SUPERSEDED BY 6-1393644-6 | V42254-B1300-B640 | 4-1393646-5 | B64 | right-angle solder leads | every row, every pitch | No | 3 No |
| SUPERSEDED BY 9-1393644-1 | V42254-B1300-C960 | 4-1393646-6 | C96 | right-angle solder leads | every row, every pitch | No | 3 No |
| SUPERSEDED BY 9-1393644-4 | V42254-B1300-C963 | 4-1393646-7 | C96 | right-angle solder leads | row atc, every pitch | No | 3 No |
| | V42254-F1200-C480 | 1-1393647-2 | C48 | right-angle solder leads | every row, every pitch | No | 2 No |
| | V42254-F1200-C960 | 1-1393647-3 | C96 | right-angle solder leads | every row, every pitch | No | 2 No |
| | V42254-F1200-C963 | 1-1393647-4 | C96 | right-angle solder leads | row atc, every pitch | No | 2 No |

- 4) According BT 236 level 2.
3) According BT 222 level 1.
2) Connectors have a flux-tight coating.
1) First and last contact of each loaded row is a pre-mating (make first / break last) contact.

Active part numbers.
Contact TE for other configuration availability

| | | | | | |
|---|--|--|--|--------------------------------------|--|
|  TE Connectivity | | SCALE | | WEIGHT | |
| MATERIAL | | DIMENSIONS IN MM | | PART NAME | |
| B6 ECR-10-004503 13SEP11 MKO DATE 10.02.89 | | B5 ECR-10-002555 01JUN10 MKO NAME Cavetier | | Pin Assembly Eurocard | |
| B4 SR10-0177-03 18 JUN 03 KV | | B3 SR10-0415-02 16 Sep 02 BC | | Types B, C and short versions | |
| B2 SR10-0157-02 13 Mar 02 BC | | B1 SR10-0130-02 28 Feb 02 BC | | PART NO. V42254-B1***-C***-7626 | |
| B SR10-0198-01 21.05.01 BC | | A IWO 00/012 20.07.00 VVS | | TOLERANCE UNLESS SPECIFIED OTHERWISE | |
| REV CHANGE ORDER | | DATE | | APP Customer Drawing Nr. C 1392009-8 | |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [FFC & FPC Connectors](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[HFW11R-1STE1H1LF](#) [FH29B-100S-0.2SHW\(99\)](#) [FA5S008HP1](#) [FH29B-120S-0.2SHW\(99\)](#) [FH29B-80S-0.2SHW\(99\)](#) [FHS-16](#) [FPH-2022G](#)
[52610-1075](#) [52610-1275](#) [52610-1934](#) [XF3M\(1\)-1415-1B-R100](#) [501864-3091-TR225](#) [0525594033](#) [086210010340800](#) [086222026001800](#)
[52271-2869-CUT-TAPE](#) [62674-201121DLF](#) [62684-36210E9ALF](#) [52610-1675](#) [52746-1671-TR250](#) [10051922-2810EHLF](#) [6-520415-9](#)
[BD021-09A-A1-0350-0200-0550-LD](#) [SFV6R-1STE9HLF](#) [XF3M-2915-1B-R100](#) [1658549-1](#) [62674-221121ALF](#) [46214008010800](#)
[046298003000883](#) [151660622](#) [842-816-2630-035](#) [AYF530665TA](#) [AYF351525](#) [046296011930846+](#) [AYF352325A](#) [046254020000800+](#)
[FH19C-13S-0.5SH\(99\)](#) [FH39J-51S-0.3SHW\(99\)](#) [AYF355125A](#) [AYF530365TA](#) [FH29B-44S-0.2SHW\(99\)](#) [SFW5R-2STAE9LF](#) [AYF351125A](#)
[AYF350725A](#) [62684-502100AHLF](#) [FH39-61S-0.3SHW\(99\)](#) [AYF414035A](#) [10064555-172520HLF](#) [AYF212335A](#) [504754-2500](#)