

RH520B Humidity + Temperature Chart Recorder



This paperless chart recorder provides simultaneous digital/graphical display of %RH and Temperature or Dew Point and shows date/time and Min/Max values. Use free PC-based software for data transfer to a PC and to graph %RH, Temperature, Dew Point, Wet Bulb, and GPP or g/kg. Audible and visual high/low alarm limits can be set for Humidity and Temperature.



Places to monitor Humidity/Temperature/Dew Point:

- Buildings and conference rooms
- Laboratory, pharmaceutical, cleanrooms, hospitals
- Food storage facilities, refrigeration
- Hydroponics and green houses

Features

- Simultaneous numerical and graphical display of Humidity and Temperature or Dew Point readings, plus Time & Date
- Measures Humidity and Temperature, plus calculates/plots Dew Point, Wet Bulb, and GPP (grains per pound) with included software
- Large dual graphical LCD displays with adjustable vertical and horizontal TAC resolution
- Internal memory records up to 49,000 data points and can be transferred to a PC for further data analysis
- LCD indicates percentage of memory remaining
- Replaceable probe does not require recalibration
- Detachable probe extends up to 1 meter for measurements in closed environments
- Audible and visual alarm with Hi/Low setpoints
- Scroll the cursor to display selected data recorded
- Desk or wall mount
- Complete with Universal AC adaptor with multiple plugs (US, EU, UK, AUS), built-in stand, detachable probe with 3 ft (1 m) cable, RS-232 cable, RS-232 to USB Adaptor, and 3 AA batteries. PC software can be downloaded from the product web page.

Specifications	Range	Basic Accuracy
Relative Humidity	1 to 99% RH	±3% RH
Temperature	-22.0 to 140.0°F (-30.0 to 60.0°C)	±1.8°F (±1°C)
Dimensions	5 x 7.7 x 0.9" (129 x 195 x 22 mm)	
Weight	12.6 oz (357 g)	

Ordering

RH520B **N***Humidity + Temperature Chart Recorder
 RH522BReplaceable Humidity/Temperature Probe

N* Indicates products that are available with optional calibration traceable to NIST. Order with -NIST after part number for product plus Calibration Certificate.



RH520B UPC Code: 793950455227
 RH522B UPC Code: 793950455234

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Environmental Test Equipment](#) category:

Click to view products by [Teledyne FLIR / Extech](#) manufacturer:

Other Similar products are found below :

[CW40](#) [F150C10E3DRT](#) [F150LTC20](#) [F150CD10E2](#) [F150L75](#) [F150LRS](#) [2837806](#) [4328074](#) [4366444](#) [S-11](#) [382153](#) [700PTP-1](#) [GEO-](#)
[CABLE-REEL-50M](#) [H115](#) [H300](#) [F150-SLC50](#) [AW-CO-1000](#) [AW-H2S-100](#) [AW-NmHc-100](#) [ES1-CO-1000-01](#) [P 2801](#) [P 2802](#) [TM-197](#)
[ULD-420-EUR](#) [TM-192](#) [TM-192D](#) [TM-305U](#) [UT309C](#) [EL-P-TC-T-SURFACE](#) [1500000059](#) [HS115](#) [MR59](#) [12227021](#) [13123602](#) [13123661](#)
[12255930](#) [12983030](#) [30171091](#) [30198712](#) [30198755](#) [30209323](#) [12228657](#) [12229067](#) [12230090](#) [7358958](#) [12231398](#) [12231487](#) [7390674](#)
[7390682](#) [12231550](#)