











ADS1260-Q1, ADS1261-Q1

ZHCSJC0-JANUARY 2019

# ADS126x-Q1具有 PGA 和监控器的汽车级 5 通道和 10 通道 40kSPS 24 位

# $\Delta$ - $\Sigma$ ADC

# 1 特性

- 符合面向汽车应用的 AEC-Q100 应用
  - 温度等级 1: -40°C 至 +125°C, T<sub>A</sub>
- 24 位高精度 ADC
  - 温漂: 1nV/°C
  - 增益漂移: 0.5ppm/°C
  - 噪声: 30nV<sub>RMS</sub> (20SPS, 增益 = 128)
  - 线性度: 2ppm
- CMOS PGA 增益: 1 至 128
- 宽输入电压范围: ±7mV 至 ±5V
- 数据速率: 2.5SPS 至 40kSPS
- 2.5V 基准: 2ppm/°C
- 单周期稳定模式
- 信号和基准监控器
- 5V 或 ±2.5V 电源
- 内部温度传感器
- 循环冗余校验 (CRC)
- 激励电流源
- 传感器烧毁电流源
- 四路通用输入/输出 (ADS1261-Q1)
- 用于桥式传感器的交流激励 (ADS1261-Q1)
- 5mm x 5mm VQFN 封装

# 2 应用

- 电池管理系统 (BMS) 中的高分辨率电流分流测量
- 重量和压力测量
- 温度测量

# 3 说明

ADS1260-Q1 和 ADS1261-Q1(ADS126x-Q1) 均为包含可编程增益放大器 (PGA) 的精密 40kSPS ΔΣ 模数转换器 (ADC)。这些器件还包含精密的电压基准和内部故障监控器。这些支持传感器的 ADC 可以为要求最严苛的测量(包括称重秤和电阻式温度检测器 (RTD))提供高精度单芯片解决方案。

这些 ADC 包含输入信号多路复用器、低噪声 PGA (提供 1 至 128 的增益)、4 位  $\Delta\Sigma$  调制器、精密电压基准和可编程数字滤波器。

高阻抗 PGA 输入 (1GΩ) 可减小由传感器负载导致的测量误差。ADS1260-Q1 支持三路差分输入或五路单端输入。ADS1261-Q1 支持五路差分输入或十路单端输入。集成式电流源可简化 RTD 测量。

灵活的数字滤波器可针对单周期稳定转换进行编程。信号和基准监控器、温度传感器和 CRC 数据验证可增强数据可靠性。


ADS126x-Q1 是引脚兼容的器件,采用 5mm × 5mm VQFN 封装,额定工作温度范围为 –40°C 至 +125°C。

# 器件信息(1)

器件型号	封装	封装尺寸(标称值)
ADS126x-Q1	VQFN (32)	5.0mm × 5.0mm

(1) 如需了解所有可用封装,请参阅产品说明书末尾的封装选项附录。

# 框图



A



# 目录

1	特性1		9.5 Programming	42
2	应用 1		9.6 Register Map	51
3	说明 1	10	Application and Implementation	64
4	修订历史记录 2		10.1 Application Information	64
5	Device Comparison Table		10.2 Typical Application	68
6	Pin Configuration and Functions		10.3 Initialization Setup	71
7	Specifications	11	Power Supply Recommendations	<mark>72</mark>
•	7.1 Absolute Maximum Ratings 5		11.1 Power-Supply Decoupling	72
	7.2 ESD Ratings		11.2 Analog Power-Supply Clamp	<mark>72</mark>
	7.3 Recommended Operating Conditions		11.3 Power-Supply Sequencing	<mark>72</mark>
	7.4 Thermal Information	12	Layout	73
	7.5 Electrical Characteristics		12.1 Layout Guidelines	73
	7.6 Timing Requirements		12.2 Layout Example	<del>73</del>
	7.7 Switching Characteristics	13	器件和文档支持	75
8	Parameter Measurement Information		13.1 文档支持	75
·	8.1 Noise Performance		13.2 相关链接	75
9	Detailed Description		13.3 接收文档更新通知	75
3	9.1 Overview		13.4 社区资源	75
	9.2 Functional Block Diagram		13.5 商标	75
	9.3 Feature Description		13.6 静电放电警告	75
	9.4 Device Functional Modes		13.7 术语表	<b>75</b>
	0.7 Dovido i dilottorial ividado	14	机械、封装和可订购信息	<b>76</b>

# 4 修订历史记录


日期	修订版本	说明
2019年1月	*	初始发行版。



# 5 Device Comparison Table

PART NUMBER	CHAN	INELS	REFERENCE INPUTS	GPIOS
PART NUMBER	SINGLE-ENDED	DIFFERENTIAL	REFERENCE INPUTS	GPIOS
ADS1260-Q1	5	3	1	_
ADS1261-Q1	10	5	2	4

# 6 Pin Configuration and Functions





# **Pin Functions**

	Pin Functions Pin							
NO.	ADS1260-Q1	ADS1261-Q1	TYPE	DESCRIPTION				
1	AINCOM	AINCOM	Analog input/output	Analog input common, IDAC1, IDAC2, VBIAS				
2	CAPP	CAPP	Analog output	PGA output P; connect a 4.7-nF C0G dielectric capacitor across CAPP and CAPN				
3	CAPN	CAPN	Analog output	PGA output N; connect a 4.7-nF C0G dielectric capacitor across CAPP and CAPN				
4	AVDD	AVDD	Analog	Positive analog power supply				
5	AVSS	AVSS	Analog	Negative analog power supply				
6	REFOUT	REFOUT	Analog output	Internal 2.5-V reference output; connect a 10-µF capacitor to AVSS				
7	PWDN	PWDN	Digital input	Power down, active low				
8	RESET	RESET	Digital input	Reset, active low				
9	START	START	Digital input	Start conversion control, active high				
10	<del>CS</del>	<del>CS</del>	Digital input	Serial interface chip select, active low				
11	SCLK	SCLK	Digital Input	Serial interface shift clock				
12	DIN	DIN	Digital Input	Serial interface data input				
13	DRDY	DRDY	Digital output	Data ready indicator, active low				
14	DOUT/DRDY	DOUT/DRDY	Digital output	Dual function serial interface data output and active-low data ready indicator				
15	BYPASS	BYPASS	Analog output	Internal subregulator bypass; connect a 1-µF capacitor to DGND				
16	DGND	DGND	Digital	Digital ground				
17	DVDD	DVDD	Digital	Digital power supply				
18	CLKIN	CLKIN	Digital input	Internal oscillator: connect to DGND     External clock: connect clock input				
19-22	NC	NC	_	No connection. Electrically float or connect to DGND				
23	NC	AIN9	Analog input/output	ADS1260-Q1: No connection. Electrically float or connect to DGND ADS1261-Q1: Analog input 9, IDAC1, IDAC2				
24	NC	AIN8	Analog input/output	ADS1260-Q1: No connection. Electrically float or connect to DGND ADS1261-Q1: Analog input 8, IDAC1, IDAC2				
25	NC	AIN7	Analog input/output	ADS1260-Q1: No connection. Electrically float or connect to DGND ADS1261-Q1: Analog input 7, IDAC1, IDAC2				
26	NC	AIN6	Analog input/output	ADS1260-Q1: No connection. Electrically float or connect to DGND ADS1261-Q1: Analog input 6, IDAC1, IDAC2				
27	NC	AIN5	Analog input/output	ADS1260-Q1: No connection. Electrically float or connect to DGND ADS1261-Q1: Analog input 5, IDAC1, IDAC2, GPIO3, ACX2				
28	AIN4	AIN4	Analog input/output	ADS1260-Q1: Analog input 4, IDAC1, IDAC2 ADS1261-Q1: Analog input 4, IDAC1, IDAC2, GPIO2, ACX1				
29	AIN3	AIN3	Analog input/output	ADS1260-Q1: Analog input 3, IDAC1, IDAC2 ADS1261-Q1: Analog input 3, IDAC1, IDAC2, REFN1, GPIO1, ACX2				
30	AIN2	AIN2	Analog input/output	ADS1260-Q1: Analog input 2, IDAC1, IDAC2 ADS1261-Q1: Analog input 2, IDAC1, IDAC2, REFP1, GPIO0, ACX1				
31	AIN1	AIN1	Analog input/output	Analog input 1, IDAC1, IDAC2, REFN0				
32	AIN0	AIN0	Analog input/output	Analog input 0, IDAC1, IDAC2, REFP0				
Thermal Pad	Pad	Pad	_	Exposed thermal pad; Connect to AVSS. Pad must be soldered for mechanical integrity.				



# 7 Specifications

# 7.1 Absolute Maximum Ratings

see (1)

		MIN	MAX	UNIT
	AVDD to AVSS	-0.3	7	
Power-supply voltage	AVSS to DGND	-3	0.3	V
	DVDD to DGND	-0.3	7	
Analog input voltage	AINx	AVSS - 0.3	AVDD + 0.3	V
Digital input voltage	CS, SCLK, DIN, DOUT/DRDY, DRDY, START, RESET, PWDN, CLKIN	DGND - 0.3	DVDD + 0.3	V
Input current	Continuous, all pins except power-supply pins (2)	-10	10	mA
Tomporaturo	Junction, T <sub>J</sub>		150	°C
Temperature	Storage, T <sub>stg</sub>	-60	150	°C

<sup>(1)</sup> Stresses beyond those listed under Absolute Maximum Ratings may cause permanent damage to the device. These are stress ratings only, which do not imply functional operation of the device at these or any other conditions beyond those indicated under Recommended Operating Conditions. Exposure to absolute-maximum-rated conditions for extended periods may affect device reliability.

# 7.2 ESD Ratings

				VALUE	UNIT
		Human-body model (HBM), per AEC Q100-002 <sup>(1)</sup> HBM ESD Classification Level 2		±2000	
V <sub>(ESD)</sub>	Electrostatic discharge	Charged-device model (CDM), per AEC Q100-011	Corner Pins	±750	V
		CDM ESD Classification Level C4B	All other Non-Corner Pins	±500	

<sup>(1)</sup> AEC Q100-002 indicates that HBM stressing shall be in accordance with the ANSI/ESDA/JEDEC JS-001 specification.

<sup>(2)</sup> Input and output pins are diode-clamped to the internal power supplies. Limit the input current to 10 mA in the event the analog input voltage exceeds AVDD + 0.3 V or AVSS – 0.3 V, or if the digital input voltage exceeds DVDD + 0.3 V or DGND – 0.3 V.



# 7.3 Recommended Operating Conditions

			MIN	NOM	MAX	UNIT
POWER	SUPPLY					
	A = 1 = = = = = = = = = = = = = = = = =	AVDD to AVSS	4.75	5	5.25	V
	Analog power supply	AVSS to DGND	-2.6		0	V
	Digital power supply	DVDD to DGND	2.7		5.25	V
ANALOG	INPUTS				•	
	Alice beta de control la con	PGA mode		See 公式 5		V
$V_{(AINx)}$	Absolute input voltage  Differential input voltage  TAGE REFERENCE INPUTS	PGA bypassed	AVSS - 0.1		AVDD + 0.1	V
V <sub>IN</sub>	Differential input voltage	$V_{IN} = V_{AINp} - V_{AINn}$		±V <sub>REF</sub> / Gain	See (1)	V
VOLTAG	E REFERENCE INPUTS					
V <sub>REF</sub>	Differential reference voltage	$V_{REF} = V_{(REFPx)} - V_{(REFNx)}$	0.9	,	AVDD – AVSS	V
V <sub>(REFNx)</sub>	Negative reference voltage		AVSS - 0.05		V <sub>(REFPx)</sub> – 0.9	V
V <sub>(REFPx)</sub>	Positive reference voltage		$V_{(REFNx)} + 0.9$		AVDD + 0.05	V
	AL CLOCK					
	F	2.5 SPS to 25.6 kSPS	1	7.3728	8	MHz
f <sub>CLK</sub>	Frequency	40 kSPS	1	10.24	10.75	IVIHZ
	Duty cycle		40%		60%	
GENERA	L-PURPOSE INPUTS/OUTPUTS (GF	PIOs)				
	Input voltage		AVSS		AVDD	V
DIGITAL	INPUTS (Other Than GPIOs)					
	Input voltage		DGND		DVDD	V
TEMPER	ATURE					
T <sub>A</sub>	Operating ambient temperature		-40		125	°C

In PGA mode, the maximum differential input voltage is  $\pm$ (AVDD – AVSS – 0.6 V) / Gain, when operating with  $V_{REF} \ge AVDD - AVSS - 0.6$  V.

# 7.4 Thermal Information

		ADS126x-Q1	
	THERMAL METRIC <sup>(1)</sup>	RHM (VQFN)	UNIT
		32 PINS	
$R_{\theta JA}$	Junction-to-ambient thermal resistance	29.2	°C/W
$R_{\theta JC(top)}$	Junction-to-case (top) thermal resistance	17.6	°C/W
$R_{\theta JB}$	Junction-to-board thermal resistance	9.8	°C/W
ΨЈТ	Junction-to-top characterization parameter	0.2	°C/W
ΨЈВ	Junction-to-board characterization parameter	9.7	°C/W
$R_{\theta JC(bot)}$	Junction-to-case (bottom) thermal resistance	1.1	°C/W

For more information about traditional and new thermal metrics, see the Semiconductor and IC Package Thermal Metrics application report.



www.ti.com.cn

# 7.5 Electrical Characteristics

minimum and maximum specifications apply from  $T_A = -40^{\circ}\text{C}$  to +125°C; typical specifications are at  $T_A = 25^{\circ}\text{C}$ ; all specifications are at AVDD = 5 V, AVSS = 0 V, DVDD = 3.3 V,  $V_{REF} = 2.5$  V,  $f_{CLK} = 7.3728$  MHz, PGA mode, gain = 1, and data rate = 20 SPS (unless otherwise noted)

	PARAMETER	TEST CONDITIONS	MIN	TYP	MAX	UNIT
ANALOG	S INPUTS		'			
		PGA mode, V <sub>(AlNx)</sub> = 2.5 V		4	6	
	Absolute input current	PGA bypass		200		nA
	Absolute input current drift			0.01		nA/°C
		PGA mode, V <sub>IN</sub> = 19 mV		±0.1		
	577	PGA mode, V <sub>IN</sub> = 2.5 V	-3	±1	3	
	Differential input current	PGA mode, chop mode <sup>(1)</sup>		±5		nA
		PGA bypass, V <sub>IN</sub> = 2.5 V		±40		
	Differential input current drift			0.05		nA/°C
	5.55	PGA mode		1		GΩ
	Differential input impedance	PGA bypass		50		МΩ
	Crosstalk			0.1		μV/V
PGA			<u> </u>			
	Gain settings		1, 2, 4	, 8, 16, 32, 64, 1	28	V/V
	Antialias filter frequency	C <sub>CAPP, CAPN</sub> = 4.7 nF		60		kHz
PERFOR	RMANCE	, - , -	<u> </u>			
	Resolution	No missing codes	24			Bits
DR	Data rate		2.5		40000	SPS
	Noise performance			See 表 1		
	Integral nonlinearity	Gain = 1 to 16	-10	±2	10	ppm <sub>FSR</sub>
NL		Gain = 32 to 128	-12	±3	12	
INL		Gain = 1 to 32 (40 kSPS)	-15	±5	15	
		T <sub>A</sub> = 25°C	-175 / gain - 5	±50 / gain	175 / gain + 5	
Vos	Offset voltage	T <sub>A</sub> = 25°C, chop mode	-0.5 / gain - 0.05	±0.2 / gain	0.5 / gain + 0.05	μV
		After calibration	On	On the level of noise		
		Gain = 1 to 8		100 / gain	350 / gain	
	Offset voltage drift	Gain = 16 to 128		10	50	nV/°C
		Chop mode, gain = 1 to 128		1	5	
	Offset voltage long-term drift	Gain = 1, 1000 hr		±0.1		μV
		T <sub>A</sub> = 25°C, gain = 1 to 128	-0.5%	±0.05%	0.5%	
GE	Gain error	After calibration	On	the level of noise	)	
	Gain drift	Gain = 1 to 128		0.5	4	ppm/°C
NMRR	Normal-mode rejection ratio (2)			See 表 7		
		Data rate = 20 SPS		130		
CMRR	Common-mode rejection ratio (3)	Data rate = 400 SPS	105	115		dB
		AVDD and AVSS	85	100		
PSRR	Power-supply rejection ratio (4)	DVDD	100	120		dB
NTERN	AL OSCILLATOR	1		,		
		2.5 SPS to 25.6 kSPS		7.3728		
CLK	Frequency	40 kSPS		10.24		MHz
	Accuracy					

- (1) Chop-mode input current scales with data rate.
- (2) Normal-mode rejection ratio performance depends on the digital filter configuration.
- (3) Common-mode rejection ratio is specified at 60 Hz.
- (4) Power-supply rejection ratio specified at dc. PSRR (dB) = 20 Log ( $\Delta$  power supply voltage /  $\Delta$  offset voltage).



# **Electrical Characteristics (continued)**

minimum and maximum specifications apply from  $T_A = -40^{\circ}\text{C}$  to +125°C; typical specifications are at  $T_A = 25^{\circ}\text{C}$ ; all specifications are at AVDD = 5 V, AVSS = 0 V, DVDD = 3.3 V,  $V_{REF} = 2.5$  V,  $f_{CLK} = 7.3728$  MHz, PGA mode, gain = 1, and data rate = 20 SPS (unless otherwise noted)

PARAMETER	TEST CONDITIONS	MIN	TYP	MAX	UNIT
VOLTAGE REFERENCE INPUTS				•	
Absolute input current			±250		nA
Input current vs voltage			15		nA/V
Input current drift			0.2		nA/°C
Input impedance	Differential		30		ΜΩ
NTERNAL VOLTAGE REFERENCE(5)	,				
Voltage			2.5		V
Initial error	T <sub>A</sub> = 25°C		±0.2%		
Temperature drift	$T_A = -40^{\circ}\text{C to } +125^{\circ}\text{C}$		5	15	ppm/°C
Long-term drift	1000 hr		±25		ppm
Th	First temperature cycle		±70		
Thermal hysteresis (6)	Second temperature cycle		±20		ppm
Output current		-10		10	mA
Load regulation			50		μV/mA
Start-up time	Settling time to ±0.001% of final value		100		ms
EXCITATION CURRENT SOURCES (II	DACS)				
Current settings			0, 250, 500, 750, 0, 2000, 2500, 30	00	μA
Compliance range		AVSS		AVDD – 1.1	V
Accuracy		-4%	±0.7%	4%	
	Same current magnitudes	-1%	±0.1%	1%	
Match error	Different current magnitudes		±1%		
	Absolute		50		
Temperature drift	Match drift, I <sub>IDAC1</sub> = I <sub>IDAC2</sub>		5	25	ppm/°C
LEVEL-SHIFT VOLTAGE (VBIAS)	<del> </del>				
Voltage		(AVDD	+ AVSS) / 2		V
Output impedance			100		Ω
BURN-OUT CURRENT SOURCES					
Current settings	Sink and source	0.0	05, 0.2, 1, 10		μA
Accuracy	0.05-µA range	0.025	0.05	0.075	μA
TEMPERATURE SENSOR	<u>'</u>				
Sensor voltage	T <sub>A</sub> = 25°C		122.4		mV
Temperature coefficient			420		μV/°C
MONITORS	<u>'</u>				
204	Low		AVSS + 0.2		
PGA output	High		AVDD - 0.2		V
Reference voltage	Low		0.4	0.6	V

<sup>5)</sup> Soldered to PCB using recommended PCB layout pattern and using reflow profile per JEDEC standard J-STD-020D.1

<sup>(6)</sup> Voltage reference hysteresis measured by operating the device at 25°C cycling the device to 0°C and 105°C and returning the device to 25°C.



# **Electrical Characteristics (continued)**

minimum and maximum specifications apply from  $T_A = -40^{\circ}\text{C}$  to +125°C; typical specifications are at  $T_A = 25^{\circ}\text{C}$ ; all specifications are at AVDD = 5 V, AVSS = 0 V, DVDD = 3.3 V,  $V_{REF} = 2.5$  V,  $f_{CLK} = 7.3728$  MHz, PGA mode, gain = 1, and data rate = 20 SPS (unless otherwise noted)

	PARAMETER	TEST CONDITIONS	MIN	TYP	MAX	UNIT
GENER	AL-PURPOSE INPUTS/OUTPUTS (GPIC	os) <sup>(7)</sup>				
V <sub>OL</sub>	Low-level output voltage	I <sub>OL</sub> = -1 mA			0.2 · AVDD	V
V <sub>OH</sub>	High-level output voltage	I <sub>OH</sub> = 1 mA	0.8 · AVDD			V
V <sub>IL</sub>	Low-level input voltage				0.3 · AVDD	V
V <sub>IH</sub>	High-level input voltage		0.7 · AVDD			V
	Input hysteresis			0.5		V
DIGITA	L INPUTS/OUTPUTS (Other Than GPIO	s)				
.,	I am land autout mita-	I <sub>OL</sub> = -1 mA			0.2 · DVDD	V
V <sub>OL</sub>	Low-level output voltage	$I_{OL} = -8 \text{ mA}$		0.2 · DVDD		V
.,	I like he have been a second as a second a	I <sub>OH</sub> = 1 mA	0.8 · DVDD			
V <sub>OH</sub>	High-level output voltage	el output voltage  I <sub>OH</sub> = 8 mA  0.75 · DVDD			V	
V <sub>IL</sub>	Low-level input voltage				0.3 · DVDD	V
V <sub>IH</sub>	High-level input voltage		0.7 · DVDD			V
	Input hysteresis			0.1		V
	Input leakage	V <sub>IH</sub> or V <sub>IL</sub>	-10		10	μA
POWER	RSUPPLY					
		PGA bypass		2.7	4.5	
I <sub>AVDD</sub> ,	A	PGA mode, gain = 1 to 32		3.8	6	mA
I <sub>AVSS</sub>	Analog supply current	PGA mode, gain = 64 or 128		4.3	6.5	
		Power-down mode		2	8	μA
		Voltage reference		0.2		
I <sub>AVDD</sub> , I <sub>AVSS</sub>	Analog supply current (by function)	40-kSPS mode		0.5		mA
AVSS		Current sources	As p	rogrammed		
		20 SPS		0.4	0.65	^
I <sub>DVDD</sub>	Digital supply current	40 kSPS		0.6	0.85	mA
		Power-down mode <sup>(8)</sup>		30	50	μA
	Daniel diamination	PGA mode		20	32	\^/
$P_D$	Power dissipation	Power-down mode		0.1	0.2	mW

<sup>(7)</sup> GPIO voltage with respect to AVSS.

<sup>(8)</sup> CLKIN input stopped.



# 7.6 Timing Requirements

over operating ambient temperature range, DVDD = 2.7 V to 5.25 V, and DOUT/ $\overline{DRDY}$  load: 20 pF || 100 kΩ to DGND (unless otherwise noted); see 8

		MIN	MAX	UNIT
SERIAL IN	FERFACE		-	
t <sub>d(CSSC)</sub>	Delay time, first SCLK rising edge after $\overline{\text{CS}}$ falling edge <sup>(1)</sup>	50		ns
t <sub>su(DI)</sub>	Setup time, DIN valid before SCLK falling edge	25		ns
t <sub>h(DI)</sub>	Hold time, DIN valid after SCLK falling edge	25		ns
t <sub>c(SC)</sub>	SCLK period <sup>(2)</sup>	97	10 <sup>6</sup>	ns
t <sub>w(SCH),</sub> t <sub>w(SCL)</sub>	Pulse duration, SCLK high or low	40		ns
t <sub>d(SCCS)</sub>	Delay time, last SCLK falling edge before $\overline{\text{CS}}$ rising edge	50		ns
t <sub>w(CSH)</sub>	Pulse duration, CS high to reset interface	25		ns
t <sub>d(SCIR)</sub>	Delay time, SCLK high or low to force interface auto-reset		65540	1/f <sub>CLK</sub>
RESET				
t <sub>w(RSTL)</sub>	Pulse duration, RESET low	4		1/f <sub>CLK</sub>
CONVERSI	ON CONTROL			
t <sub>w(STH)</sub>	Pulse duration, START high	4		1/f <sub>CLK</sub>
t <sub>w(STL)</sub>	Pulse duration, START low	4		1/f <sub>CLK</sub>
t <sub>su(DRST)</sub>	Setup time, START low or STOP command after DRDY low to stop next conversion (continuous mode)		100	1/f <sub>CLK</sub>
t <sub>h(DRSP)</sub>	Hold time, START low or STOP command after DRDY low to continue next conversion (continuous mode)	150		1/f <sub>CLK</sub>

<sup>(1)</sup> CS can be tied low.

<sup>(2)</sup> Serial interface time-out mode: minimum SCLK frequency = 1 kHz. Otherwise, no minimum SCLK frequency.



www.ti.com.cn

# 7.7 Switching Characteristics

over operating ambient temperature range, DVDD = 2.7 V to 5.25 V, and DOUT/ $\overline{DRDY}$  load: 20 pF || 100 kΩ to DGND (unless otherwise noted); see 8

	PARAMETER	MIN	TYP	MAX	UNIT
SERIAL INTE	RFACE				
t <sub>w(DRH)</sub>	Pulse duration, DRDY high	16			1/f <sub>CLK</sub>
t <sub>p(CSDO)</sub>	Propagation delay time, CS falling edge to DOUT/DRDY driven	0		50	ns
t <sub>p(SCDO1)</sub>	Propagation delay time, SCLK rising edge to valid DOUT/DRDY			40	ns
t <sub>h(SCDO1)</sub>	Hold time, SCLK rising edge to invalid data on DOUT/DRDY	0			ns
t <sub>h(SCDO2)</sub>	Hold time, last SCLK falling edge of operation to invalid data on DOUT/DRDY	15			ns
t <sub>p(SCDO2)</sub>	Propagation delay time, last SCLK falling edge to valid data ready function on DOUT/DRDY			110	ns
t <sub>p(CSDOZ)</sub>	Propagation delay time, $\overline{\text{CS}}$ rising edge to DOUT/ $\overline{\text{DRDY}}$ high impedance			50	ns
RESET				·	
t <sub>p(RSCN)</sub>	Propagation delay time, RESET rising edge or RESET command to start of conversion	512			1/f <sub>CLK</sub>
t <sub>p(PRCM)</sub>	Propagation delay time, power-on threshold voltage to ADC communication		2 <sup>16</sup>		1/f <sub>CLK</sub>
t <sub>p(CMCN)</sub>	Propagation delay time, ADC communication to conversion start	512			1/f <sub>CLK</sub>
AC EXCITAT	ION				
t <sub>d(ACX)</sub>	Delay time, phase-to-phase blanking period		8		1/f <sub>CLK</sub>
$t_{c(ACX)}$	ACX period	2	·		t <sub>STDR</sub>
CONVERSIO	N CONTROL				
t <sub>p(STDR)</sub>	Propagation delay time, START high or START command to DRDY high			2	1/f <sub>CLK</sub>






图 1. Serial Interface Timing Requirements






(1) Before the first SCLK rising edge and after the last SCLK falling edge of a command, the function of DOUT/DRDY is data ready.

# 图 2. Serial Interface Switching Characteristics



# 图 3. Serial Interface Auto-Reset Characteristics



# 图 4. Conversion Control Timing Requirements



www.ti.com.cn




图 5. Power-Up Characteristics




图 6. RESET pin and RESET Command Timing Requirements




图 7. AC-Excitation Timing Characteristics




图 8. Timing Voltage-Level Reference



# 8 Parameter Measurement Information

#### 8.1 Noise Performance

The ADS126x-Q1 noise performance depends on the ADC configuration: data rate, PGA gain, digital filter configuration, and chop mode. The combination of the parameters affect noise performance. Two significant factors affecting noise performance are data rate and PGA gain. Since the profile of noise is predominantly white (flat vs frequency), decreasing the data rate proportionally decreases bandwidth and therefore, total noise. Since the noise of the PGA is lower than that of the modulator of the ADC, increasing the gain reduces noise when treated as an input-referred quantity. Noise performance also depends on the digital filter and chop mode. As the order of the digital filter increases, the noise bandwidth correspondingly decreases resulting in lower noise. Further, as a result of two-point data averaging in chop mode, noise performance improves by √2 compared to normal operation.

表 1 shows noise performance in units of  $\mu V_{RMS}$  (RMS = root mean square) under the conditions listed. The values in parenthesis are peak-to-peak values. 表 2 shows the noise performance in effective resolution (bits) under the specified conditions. The values shown in parenthesis are the noise-free resolution. Noise-free resolution is the resolution of the ADC with no code flicker. The noise-free resolution data are calculated based on the peak-to-peak noise measurements.

The effective resolution data listed in the tables are calculated using 公式 1:

Effective Resolution or Noise-Free Resolution = In (FSR / e<sub>n</sub>) / In (2)

where

- FSR = full scale range = 2 · V<sub>REF</sub> / Gain (See *Recommended Operating Conditions* for FSR)
- e<sub>n</sub> = Input referred voltage noise (RMS value to calculate effective resolution, p-p value to calculate noise-free resolution)

The data shown in the noise performance table represent typical ADC performance at  $T_A = 25^{\circ}$ C. The noise-performance data are the standard deviation and peak-to-peak computations of the ADC data. The noise data are acquired with inputs shorted, based on consecutive ADC readings for a period of ten seconds or 8192 data points, whichever occurs first. Because of the statistical nature of noise, repeated noise measurements may yield higher or lower noise performance results.

As a result of the increased full-scale input range provided by 5-V reference operation, effective resolution and noise-free resolution performance are typically optimized using a 5-V reference. The effective resolution and noise-free resolution performance data shown in 表 2 are with external 5-V reference operation.

表 1. Noise in $\mu V_{RMS}$ ( $\mu V_{PP}$ ) at $T_{\Delta} = 25^{\circ}$ C and Internal 2.5-V Reference	eference
--	----------

DATA					G	SAIN			
RATE (SPS)	FILTER	1	2	4	8	16	32	64	128
2.5	FIR	0.18 (0.6)	0.078 (0.28)	0.046 (0.16)	0.025 (0.096)	0.014 (0.053)	0.012 (0.045)	0.01 (0.042)	0.01 (0.04)
2.5	Sinc1	0.15 (0.47)	0.071 (0.28)	0.038 (0.14)	0.019 (0.075)	0.012 (0.051)	0.01 (0.039)	0.009 (0.037)	0.009 (0.037)
2.5	Sinc2	0.14 (0.38)	0.065 (0.23)	0.032 (0.096)	0.018 (0.059)	0.011 (0.037)	0.007 (0.028)	0.007 (0.028)	0.008 (0.033)
2.5	Sinc3	0.12 (0.38)	0.062 (0.17)	0.028 (0.064)	0.016 (0.053)	0.01 (0.035)	0.008 (0.027)	0.007 (0.026)	0.006 (0.023)
2.5	Sinc4	0.1 (0.26)	0.059 (0.17)	0.032 (0.085)	0.016 (0.059)	0.010 (0.035)	0.008 (0.027)	0.006 (0.025)	0.006 (0.024)
5	FIR	0.22 (0.89)	0.11 (0.4)	0.058 (0.24)	0.032 (0.13)	0.021 (0.085)	0.016 (0.065)	0.014 (0.061)	0.015 (0.066)
5	Sinc1	0.18 (0.6)	0.093 (0.36)	0.047 (0.17)	0.025 (0.11)	0.017 (0.069)	0.014 (0.061)	0.012 (0.054)	0.014 (0.063)
5	Sinc2	0.16 (0.64)	0.084 (0.32)	0.043 (0.16)	0.023 (0.085)	0.015 (0.064)	0.011 (0.047)	0.010(0.046)	0.011 (0.049)
5	Sinc3	0.13 (0.51)	0.088 (0.32)	0.036 (0.15)	0.024 (0.091)	0.014 (0.053)	0.01 (0.043)	0.009 (0.045)	0.009 (0.042)
5	Sinc4	0.13 (0.51)	0.077 (0.28)	0.034 (0.12)	0.021 (0.075)	0.013 (0.053)	0.010 (0.044)	0.008 (0.038)	0.009 (0.038)
10	FIR	0.27 (1.4)	0.14 (0.72)	0.076 (0.4)	0.042 (0.21)	0.029 (0.15)	0.023 (0.12)	0.023 (0.11)	0.022 (0.11)
10	Sinc1	0.23 (1.1)	0.13 (0.57)	0.064 (0.3)	0.036 (0.19)	0.024 (0.13)	0.02 (0.1)	0.018 (0.083)	0.018 (0.089)
10	Sinc2	0.2 (0.89)	0.11 (0.51)	0.054 (0.24)	0.03 (0.14)	0.019 (0.093)	0.015 (0.075)	0.015 (0.079)	0.016 (0.077)
10	Sinc3	0.18 (0.81)	0.097 (0.38)	0.05 (0.22)	0.028 (0.14)	0.019 (0.088)	0.015 (0.063)	0.013 (0.067)	0.013 (0.065)
10	Sinc4	0.17 (0.68)	0.099 (0.45)	0.049 (0.24)	0.024 (0.12)	0.018 (0.085)	0.013 (0.063)	0.012 (0.061)	0.012 (0.062)
16.6	Sinc1	0.3 (1.4)	0.16 (0.81)	0.082 (0.43)	0.048 (0.25)	0.031 (0.17)	0.025 (0.15)	0.024 (0.12)	0.024 (0.14)



# Noise Performance (接下页)

表 1. Noise in  $\mu V_{RMS}$  ( $\mu V_{PP}$ ) at  $T_A$  = 25°C and Internal 2.5-V Reference (接下页)

DATA					G	AIN			
RATE (SPS)	FILTER	1	2	4	8	16	32	64	128
16.6	Sinc2	0.24 (1.2)	0.13 (0.64)	0.067 (0.34)	0.038 (0.2)	0.026 (0.14)	0.021 (0.11)	0.019 (0.099)	0.019 (0.098)
16.6	Sinc3	0.22 (0.98)	0.12 (0.64)	0.065 (0.3)	0.036 (0.18)	0.024 (0.12)	0.019 (0.095)	0.017 (0.092)	0.018 (0.093)
16.6	Sinc4	0.21 (1.1)	0.12 (0.53)	0.06 (0.29)	0.035 (0.18)	0.022 (0.11)	0.017 (0.084)	0.016 (0.085)	0.016 (0.086)
20	FIR	0.37 (2)	0.2 (1.1)	0.1 (0.56)	0.059 (0.34)	0.041 (0.22)	0.034 (0.18)	0.029 (0.17)	0.03 (0.15)
20	Sinc1	0.32 (1.8)	0.18 (0.92)	0.091 (0.48)	0.051 (0.26)	0.034 (0.2)	0.028 (0.15)	0.025 (0.14)	0.025 (0.14)
20	Sinc2	0.27 (1.4)	0.15 (0.77)	0.073 (0.35)	0.042 (0.22)	0.027 (0.14)	0.022 (0.13)	0.021 (0.11)	0.02 (0.11)
20	Sinc3	0.24 (1.2)	0.13 (0.64)	0.069 (0.35)	0.039 (0.21)	0.026 (0.14)	0.02 (0.11)	0.018 (0.099)	0.018 (0.1)
20	Sinc4	0.23 (1.1)	0.13 (0.66)	0.066 (0.33)	0.037 (0.19)	0.024 (0.12)	0.018 (0.095)	0.017 (0.095)	0.017 (0.099)
50	Sinc1	0.49 (2.9)	0.27 (1.6)	0.14 (0.83)	0.08 (0.5)	0.053 (0.31)	0.043 (0.25)	0.039 (0.23)	0.038 (0.23)
50	Sinc2	0.4 (2.3)	0.22 (1.3)	0.11 (0.69)	0.064 (0.38)	0.043 (0.27)	0.035 (0.22)	0.033 (0.2)	0.032 (0.2)
50	Sinc3	0.37 (2.2)	0.2 (1.2)	0.11 (0.64)	0.058 (0.35)	0.04 (0.25)	0.033 (0.19)	0.029 (0.18)	0.03 (0.18)
50	Sinc4	0.34 (2)	0.19 (1.1)	0.098 (0.61)	0.056 (0.32)	0.036 (0.23)	0.03 (0.17)	0.028 (0.17)	0.028 (0.17)
60	Sinc1	0.55 (3.3)	0.28 (1.9)	0.15 (0.88)	0.087 (0.53)	0.058 (0.34)	0.047 (0.28)	0.044 (0.29)	0.042 (0.26)
60	Sinc2	0.45 (2.7)	0.24 (1.4)	0.12 (0.71)	0.07 (0.45)	0.048 (0.32)	0.039 (0.25)	0.036 (0.21)	0.035 (0.21)
60	Sinc3	0.41 (2.7)	0.21 (1.3)	0.11 (0.68)	0.065 (0.4)	0.044 (0.25)	0.036 (0.23)	0.032 (0.19)	0.031 (0.19)
60	Sinc4	0.37 (2)	0.2 (1.1)	0.11 (0.6)	0.059 (0.36)	0.041 (0.25)	0.033 (0.21)	0.03 (0.18)	0.03 (0.17)
100	Sinc1	0.69 (4.5)	0.37 (2.4)	0.19 (1.3)	0.11 (0.73)	0.075 (0.5)	0.06 (0.39)	0.056 (0.37)	0.056 (0.38)
100	Sinc2	0.56 (3.5)	0.3 (1.9)	0.16 (0.97)	0.09 (0.55)	0.062 (0.39)	0.051 (0.32)	0.046 (0.31)	0.045 (0.29)
100	Sinc3	0.51 (3.4)	0.27 (1.8)	0.14 (0.9)	0.083 (0.51)	0.056 (0.36)	0.045 (0.3)	0.041 (0.27)	0.041 (0.25)
100	Sinc4	0.48 (3.3)	0.26 (1.6)	0.14 (0.87)	0.078 (0.48)	0.053 (0.34)	0.043 (0.27)	0.039 (0.24)	0.039 (0.26)
400	Sinc1	1.4 (9.6)	0.72 (5.4)	0.38 (2.7)	0.22 (1.6)	0.15 (1.1)	0.12 (0.85)	0.11 (0.85)	0.11 (0.79)
400	Sinc2	1.1 (8.2)	0.58 (4.2)	0.31 (2.3)	0.18 (1.3)	0.12 (0.9)	0.099 (0.74)	0.091 (0.65)	0.091 (0.69)
400	Sinc3	1 (7.4)	0.53 (3.7)	0.28 (2)	0.17 (1.2)	0.11 (0.8)	0.09 (0.66)	0.083 (0.61)	0.083 (0.59)
400	Sinc4	0.95 (6.9)	0.51 (3.6)	0.27 (1.9)	0.15 (1.2)	0.1 (0.7)	0.084 (0.58)	0.077 (0.55)	0.077 (0.57)
1200	Sinc1	2.3 (17)	1.2 (9.2)	0.64 (5)	0.37 (2.9)	0.25 (1.9)	0.2 (1.6)	0.19 (1.4)	0.19 (1.5)
1200	Sinc2	1.9 (14)	1 (7.6)	0.54 (3.9)	0.31 (2.4)	0.21 (1.6)	0.17 (1.3)	0.16 (1.2)	0.16 (1.2)
1200	Sinc3	1.8 (13)	0.92 (7)	0.49 (3.7)	0.29 (2.2)	0.19 (1.4)	0.16 (1.2)	0.14 (1.1)	0.14 (1.1)
1200	Sinc4	1.6 (12)	0.86 (6.4)	0.46 (3.6)	0.27 (2)	0.18 (1.4)	0.15 (1.1)	0.13 (1)	0.13 (1)
2400	Sinc1	3.2 (25)	1.7 (13)	0.88 (6.7)	0.51 (3.9)	0.35 (2.7)	0.28 (2.2)	0.26 (2)	0.26 (2)
2400	Sinc2	2.7 (21)	1.4 (10)	0.76 (5.8)	0.44 (3.3)	0.3 (2.2)	0.24 (1.9)	0.22 (1.6)	0.22 (1.6)
2400	Sinc3	2.5 (19)	1.3 (9.8)	0.69 (5.2)	0.4 (3)	0.27 (2.1)	0.22 (1.7)	0.2 (1.6)	0.2 (1.5)
2400	Sinc4	2.3 (17)	1.2 (9.4)	0.65 (4.9)	0.37 (2.8)	0.25 (2)	0.21 (1.5)	0.19 (1.5)	0.19 (1.4)
4800	Sinc1	4.3 (33)	2.3 (17)	1.2 (9.4)	0.69 (5.2)	0.46 (3.5)	0.37 (2.9)	0.34 (2.6)	0.34 (2.6)
4800	Sinc2	3.8 (29)	2 (15)	1.1 (8.5)	0.61 (4.7)	0.41 (3.1)	0.33 (2.6)	0.31 (2.3)	0.3 (2.3)
4800	Sinc3	3.5 (27)	1.8 (14)	0.97 (7.2)	0.56 (4.1)	0.38 (3)	0.31 (2.4)	0.28 (2.1)	0.28 (2.2)
4800	Sinc4	3.3 (25)	1.7 (13)	0.92 (7.1)	0.53 (4.1)	0.36 (2.7)	0.29 (2.2)	0.27 (2.1)	0.27 (1.9)
7200	Sinc1	5 (38)	2.6 (20)	1.4 (10)	0.8 (6)	0.53 (4)	0.43 (3.2)	0.39 (2.9)	0.39 (2.9)
7200	Sinc2	4.6 (35)	2.4 (19)	1.3 (9.9)	0.73 (5.4)	0.49 (3.8)	0.39 (2.9)	0.36 (2.8)	0.36 (2.7)
7200	Sinc3	4.3 (33)	2.2 (17)	1.2 (9.3)	0.68 (5)	0.46 (3.6)	0.37 (2.8)	0.34 (2.5)	0.34 (2.6)
7200	Sinc4	4.1 (31)	2.1 (15)	1.1 (8.8)	0.65 (5)	0.44 (3.3)	0.35 (2.6)	0.33 (2.5)	0.32 (2.5)
14400	Sinc5	6 (47)	3.1 (24)	1.7 (13)	0.93 (7.1)	0.61 (4.9)	0.49 (3.8)	0.45 (3.5)	0.45 (3.4)
19200	Sinc5	8.5 (67)	4.3 (34)	2.3 (17)	1.2 (9.6)	0.77 (6)	0.57 (4.3)	0.54 (4)	0.53 (4.1)
25600	Sinc5	19 (140)	9.5 (73)	4.8 (37)	2.5 (18)	1.3 (10)	0.83 (6.3)	0.8 (6)	0.81 (6)
40000	Sinc5	30 (220)	15 (110)	7.7 (56)	3.9 (29)	2 (15)	1.2 (9.4)	1.2 (8.9)	1.2 (9)



# 表 2. Effective Resolution (Noise-Free Resolution) at $T_A$ = 25°C and External 5-V Reference

DATA			· ·		G	AIN			
RATE (SPS)	FILTER	1	2	4	8	16	32	64	128
2.5	FIR	24 (24)	24 (22.8)	24 (23.8)	24 (23.8)	24 (23.8)	24 (22.8)	24 (22)	23 (20.8)
2.5	Sinc1	24 (24)	24 (22.8)	24 (23.8)	24 (23.8)	24 (22.8)	24 (22.8)	24 (22.4)	23.2 (21.2)
2.5	Sinc2	24 (24)	24 (22.8)	24 (23.8)	22.8 (23.8)	21.8 (22.8)	24 (23.8)	24 (22.4)	23.9 (22)
2.5	Sinc3	24 (24)	24 (22.8)	24 (23.8)	22.8 (23.8)	24 (23.8)	24 (23.8)	24 (22.4)	23.8 (22)
2.5	Sinc4	24 (24)	24 (22.8)	24 (23.8)	22.8 (23.8)	24 (23.8)	24 (23.8)	24 (23)	23.5 (22)
5	FIR	24 (23)	24 (22.8)	24 (23.8)	24 (22.8)	24 (22.2)	24 (21.8)	23.6 (21.7)	22.5 (20.7)
5	Sinc1	24 (23.7)	24 (23.8)	24 (23.8)	24 (22.8)	24 (22.2)	24 (22.8)	23.3 (21.4)	22.8 (20.7)
5	Sinc2	24 (24)	24 (23.8)	24 (23.8)	24 (23.8)	24 (23.8)	24 (22.8)	23.7 (21.7)	22.8 (21)
5	Sinc3	24 (24)	24 (23.8)	24 (23.8)	24 (23.8)	24 (23.8)	24 (22.8)	23.5 (21.4)	23.5 (21.7)
5	Sinc4	24 (24)	24 (23.8)	24 (23.8)	22.8 (23.8)	24 (23.8)	24 (23.8)	24 (22)	23.3 (21.2)
10	FIR	24 (22.4)	24 (22.8)	24 (22.8)	24 (22.2)	24 (21.8)	23.5 (21.2)	22.8 (20.5)	22.1 (19.9)
10	Sinc1	24 (23)	24 (22.8)	24 (22.8)	24 (22.8)	24 (22.2)	23.6 (21.2)	23.4 (21.2)	22.3 (19.8)
10	Sinc2	24 (23)	24 (22.8)	24 (22.8)	24 (22.8)	24 (22.2)	24 (22.2)	23.2 (21.4)	22.3 (20.2)
10	Sinc3	24 (24)	24 (22.8)	24 (23.8)	24 (23.8)	24 (22.8)	24 (22.2)	23.3 (21.2)	22.7 (20.7)
10	Sinc4	24 (24)	24 (22.8)	24 (23.8)	24 (22.8)	24 (22.8)	24 (22.2)	23.7 (21.4)	22.9 (20.8)
16.6	Sinc1	24 (22)	24 (21.8)	24 (22.2)	24 (21.8)	23.7 (21.2)	23.4 (21)	22.5 (20.3)	21.8 (19.6)
16.6	Sinc2	24 (22.4)	24 (22.8)	24 (22.2)	24 (22.2)	24 (21.8)	23.7 (21.2)	23 (20.7)	22 (19.5)
16.6	Sinc3	24 (23)	24 (22.8)	24 (22.2)	24 (22.8)	24 (22.8)	23.9 (21.5)	23.1 (21)	22 (19.8)
16.6	Sinc4	24 (23)	24 (22.8)	24 (22.8)	24 (22.8)	24 (22.2)	24 (21.5)	23.4 (20.7)	22.5 (20.1)
20	FIR	24 (22)	23.8 (21.5)	23.9 (21.8)	23.9 (21.5)	23.5 (21)	22.9 (20.5)	22.2 (19.8)	21.3 (18.7)
20	Sinc1	24 (22)	24 (22.2)	24 (21.8)	23.9 (21.8)	23.7 (21.5)	23.3 (21)	22.6 (20.3)	21.5 (19.2)
20	Sinc2	24 (23)	24 (22.2)	24 (22.2)	24 (21.8)	24 (21.8)	23.6 (21.2)	22.8 (20.3)	21.9 (19.6)
20	Sinc3	24 (22.4)	24 (22.8)	24 (22.2)	24 (22.8)	24 (21.8)	23.7 (21.5)	23 (20.7)	21.9 (19.4)
20	Sinc4	24 (23)	24 (22.8)	24 (22.8)	24 (22.2)	24 (22.2)	23.8 (21.2)	23.1 (20.7)	22 (19.4)
50	Sinc1	23.9 (21.4)	23.7 (21.5)	23.7 (21.2)	23.5 (20.8)	23.3 (20.6)	22.6 (20)	21.9 (19.3)	21 (18.6)
50	Sinc2	24 (21.7)	23.9 (21.5)	23.8 (21.2)	23.7 (21.5)	23.5 (20.8)	22.9 (20.2)	22.1 (19.3)	21.2 (18.8)
50	Sinc3	24 (22)	23.9 (21.5)	23.9 (21.5)	23.8 (21)	23.6 (21.2)	23 (20.5)	22.3 (19.8)	21.3 (18.6)
50	Sinc4	24 (22)	24 (21.8)	24 (21.8)	23.9 (21.5)	23.7 (21.2)	23.2 (20.8)	22.4 (20)	21.5 (18.9)
60	Sinc1	23.7 (21.4)	23.6 (21)	23.6 (21.2)	23.4 (20.8)	23.1 (20.5)	22.5 (19.9)	21.8 (19.1)	20.8 (18.2)
60	Sinc2	24 (21.4)	23.8 (21.5)	23.7 (21.2)	23.6 (21.2)	23.4 (20.8)	22.7 (20.2)	22.1 (19.3)	21.2 (18.5)
60	Sinc3	24 (21.7)	23.9 (21.5)	23.9 (21.5)	23.7 (21.2)	23.5 (20.8)	22.9 (20.5)	22.2 (19.5)	21.2 (18.8)
60	Sinc4	24 (22)	24 (21.8)	23.9 (21.5)	23.7 (21.2)	23.4 (20.6)	23 (20.2)	22.2 (19.5)	21.2 (18.7)
100	Sinc1	23.6 (21)	23.4 (20.6)	23.3 (20.5)	23.1 (20.4)	22.8 (20)	22.1 (19.4)	21.4 (18.8)	20.5 (17.7)
100	Sinc2	23.8 (21)	23.6 (21)	23.6 (21)	23.4 (21)	23 (20.2)	22.4 (19.7)	21.7 (19.1)	20.8 (18)
100	Sinc3	23.8 (21.2)	23.6 (21.2)	23.6 (21)	23.5 (21)	23.2 (20.5)	22.5 (19.9)	21.8 (19)	20.8 (17.9)
100	Sinc4	23.9 (21.4)	23.7 (21.2)	23.7 (21.2)	23.6 (21)	23.3 (20.6)	22.6 (19.7)	21.9 (19.4)	21 (18.1)
400	Sinc1	22.8 (19.8)	22.5 (19.7)	22.5 (19.6)	22.3 (19.6)	21.9 (19)	21.2 (18.2)	20.4 (17.6)	19.5 (16.6)
400	Sinc2	23.1 (20.3)	22.8 (20.1)	22.8 (20)	22.6 (19.6)	22.1 (19.2)	21.4 (18.6)	20.7 (17.9)	19.8 (17.1)
400	Sinc3	23.1 (20.4)	22.9 (20)	22.8 (19.9)	22.7 (20)	22.3 (19.4)	21.5 (18.7)	20.8 (17.8)	19.9 (17)
400	Sinc4	23.2 (20.3)	23 (20.2)	22.9 (20.1)	22.7 (20.1)	22.3 (19.5)	21.7 (18.9)	21 (18)	20 (17.2)
1200	Sinc1	22.1 (19.2)	21.8 (19.1)	21.7 (18.9)	21.6 (18.7)	21.1 (18.3)	20.4 (17.5)	19.7 (16.8)	18.8 (15.7)
1200	Sinc2	22.3 (19.5)	22.1 (19.3)	22 (19.1)	21.8 (18.9)	21.4 (18.4)	20.6 (17.7)	20 (17.1)	19 (16)
1200	Sinc3	22.4 (19.6)	22.2 (19.2)	22.1 (19.2)	21.9 (19)	21.5 (18.5)	20.8 (18)	20.1 (17.2)	19.2 (16.2)
1200	Sinc4	22.5 (19.6)	22.3 (19.6)	22.2 (19.2)	22 (19.1)	21.6 (18.7)	20.9 (18)	20.2 (17.3)	19.2 (16.4)
2400	Sinc1	21.6 (18.7)	21.4 (18.3)	21.3 (18.4)	21.1 (18.1)	20.7 (17.7)	19.9 (17.1)	19.2 (16.2)	18.3 (15.4)
2400	Sinc2	21.8 (18.8)	21.6 (18.6)	21.5 (18.6)	21.3 (18.5)	20.9 (18)	20.2 (17.3)	19.5 (16.6)	18.5 (15.6)



# 表 2. Effective Resolution (Noise-Free Resolution) at $T_A$ = 25°C and External 5-V Reference (接下页)

DATA			GAIN						
RATE (SPS)	FILTER	1	2	4	8	16	32	64	128
2400	Sinc3	21.9 (19.1)	21.7 (18.8)	21.6 (18.6)	21.4 (18.6)	21 (18.1)	20.3 (17.5)	19.6 (16.7)	18.7 (15.7)
2400	Sinc4	22 (19.1)	21.8 (19)	21.8 (19)	21.6 (18.6)	21.1 (18)	20.4 (17.5)	19.7 (16.7)	18.8 (15.9)
4800	Sinc1	21.1 (18.1)	20.9 (17.9)	20.9 (17.9)	20.6 (17.7)	20.2 (17.2)	19.5 (16.6)	18.8 (15.8)	17.9 (14.9)
4800	Sinc2	21.3 (18.4)	21.1 (18.1)	21 (18.1)	20.8 (17.9)	20.4 (17.4)	19.7 (16.6)	19 (16.1)	18 (14.9)
4800	Sinc3	21.4 (18.4)	21.2 (18.3)	21.1 (18.3)	21 (18)	20.5 (17.6)	19.8 (16.8)	19.1 (16.3)	18.2 (15.1)
4800	Sinc4	21.5 (18.6)	21.3 (18.4)	21.2 (18.2)	21.1 (18.1)	20.6 (17.7)	19.9 (17)	19.2 (16.3)	18.2 (15.3)
7200	Sinc1	20.9 (17.8)	20.7 (17.7)	20.6 (17.4)	20.4 (17.5)	20 (17)	19.3 (16.4)	18.6 (15.7)	17.7 (14.7)
7200	Sinc2	21 (18.1)	20.8 (17.9)	20.7 (17.9)	20.6 (17.6)	20.2 (17.2)	19.4 (16.4)	18.7 (15.9)	17.8 (14.9)
7200	Sinc3	21.1 (18.1)	20.9 (18.1)	20.8 (17.9)	20.6 (17.8)	20.2 (17.2)	19.5 (16.5)	18.8 (15.9)	17.9 (14.9)
7200	Sinc4	21.2 (18.1)	21 (18)	20.9 (18.1)	20.7 (18)	20.3 (17.2)	19.6 (16.7)	18.9 (15.9)	18 (15)
14400	Sinc5	20.5 (17.7)	20.3 (17.5)	20.2 (17.3)	20.1 (17.1)	19.8 (16.9)	19.1 (16.1)	18.4 (15.4)	17.5 (14.5)
19200	Sinc5	19.7 (16.8)	19.5 (16.5)	19.4 (16.5)	19.4 (16.3)	19.2 (16.2)	18.8 (15.9)	18 (15.1)	17 (14.2)
25600	Sinc5	18.2 (15.2)	18 (14.9)	18 (15.2)	17.9 (14.7)	17.9 (15.1)	17.8 (14.8)	17 (14.2)	16 (13.2)
40000	Sinc5	17.4 (14.6)	17.2 (14.2)	17.2 (14.2)	17.2 (14.3)	17.2 (14.2)	17.1 (14.3)	16.3 (13.4)	15.3 (12.5)



# 9 Detailed Description

#### 9.1 Overview

The ADS1260-Q1 and ADS1261-Q1 are 5-channel and 10-channel, precision 24-bit, delta-sigma ( $\Delta\Sigma$ ) ADCs with an integrated analog front end (AFE) and voltage reference. The low-noise and low-drift architecture make the ADCs suitable for precision measurement of low signal level sensors, such as strain-gauge bridges, pressure transducers and temperature sensors.

Key features of the ADC are:

- Very low noise, 1-GΩ input impedance PGA
- High-precision, 24-bit  $\Delta\Sigma$  ADC
- Internal oscillator
- 2.5-V voltage reference
- · Signal and voltage reference monitors
- Excitation current sources
- Input level-shift voltage
- Sensor burn-out current sources
- Temperature sensor
- Cyclic redundancy check (CRC) communication error detection
- Two voltage reference inputs (ADS1261-Q1)
- Four GPIO with AC-excitation (ADS1261-Q1)

The analog inputs (AINx) connect to the input multiplexer (MUX). The ADC supports three (five) differential or five (ten) single-ended input configurations for the ADS1260-Q1 and ADS1261-Q1, respectively.

The programmable gain amplifier (PGA) follows the input multiplexer. The PGA is suitable for direct connection to low-level sensors. The gain is programmable from 1 to 128. The PGA bypass option connects the analog inputs directly to the precharge buffered modulator, extending the input voltage range to the power supplies. The PGA output connects to pins CAPP and CAPN. The ADC antialias filter is provided at the PGA output with an external capacitor.

The PGA is monitored to verify linear operation. Alarm bits in the status register set if the linear range of the PGA is exceeded.

A delta-sigma modulator measures the input voltage relative to the reference voltage to produce the 24-bit conversion result. The differential input range of the ADC is  $\pm V_{RFF}$  / Gain.

The digital filter averages and decimates the modulator output data to yield the final, down-sampled conversion result. The sinc filter is programmable (sinc1 through sinc5) allowing optimization of conversion time, conversion noise and line-cycle rejection. The finite impulse response (FIR) filter mode provides single-cycle settled data with simultaneous rejection of 50-Hz and 60-Hz at data rates of 20 SPS or less.

The ADC reference is either 2.5-V internal, external or the 5-V analog power supply. The REFOUT pin provides the buffered reference voltage output. The external reference is monitored for low or missing voltage. The ADS1261-Q1 provides two voltage reference inputs, multiplexed with the analog inputs.

The ADC includes two current sources that provide excitation to resistive sensors (RTD). Additionally, the ADS1261-Q1 provides four GPIO control lines. The GPIOs are used for input and output of general-purpose logic signals, as well as providing drive signals for AC-excited bridges. The GPIOs are multiplexed to the analog inputs.

The temperature sensor and the power supply voltages are read through the multiplexer. The programmable burn-out test currents connect to the multiplexer output. The currents detect failed sensors or faults in the sensor connection. The level-shift voltage on AINCOM provides the bias for floating sensors.

The SPI-compatible serial interface is used to read the conversion data and also to configure and control the ADC. Data communication errors are detected by CRC. The serial interface consists of four signals:  $\overline{CS}$ , SCLK, DIN and DOUT/DRDY. The dual function DOUT/DRDY provides data output and also the data ready signal. The ADC serial interface can be implemented with as little as three pins by tying  $\overline{CS}$  low.




# Overview (接下页)

The ADC clock is either internal or external. The ADC detects the external clock automatically. The nominal clock frequency is 7.3728 MHz (10.24 MHz for 40-kSPS operation).

ADC conversions are controlled by the START pin or by the START command. The ADC is programmable for continuous or one-shot conversions. The DRDY or DOUT/DRDY pin provides the conversion data ready signal. When taken low, the RESET pin resets the ADC. The ADC is powered down by the PWDN pin or is powered down in software mode.

The ADC operates in either bipolar analog supply configuration (±2.5 V), or in a single 5-V supply configuration. The digital power supply range is 2.7 V to 5 V. The BYPASS pin is the internal subregulator output used for the ADC digital core.

# 9.2 Functional Block Diagram





# 9.3 Feature Description

The following sections describe the functional blocks of the ADC.

#### 9.3.1 Analog Inputs




图 9. Analog Input Block Diagram

#### 9.3.1.1 ESD Diodes

ESD diodes are incorporated to protect the ADC inputs from possible ESD events occurring during the manufacturing process and during PCB assembly when manufactured in an ESD-controlled environment. For system-level ESD protection, consider the use of external ESD protection devices for pins that are exposed to ESD, including the analog inputs.

If either input is driven below AVSS -0.3 V, or above AVDD +0.3 V, the internal protection diodes may conduct. If these conditions are possible, use external clamp diodes, series resistors, or both to limit the input current to the specified maximum value.

#### 9.3.1.2 Input Multiplexer

The input multiplexer selects the signal for measurement. The multiplexer consists of independent positive and negative sections. See 

9 for multiplexer register settings. The multiplexers select any input as positive and any input as negative for the PGA. Because the level-shift voltage connects to AINCOM (only), AINCOM is suitable as the common input for single-ended signals that require a level-shift voltage.

The switching sequence of the multiplexer is break-before-make in order to reduce charge injection into the next measurement channel. Be aware that over-driving unused channels beyond the power supplies can effect conversions taking place on active channels. See the *Input Overload* section for more information.



www.ti.com.cn

Feature Description (接下页)

## 9.3.1.3 Temperature Sensor

The ADC has an internal temperature sensor. The temperature sensor is comprised of two internal diodes with one diode having 80 times the current density of the other. The difference in current density of the diodes yields a differential output voltage that is proportional to absolute temperature. The temperature sensor reading is converted by the ADC. See § 9 for register settings to select the temperature sensor for measurement.

公式 2 shows how to convert the temperature sensor reading to degrees Celsius (°C):

Temperature (°C) = 
$$[\text{Temperature Reading }(\mu V) - 122,400) / 420 \mu V/^{\circ}C] + 25^{\circ}C$$
 (2)

Measure the temperature sensor with PGA on, gain = 1, burn-out current sources disabled and AC-excitation mode disabled. As a result of the low package-to-PCB thermal resistance, the internal temperature closely tracks the PCB temperature. Be aware that device self-heating increases the internal temperature relative to the surrounding PCB.

## 9.3.1.4 Power-Supply Readback

Read the power-supply voltage by the appropriate input multiplexer selection. The supply voltages are divided to reduce the voltage levels to within the ADC input range. The analog and digital supply readback levels are scaled by 公式 3 and 公式 4, respectively:

Analog supply 
$$(V) = (AVDD - AVSS) / 4$$
 (3)

Digital supply 
$$(V) = DVDD / 4$$
 (4)

Measure the power supply voltages with either the internal or an external reference. If using an external reference, the minimum reference voltage is 1.5 V. Perform the measurement with PGA enabled, gain = 1, burnout current sources disabled and AC-excitation mode disabled. See № 9 for register settings to measure the supply voltages.

#### 9.3.1.5 Inputs Open

This configuration opens all inputs. Use this configuration to test the functionality of the sensor burn-out current sources, and the PGA output monitors. When the inputs are open, the current sources drive the PGA inputs to full scale, resulting in an PGA monitor alarm and clipped conversion data. See № 9 for register settings to open all inputs.

# 9.3.1.6 Internal V<sub>COM</sub> Connection

For this multiplexer configuration, all inputs are open and the PGA inputs are connected to an internal  $V_{COM}$  voltage as defined: (AVDD + AVSS) / 2. Use this mode to measure the ADC noise performance and offset voltage, or to short the inputs for offset calibration. See  $\boxed{8}$  9 for register settings of the internal  $V_{COM}$  connection.



# Feature Description (接下页)

#### 9.3.1.7 Alternate Functions

The ADC has several alternate functions that are multiplexed with the analog inputs. The alternate functions are reference input, current source output, GPIO, AC-excitation and level-shift voltage output. The functions are enabled by programming of the associated registers. The analog inputs retain measurement ability if the alternate functions are programmed. 表 3 summarizes the alternate functions.

表 3. Analog Input Alternate Functions

ANALO	G INPUTS	REFERENCE INPUTS	CURRENT SOURCES	GPIO/AC-EXCITATION <sup>(1)</sup>	LEVEL-SHIFT
ADS1260-Q1	ADS1261-Q1	REFERENCE INPUIS	CURRENT SOURCES	GPIO/AC-EXCITATION (*)	VOLTAGE
AINCOM	AINCOM	_	Yes	_	Yes
AIN0	AIN0	REFP0	Yes	_	_
AIN1	AIN1	REFN0	Yes	_	_
AIN2	AIN2	REFP1 <sup>(1)</sup>	Yes	GPIO0/ACX1	_
AIN3	AIN3	REFN1 <sup>(1)</sup>	Yes	GPIO1/ACX2	_
AIN4	AIN4	_	Yes	GPIO2/ACX1	_
_	AIN5	_	Yes	GPIO3/ACX2	_
_	AIN6	_	Yes	_	_
_	AIN7	_	Yes	_	_
_	AIN8	_	Yes	_	_
_	AIN9	_	Yes	_	_

<sup>(1)</sup> ADS1261-Q1 only.

#### 9.3.2 PGA

The PGA is a low-noise, CMOS differential-input, differential-output amplifier. The PGA extends the dynamic range of the ADC, important when used with low level sensors. The PGA provides gains of 1 through 32 and the ADC provides additional gains of 2 and 4. The combined gains are 1 through 128. Gain is controlled by the GAIN[2:0] register bits as shown in 图 10. In PGA bypass mode, the input voltage range extends to the analog supplies. The PGA is powered down in bypass mode.




图 10. PGA Block Diagram

STRUMENTS

the operating headroom is exceeded.

The PGA consists of two chopper-stabilized amplifiers (A1 and A2), and a resistor network that determines the PGA gain. The resistor network is precision matched, providing low drift performance. The PGA integrates noise filters to reduce sensitivity to electromagnetic-interference (EMI). The PGA output is monitored to indicate when

Pins CAPP and CAPN are the PGA positive and negative outputs, respectively. Connect an external 4.7-nF capacitor (type C0G) as shown in 8 10. The capacitor filters the modulator sample pulses and with the internal resistors, forms the antialias filter. Place the capacitor as close as possible to the pins using short traces. Avoid running clock traces or other digital traces close to these pins.

The full-scale differential input voltage range of the ADC is determined by the reference voltage and gain. 表 4 shows the differential input voltage range verses gain for  $V_{REF} = 2.5 \text{ V}$ .

	2C 41 1 all 0	Jaio Voltago Italigo
GAIN[2:0] BITS	GAIN	FULL-SCALE DIFFERENTIAL INPUT RANGE <sup>(1)</sup>
000	1	±2.500 V
001	2	±1.250 V
010	4	±0.625 V
011	8	±0.312 V
100	16	±0.156 V
101	32	±0.078 V
110	64	±0.039 V
111	128	±0.0195 V

表 4. Full-Scale Voltage Range

As with many amplifiers, the PGA has an input voltage range limitation that must not be exceeded in order to maintain linear operation. The specified input voltage range is expressed as the absolute voltage at the positive and negative inputs. As specified in 公式 5, the specified absolute input voltage depends on gain, the expected maximum differential voltage, and the minimum analog power-supply voltage.

AVSS + 0.3 V + 
$$V_{IN}$$
 · (Gain - 1) / 2 · <  $V_{AINP}$  and  $V_{AINN}$  < AVDD - 0.3 V -  $V_{IN}$  · (Gain - 1) / 2

#### where

- $V_{AINP}$ ,  $V_{AINN}$  = absolute input voltage
- $V_{IN}$  = maximum differential input voltage =  $V_{AINP}$   $V_{AINN}$
- Gain (for gains = 64 and 128, use gain = 32 in the calculation)
- AVDD = minimum AVDD voltage
- AVSS = maximum AVSS voltage

<sup>(1)</sup>  $V_{REF} = 2.5 \text{ V}$ . Full scale differential input voltage range is proportional to  $V_{REF}$ .






图 11. PGA Input/Output Range

### 9.3.2.1 PGA Bypass Mode

Bypass the PGA to extend the input voltage range up to the analog power supply voltages. In bypass mode, the PGA is bypassed and the analog inputs are connected directly to the precharge buffers of the modulator, thereby extending the input voltage range. Be aware of the increased analog input current in bypass mode. See the *Recommended Operating Conditions* for the bypass-mode input voltage range specification, and see the *Electrical Characteristics* for the input current specification.

#### 9.3.2.2 PGA Voltage Monitor

The PGA has voltage monitors to provide indication when the PGA is overloaded. In overload condition, the conversion data are no longer valid. If either the PGA positive or negative output exceeds AVDD − 0.2 V, the high alarm bit is set (PGAH\_ALM). Similarly, if either PGA positive or negative output is less than AVSS + 0.2 V, the low alarm bit is set (PGAL\_ALM). The monitor alarm state is read in the STATUS byte. The monitor alarm is read-only and automatically resets at the start of the next conversion cycle after the overload condition is cleared. The monitor diagram and threshold values are shown in 8 12 and 13.




图 12. PGA Monitor Diagram


图 13. PGA Monitor Thresholds

The PGA monitors consist of fast-responding voltage comparators. Comparator operation is disabled during multiplexer changes to minimize the false triggering during these input switching events. However, it is possible the monitors can detect other transient overload conditions that may occur after gain changes, sensor connection changes, and so on.



## 9.3.3 Reference Voltage

The ADC requires a reference voltage for operation. The reference voltage options are 2.5-V internal, one or two external inputs (ADS1260-Q1 or ADS1261-Q1, respectively) or the 5-V analog power supply. The reference voltage is selected by independent positive and negative reference multiplexers for the reference positive and reference negative voltages, respectively. The default reference is the 5-V analog power supply (AVDD – AVSS). 
14 shows the block diagram of the reference multiplexer.



- (1) The internal reference requires a 10-µF capacitor connected to pins REFOUT and AVSS.
- (2) ADS1261-Q1 only.

#### 图 14. Reference Input Diagram

Program the RMUXP[1:0] and RMUXN[1:0] bits of the REF register to select the positive and negative reference voltages, respectively. The positive reference selections are internal positive, AIN0, AIN2, or AVDD. The negative reference input selections are internal negative, AIN1, AIN3, or AVSS. The reference low-voltage monitor is located after the reference multiplexer. See the *Reference Monitor* section for more information.

#### 9.3.3.1 Internal Reference

The ADC incorporates a 2.5-V reference that is enabled by the REFENB bit of the REF register (default = off). Program the reference multiplexer bits RMUXP[1:0] and RMUXN[1:0] to 00b to select the internal reference. A 10- $\mu$ F capacitor is required between pins REFOUT and AVSS to filter reference noise. REFOUT is the reference output and AVSS is the reference return. Use a star-layout connection or plane connection for the reference return, connecting close to the AVSS pin. When the reference is enabled, be aware of the settling time before beginning conversions. Also be aware of the reference inrush current that may result in a transient droop of the AVDD voltage. Enable the internal reference for sensor excitation current source operation.

#### 9.3.3.2 External Reference

Use an external reference by applying the reference voltage to the designated analog inputs. The reference inputs are differential with positive and negative inputs. Program the reference multiplexer bits RMUXP[1:0] and RMUXN[1:0] to 10b or 11b to select inputs AINO/AIN1 or AIN2/AIN3, respectively (AIN2/AIN3 is available only for the ADS1261-Q1). For application that use multiple references, it is possible to connect the reference grounds together and use a single input pin for ground. Follow the specified absolute and differential reference voltage operating conditions, as specified in the *Recommended Operating Conditions*. Connect a 100-nF capacitor across the reference input pins to filter noise. Be aware of the reference input current if reference impedances are present. Consider the error to the overall system accuracy.




## 9.3.3.3 AVDD - AVSS Reference (Default)

A third reference option is the 5-V analog power supply (AVDD - AVSS). Select this reference option by setting the reference multiplexer bits RMUXP[1:0] and RMUXN[1:0] to 01b. For a 6-wire load cell application that uses excitation sense lines, or for AC-excitation operation, connect the excitation sense lines to the analog input reference inputs and program the ADC for external reference operation.

#### 9.3.3.4 Reference Monitor

Use the reference monitor to detect a missing or failed reference voltage. To implement detection of a missing reference, use a  $100-k\Omega$  resistor across the reference inputs. If either input is unconnected, the resistor biases the differential reference input towards 0 V so that the missing reference can be detected.






图 15. Reference Monitor

图 16. Reference Monitor Threshold

# 9.3.4 Level-Shift Voltage (VBIAS)

The ADC integrates a level-shift voltage that can be connected to the AINCOM pin by an internal switch. As shown in 2 17, the level-shift voltage is the mid-voltage between AVDD and AVSS. The purpose of the voltage is to shift the signal level of floating sensors to within the input range of the ADC. Isolated thermocouples and piezoelectric sensors are examples of sensors that are suitable for connection to the level-shift voltage. For these sensors, connect the negative lead to the AINCOM pin and enable the level-shift voltage.




图 17. Level-Shift Voltage Diagram

The turn-on time of the level-shift voltage depends on the total external capacitance connected from the AINCOM pin to ground or AVSS. 表 5 lists the level-shift voltage settling times for various load capacitance. Be certain the level-shift voltage is fully settled before starting a conversion.

表 5. Level-Shift Enable Time

LOAD CAPACITANCE	LEVEL-SHIFT VOLTAGE SETTLING TIME
0.1 μF	0.22 ms
1 μF	2.2 ms
10 μF	22 ms



#### 9.3.5 Burn-Out Current Sources

The burn-out current sources are used to detect the occurrence of sensor burn-out or break. If the sensor or sensor connection is open, the currents drive either or both positive and negative PGA inputs to opposite supply voltages where the occurrence of an open sensor is detected by the PGA monitors or detected by the host for out-of-range (or clipped) conversion data.




图 18. Burn-Out Current Sources



## 9.3.6 Sensor-Excitation Current Sources (IDAC1 and IDAC2)

The ADC incorporates two current sources that are used to provide excitation current to a resistive temperature device (RTD), thermistor, diode and other sensor type that require constant current biasing. The currents are programmable over the 50  $\mu$ A to 3000  $\mu$ A range and are internally multiplexed to all analog input pins. The current source multiplexer is shown in  $\boxed{8}$  19. The IMUX1 and IMUX2 register bits connect the corresponding current source to the analog inputs. The IMAG1 and IMAG2 register bits program the corresponding current magnitude.

Enable the internal reference for current source operation. The current source value can be doubled or an intermediate value produced by connecting the current sources to the same analog input. Take care not to exceed the current source compliance voltage range. That is, when the current source is loaded by resistance, the voltage at the pin increases and must not exceed specification; otherwise the specified current source accuracy is not met.




图 19. Current Source Connection



www.ti.com.cn

# 9.3.7 General-Purpose Input/Outputs (GPIOs)

The ADS1261-Q1 provides four GPIO pins, GPIO0 through GPIO3. The GPIOs are digital inputs/outputs that are referenced to analog AVDD and AVSS. The GPIOs are read and written by the GPIO\_DAT bits of register MODE3. The GPIOs are multiplexed with analog inputs AIN2 to AIN5. As shown in 20, the GPIOs have a series of programming registers. Bits GPIO\_CON[3:0] connect the GPIOs to the associated pin (1 = connect). Bits GPIO\_DIR program the direction of the GPIOs; (0 = output, 1 = input). The input voltage threshold is the voltage value between AVDD and AVSS. Bits GPIO\_DAT[3:0] are the data values for the GPIOs. Observe that if a GPIO pin is programmed as an output, the value read is the value previously written to the register data, not the actual state of the pin.

The GPIOs also provide the AC-excitation drive signals. AC-excitation mode override the GPIO register data values. See the *AC-Excitation Mode* section for details.




图 20. GPIO Block Diagram

# 9.3.8 Oversampling

The ADC operates on the principle of oversampling, defined as the ratio of the sample rate of the modulator to that of the ADC output data rate. Oversampling improves ADC noise by digital bandwidth limiting (low-pass filtering) of the data. The digital filter also performs data rate reduction (decimation) in order to reduce the data rate proportional with the amount of data filtering.

#### 9.3.9 Modulator

The modulator is an inherently stable, fourth-order, 2 + 2 pipelined  $\Delta\Sigma$  modulator. The modulator samples the analog input voltage at a high sample rate ( $f_{MOD} = f_{CLK}$  / 8) and converts the analog input to a ones-density bit-stream given by the ratio of the input signal to the reference voltage. The modulator shapes the noise of the converter to high frequency, where the noise is removed by the digital filter.



### 9.3.10 Digital Filter

The digital filter receives the modulator output data and produces a high-resolution conversion result. The digital filter low-pass filters and decimates the modulator data (data rate reduction), yielding the final data output. By adjusting the type of filtering, tradeoffs are made between resolution, data throughput and line cycle rejection.

The digital filter has two selectable modes:  $\sin(x) / x$  (sinc) mode and finite impulse response (FIR) mode (see 21). The sinc mode provides data rates of 2.5 SPS through 40000 SPS with variable sinc orders of 1 through 5. The FIR filter provides simultaneous rejection of 50-Hz and 60-Hz frequencies with data rates 2.5 SPS through 20 SPS while providing single-cycle settled conversions.




图 21. Digital Filter Block Diagram

#### 9.3.10.1 Sinc Filter


The sinc filter is composed of two stages: a variable-decimation sinc5 filter, followed by a variable-decimation, variable-order sinc filter. The first stage filters and down-samples the modulator data to yield data rates of 40000 SPS, 25600 SPS, 19200 SPS, and 14400 SPS. These data rates bypass the second stage and as a result have a sinc5 characteristic filter response. The second stage receives data from the first stage at a fixed rate of 14400 SPS. The data rate is reduced to the range 7200 SPS to 2.5 SPS, with programmable orders of sinc.

The data rate is programmed by the DR[4:0] bits of register MODE0. The filter mode is programmed by the FILTER[2:0] bits of register MODE0 (see 表 32).

#### 9.3.10.1.1 Sinc Filter Frequency Response

The characteristic of the sinc filter is low pass. The filter reduces noise present in the signal and noise present within the ADC. Changing the data rate and filter order changes the filter bandwidth.

As shown in  $\boxtimes$  22 and  $\boxtimes$  23, the first-stage sinc5 filter has frequency response nulls occurring at N · f<sub>DATA</sub>, where N = 1, 2, 3 and so on. At the null frequencies, the filter has zero gain. Data rates of 25600 SPS and 19200 SPS have similar frequency response.





ZHCSJC0-JANUARY 2019 www.ti.com.cn

The second stage superimposes frequency response nulls to the nulls of the first stage 14400 SPS output. The first of the superimposed response nulls occurs at the data rate, followed by nulls occurring at multiples of the data rate. 8 24 illustrates the frequency response for various orders of sinc at data rate of 2400 SPS. This data rate has five nulls between the larger nulls at multiples of 14400 Hz. This frequency response is similar to that of data rates 2.5 SPS to 7200 SPS. 25 shows the frequency response nulls for 10 SPS.




图 26 and 图 27 show the frequency response of data rates 50 SPS and 60 SPS, respectively. Increase the attenuation at 50 Hz or 60 Hz and harmonics by increasing the order of the sinc filter, as shown in the figures.





图 28 and 图 29 show the detailed frequency response at 50 SPS and 60 SPS, respectively.



70




#### 9.3.10.2 FIR Filter

The finite impulse response (FIR) filter is a coefficient based filter architecture that provides an overall low-pass filter response. The filter provides simultaneous attenuation of 50 Hz and 60 Hz and harmonics at data rates of 20 SPS to 2.5 SPS. The conversion latency time of the FIR filter data rates are single-cycle. As shown in 图 21, the FIR filter receives pre-filtered data from the sinc filter. The FIR filter decimates the data to yield the output data rates of 20 SPS. A variable averager (sinc1) provides data rates of 10 SPS, 5 SPS, and 2.5 SPS. 表 6 lists the bandwidth of the data rates in FIR filter mode.

## 9.3.10.2.1 FIR Filter Frequency Response

图 30 and 图 31 show the FIR filter frequency attenuates 50 Hz and 60 Hz by a series of response nulls placed close to these frequencies. The response nulls are repeated at harmonics of 50 Hz and 60 Hz.



₹ 32 is the FIR filter response at 10 SPS. As a result of the variable averager, new frequency nulls are superimposed. The first null appears at the date rate. Additional nulls occur at frequencies folded around multiples of 20 Hz.




图 32. FIR Frequency Response (10 SPS)



#### 9.3.10.3 Filter Bandwidth

The bandwidth of the filter depends on the data rate and the filter mode. Be aware that the bandwidth of the entire system is the combined response of the filter, the antialias filter and external filters. 表 6 lists the bandwidth versus data rate and filter mode. 表 6 also lists the filter modes available for each data rate.

表 6. Filter Bandwidth

DATA RATE			-3-dB BAND	WIDTH (Hz)		
(SPS)	FIR	SINC1	SINC2	SINC3	SINC4	SINC5
2.5	1.2	1.10	0.80	0.65	0.58	_
5	2.4	2.23	1.60	1.33	1.15	_
10	4.7	4.43	3.20	2.62	2.28	_
16.6	_	7.38	5.33	4.37	3.80	_
20	13	8.85	6.38	5.25	4.63	_
50	_	22.1	16.0	13.1	11.4	_
60	_	26.6	19.1	15.7	13.7	_
100	_	44.3	31.9	26.2	22.8	_
400	_	177	128	105	91.0	_
1200	_	525	381	314	273	_
2400	_	1015	751	623	544	_
4800	_	1798	1421	1214	1077	_
7200	_	2310	1972	1750	1590	_
14400	_	_	_	_	_	2940
19200	_	_	_	_	_	3920
25600	_	_	_	_	_	5227
40000	_	_	_	_	_	8167



# 9.3.10.4 50-Hz and 60-Hz Normal Mode Rejection

To reduce 50-Hz and 60-Hz noise interference, configure the conversion period to reject the noise at 50 Hz and 60 Hz. 50-Hz and 60-Hz noise rejection depends on the filter type. 表 7 summarizes the 50-Hz and 60-Hz noise rejection versus data rate and filter type. The table values are based on 2% and 6% tolerance of noise frequency to ADC clock frequency. For the sinc filter mode, noise rejection is increased by increasing the order of the filter. Common mode noise is also rejected at these frequencies.

表 7. 50-Hz and 60-Hz Normal Mode Rejection

			DIGITAL FILTER	RESPONSE (dB)	
DATA RATE (SPS)	FILTER TYPE	50 Hz ±2%	60 Hz ±2%	50 Hz ±6%	60 Hz ±6%
2.5	FIR	-113	-99	-88	-80
2.5	Sinc1	-36	-37	-40	-37
2.5	Sinc2	-72	-74	-80	-74
2.5	Sinc3	-108	-111	-120	-111
2.5	Sinc4	-144	-148	-160	-148
5	FIR	-111	-95	-77	-76
5	Sinc1	-34	-34	-30	-30
5	Sinc2	-68	-68	-60	-60
5	Sinc3	-102	-102	-90	-90
5	Sinc4	-136	-136	-120	-120
10	FIR	-111	-94	-73	-68
10	Sinc1	-34	-34	-25	-25
10	Sinc2	-68	-68	-50	-50
10	Sinc3	-102	-102	-75	-75
10	Sinc4	-136	-136	-100	-100
16.6	Sinc1	-34	-21	-24	-21
16.6	Sinc2	-68	-42	-48	-42
16.6	Sinc3	-102	-63	-72	-63
16.6	Sinc4	-136	-84	-96	-84
20	FIR	-95	-94	-66	-66
20	Sinc1	-18	-34	-18	-24
20	Sinc2	-36	-68	-36	-48
20	Sinc3	-54	-102	-54	-72
20	Sinc4	-72	-136	-72	-96
50	Sinc1	-34	-15	-24	-15
50	Sinc2	-68	-30	-48	-30
50	Sinc3	-102	-45	-72	-45
50	Sinc4	-136	-60	-96	-60
60	Sinc1	-13	-34	-12	-24
60	Sinc2	-27	-68	-24	-48
60	Sinc3	-40	-102	-36	-72
60	Sinc4	-53	-136	-48	-96



www.ti.com.cn

#### 9.4 Device Functional Modes

#### 9.4.1 Conversion Control

The ADC provides two conversion modes: continuous and pulse. The continuous-conversion mode performs conversions indefinitely until stopped by the user. Pulse-conversion mode performs one conversion and then stops. The conversion mode is programmed by the CONVRT bit (bit 4 of register MODE0).

#### 9.4.1.1 Continuous-Conversion Mode

This conversion mode performs continuous conversions until stopped by the user. To start conversions, take the START pin high or send the START command. DRDY is driven high at the time the conversion is initiated. DRDY is driven low when the conversion data are ready. Conversion data are available to read at that time. Conversions are stopped by taking the START pin low or by sending the STOP command. When conversions are stopped, the conversion in progress runs to completion. To restart a conversion that is in progress, toggle the START pin low-then-high or send a new START command.

#### 9.4.1.2 Pulse-Conversion Mode

In pulse-conversion mode, the ADC performs one conversion when START is taken high or when the START command is sent. When the conversion completes, further conversions stop. The DRDY output is driven high to indicate the conversion is in progress, and is driven low when the conversion data are ready. Conversion data are available to read at that time. To restart a conversion in progress, toggle the START pin low-then-high or send a new START command. Driving START low or sending the STOP command does not interrupt the current conversion.

#### 9.4.1.3 Conversion Latency

The digital filter averages data from the modulator in order to produce the conversion result. The stages of the digital filter must have settled data in order to provide fully-settled output data. The order and the decimation ratio of the digital filter determine the amount of data averaged, and in turn, affect the latency of the conversion data. The FIR and sinc1 filter modes are zero latency because the ADC provides the conversion result in one conversion cycle. Latency time is an important consideration for the data throughput rate in multiplexed applications.

 $\bar{\mathbf{x}}$  8 lists the conversion latency values of the ADC. Conversion latency is defined as the time from the start of the first conversion, by taking the START pin high or sending the START command, to the time when the conversion data are ready. If the input signal is settled, then the ADC provides fully settled data under this condition. The conversion latency values listed in the table are with the start-conversion delay parameter = 50 μs, and include the overhead time needed to process the data. After the first conversion completes (in continuous conversion mode), the period of the following conversions are equal to  $1/f_{DATA}$ . The first conversion latency in chop and AC-excitation modes are twice the values listed in the table. Also when operating in these modes, the period of the following conversions are equal to the values listed in the table.



# Device Functional Modes (接下页)

### 表 8. Conversion Latency

DATA RATE (SPS)	CONVERSION LATENCY - t <sub>(STDR)</sub> <sup>(1)</sup> (ms)					
	FIR	SINC1	SINC2	SINC3	SINC4	SINC5
2.5	402.2	400.4	800.4	1,200	1,600	_
5	202.2	200.4	400.4	600.4	800.4	_
10	102.2	100.4	200.4	300.4	400.4	_
16.6	_	60.43	120.4	180.4	240.4	_
20	52.23	50.43	100.4	150.4	200.4	
50	_	20.43	40.43	60.43	80.43	
60	_	17.09	33.76	50.43	67.09	_
100	_	10.43	20.43	30.43	40.43	_
400	_	2.925	5.425	7.925	10.43	_
1200	_	1.258	2.091	2.925	3.758	_
2400	_	0.841	1.258	1.675	2.091	
4800	_	0.633	0.841	1.050	1.258	_
7200	_	0.564	0.702	0.841	0.980	_
14400	_	_	_	_	_	0.423
19200	_	_	_	_	_	0.336
25600	_	_	_	_	_	0.271
40000	_	_	_	_	_	0.179

<sup>(1)</sup> Chop mode off, conversion-start delay =  $50 \mu s$  (DELAY[3:0] = 0001)

If the input signal changes while free-running conversions, the conversion data are a mix of old and new data, as shown in 33. After an input change, the number of conversion periods required for fully settled data are determined by dividing the conversion latency by the period of the data rate, plus add one conversion period to the result. In chop mode and AC-excitation mode, use twice the latency values listed in the table.




图 33. Input Change During Conversions

#### 9.4.1.4 Start-Conversion Delay

Some applications may require a delay at the start of a conversion in order to allow settling time for the PGA output antialias filter or to allow time after input and configuration changes. The ADC provides a user programmable delay time that delays the start of a new conversion. The default value is 50  $\mu$ s. This allows for settling of the antialiasing filter. Use additional delay time as needed to provide settling time for external components. The delay time increases the conversion latency values listed in  $\frac{1}{8}$ 8. As an alternative to the programmable start-conversion delay, manually delay the start of conversion after input and configuration changes.

Start-conversion delay is an important consideration for operation in AC-excitation mode. In this mode, the reference inputs to the bridge, and therefore, the bridge output signals are reversed for each conversion As a result, time delay is required to allow for settling of external filter components after reversal. As a general guideline, set the start-conversion delay parameter to a minimum of 15 times the R-C time constant of the signal input and reference input filters.



www.ti.com.cn

#### 9.4.2 Chop Mode

The PGA and modulator are chopper-stabilized at high frequency in order to reduce offset voltage, offset voltage drift and 1/f noise. The offset and noise artifacts are modulated to high frequency and are removed by the digital filter. Although chopper stabilization is designed to remove all offset, a small offset voltage may remain. The optional global chop mode removes the remaining offset errors, providing exceptional offset voltage drift performance.

Chop mode alternates the signal polarity of consecutive conversions. The ADC subtracts consecutive, alternatephase conversions to yield the final conversion data. The result of subtraction removes the offset.




图 34. ADC Chop Mode

As shown in \( \bar{\bar{\text{8}}} \) 34, the internal chop switch reverses the signal after the input multiplexer. V<sub>OES</sub> models the internal offset voltage. The operational sequence of chop mode is as follows:

**Conversion C1**:  $V_{AINP} - V_{AINN} - V_{OFS} \rightarrow First$  conversion withheld after start

Conversion C2:  $V_{AINN} - V_{AINP} - V_{OFS} \rightarrow Output 1 = (C1 - C2) / 2 = V_{AINP} - V_{AINN}$ 

Conversion C3:  $V_{AINP} - V_{AINN} - V_{OFS} \rightarrow Output 2 = (C3 - C2) / 2 = V_{AINP} - V_{AINN}$ 

The sequence repeats for all conversions. Because of the internal mathematical operations, the chop mode data rate is reduced. The chop mode data rate is proportional to the order of the sinc filter. Referring to 表 8, the new data rate is equal to 1 / latency values and the first conversion latency is 2 x latency values. Because of the twopoint data averaging arising from the mathematical operations, noise is reduced by  $\sqrt{2}$ . For chop mode, divide the noise data values shown in  $\frac{1}{8}$  1 by  $\sqrt{2}$  to derive the new noise performance data. The null frequencies of the digital filter are not changed in chop-mode operation. However, new null frequencies appear at multiples of fnata / 2.

## 9.4.3 AC-Excitation Mode

Resistive bridge sensors are excited by DC or AC voltages; for DC or AC currents. DC voltage excitation is the most common type of excitation. AC excitation reverses the polarity of the voltage by the use of external switching components. Similar in concept to chop mode, the result of the voltage reversal removes offset voltage in the connections leading from the bridge to the ADC inputs. This removal includes the offset voltage of the ADC itself. The ADS1261-Q1 provides the signals necessary to drive the external switching components in order to reverse the bridge voltage.

The timing of the drive signals is synchronized to the ADC conversion phase. During one conversion phase, the voltage polarity is normal. For the alternate conversion phase, the voltage polarity is reversed. The ADC compensates the reversed polarity conversion by internal reversal of the reference voltage. The ADC subtracts the data corresponding to the normal and reverse phases in order to remove offset voltage from the input.

The ADC output drive signals do not overlap in order to avoid bridge cross-conduction that can otherwise occur during excitation voltage reversal. The switch rate of the AC-excitation drive signals are at the data rate to avoid unnecessary fast switching. See 8 7 for output drive timing.



表 9 shows the AC-excitation drive signals and the associated GPIO pins. Program the AC-excitation mode using the CHOP[1:0] bits in register MODE1. AC excitation can be programmed for two-wire or four-wire drive mode. For two-wire operation, two drive signals are provided on the GPIOs. If needed, use two external inverters to derive four signals to drive discrete transistors. The GPIO drive levels are referred to the 5-V analog supply. Be aware that the AC-excitation mode changes the nominal data rate, depending on the order of the sinc filter. See the *Chop Mode* section for details of the effective data rate.

#### 表 9. AC-Excitation Drive Pins

DEVICE PIN	GPIO	2-WIRE MODE (CHOP[1:0] = 10)	4-WIRE MODE (CHOP[1:0] = 11)
AIN2	GPIO0	ACX1	ACX1
AIN3	GPIO1	ACX2	ACX2
AIN4	GPIO2	_	ACX1
AIN5	GPIO3	_	ACX2

## 9.4.4 ADC Clock Mode

Operate the ADC with an external clock or with the internal oscillator. The clock frequency is 7.3728 MHz, except for  $f_{DATA} = 40000$  SPS then  $f_{CLK} = 10.24$  MHz (internal or external). For external clock operation, apply the clock signal to CLKIN. For internal-clock operation, connect CLKIN to DGND. The internal oscillator begins operation immediately at power-up. The ADC automatically selects the clock mode of operation. Read the clock mode bit in the STATUS register to determine the clock mode.

#### 9.4.5 Power-Down Mode

The ADC has two power-down modes: hardware and software. In both power-down modes, the digital outputs remain driven. The digital inputs must be maintained at  $V_{IH}$  or  $V_{IL}$  levels (do not float the digital inputs). The internal low-dropout regulator remains on, drawing 25  $\mu$ A (typical) from DVDD.

#### 9.4.5.1 Hardware Power-Down

Take the PWDN pin low to engage hardware power-down mode. Except for the internal LDO, all ADC functions are disabled. To exit hardware power-down mode (wake-up) take the PWDN pin high. The register values are not reset at wake-up. The internal reference is shut down in this mode; therefore, be sure to accommodate the start-up time of the internal reference before starting conversions.

## 9.4.5.2 Software Power-Down

Set the PWDN bit (bit 7 of register MODE3) to engage software power-down mode. Similar to the operation of hardware power-down mode, software mode powers down the internal functions except the serial interface remains powered, and the internal reference bias is unchanged (On or Off). Exit the software power-down mode by clearing the PWDN bit. The register values are not reset.

## 9.4.6 Reset

The ADC is reset in three ways: at power-on, by the RESET pin, and by the RESET command. When reset, the serial interface, conversion-control logic, digital filter, and register values are reset. The RESET bit of the STATUS byte is set to indicate a device reset has occurred by any of the three reset methods. Clear the bit to detect the next device reset. If the START pin is high after reset, the ADC begins conversions.

## 9.4.6.1 Power-on Reset

At power-on, after the supply voltages cross the reset-voltage thresholds, the  $\underline{ADC}$  is reset and  $2^{16}$  f<sub>CLK</sub> cycles later the ADC is ready for communication. Until this time,  $\overline{DRDY}$  is held low.  $\overline{DRDY}$  is driven high to indicate when the ADC is ready for communication. If the START pin is high, the conversion cycle starts 512 / f<sub>CLK</sub> cycle after  $\overline{DRDY}$  asserts high.  $\overline{\boxtimes}$  5 shows the power-on reset behavior.

## 9.4.6.2 Reset by Pin



#### 9.4.6.3 Reset by Command

Reset the ADC by the RESET command. Toggle  $\overline{\text{CS}}$  high to make sure the serial interface resets before sending the command. For applications that tie  $\overline{\text{CS}}$  low, see the Serial Interface Auto-Reset section for information on how to reset the serial interface. After reset, the conversion starts 512 / f<sub>CLK</sub> cycles later. See  $\boxed{8}$  6 for timing details.

#### 9.4.7 Calibration

The ADC incorporates calibration registers and associated commands to calibrate offset and full-scale errors. Calibrate by using calibration commands, or calibrate by writing to the calibration registers directly (user calibration). To calibrate by command, send the offset or full-scale calibration commands. To user calibrate, write values to the calibration registers based on calculations of the conversion data. Perform offset calibration before full-scale calibration.

#### 9.4.7.1 Offset and Full-Scale Calibration

Use the offset and full-scale (gain) registers to correct offset or full-scale errors, respectively. As shown in ₹35, the offset calibration register is subtracted from the output data before multiplication by the full-scale register, which is divided by 400000h. After the calibration operation, the final output data are clipped to 24 bits.




图 35. Calibration Block Diagram

公式 6 shows the internal calibration.

Final Output Data = (Filter Output - OFCAL[2:0]) · FSCAL[2:0] / 400000h

## 9.4.7.1.1 Offset Calibration Registers

The offset calibration word is 24 bits, consisting of three 8-bit registers, as listed in 表 10. The offset value is subtracted from the conversion result. The offset value is in two's complement format with a maximum positive value equal to 7FFFFFh, and a maximum negative value equal to 800000h. A register value equal to 000000h has no offset correction. Although the offset calibration register provides a wide range of possible offset values, the input signal after calibration cannot exceed ±106% of the pre-calibrated range; otherwise, the ADC is overranged. 表 11 lists example values of the offset register.

表 10. Offset Calibration Registers

REGISTER	BYTE ORDER	ADDRESS				BIT O	RDER			
OFCAL0	LSB	07h	B7	В6	B5	B4	В3	B2	B1	B0 (LSB)
OFCAL1	MID	08h	B15	B14	B13	B12	B11	B10	В9	B8
OFCAL2	MSB	09h	B23 (MSB)	B22	B21	B20	B19	B18	B17	B16

#### 表 11. Offset Calibration Register Values

OFCAL[2:0] REGISTER VALUE	IDEAL OUTPUT VALUE <sup>(1)</sup>
000001h	FFFFFFh
000000h	000000h
FFFFFFh	000001h

<sup>(1)</sup> Output value with no offset error



## 9.4.7.1.2 Full-Scale Calibration Registers

The full-scale calibration word is 24 bits consisting of three 8-bit registers, as listed in 表 12. The full-scale calibration value is in straight-binary format, normalized to a unity-gain factor at a value of 400000h. 表 13 lists register values for selected gain factors. Gain errors greater than unity are corrected by using full-scale values less than 400000h. Although the full-scale register provides a wide range of possible values, the input signal after calibration must not exceed ±106% of the precalibrated input range; otherwise, the ADC is overranged.

## 表 12. Full-Scale Calibration Registers

REGISTER	BYTE ORDER	ADDRESS	BIT ORDER							
FSCAL0	LSB	0Ah	B7	B6	B5	B4	В3	B2	B1	B0 (LSB)
FSCAL1	MID	0Bh	B15	B14	B13	B12	B11	B10	В9	B8
FSCAL2	MSB	0Ch	B23 (MSB)	B22	B21	B20	B19	B18	B17	B16

## 表 13. Full-Scale Calibration Register Values

FSCAL[2:0] REGISTER VALUE	GAIN FACTOR
433333h	1.05
400000h	1.00
3CCCCCh	0.95

## 9.4.7.2 Offset Self-Calibration (SFOCAL)

The offset self-calibration command corrects offset errors internal to the ADC. When the offset self-calibration command is sent, the ADC disconnects the external inputs, shorts the inputs to the PGA, and then averages 16 conversion results to compute the calibration value. Averaging the data reduces conversion noise to improve calibration accuracy. When calibration is complete, the ADC restores the user input and performs one conversion using the new calibration value.

## 9.4.7.3 Offset System-Calibration (SYOCAL)

The offset system-calibration command corrects system offset errors. For this type of calibration, the user shorts the inputs to either the ADC or to the system. When the command is sent, the ADC averages 16 conversion results to compute the calibration value. Averaging the data reduces conversion noise to improve calibration accuracy. When calibration is complete, the ADC performs one conversion using the new calibration value.

## 9.4.7.4 Full-Scale Calibration (GANCAL)

The full-scale calibration command corrects gain error. To calibrate, apply a positive full-scale calibration voltage to the ADC, wait for the signal to settle, and then send the calibration command. The ADC averages 16 conversion results to compute the calibration value. Averaging the data reduces conversion noise to improve calibration accuracy. The ADC computes the full-scale calibration value so that the calibration voltage is scaled to positive full scale output code. When calibration is complete, the ADC performs one new conversion using the new calibration value.



#### 9.4.7.5 Calibration Command Procedure

Use the following procedure to calibrate using commands. The register-lock mode must be UNLOCK for all calibration commands. After power-on, make sure the reference voltage has stabilized before calibrating. Perform offset calibration before full-scale calibration.

- 1. Configure the ADC as required.
- 2. Apply the appropriate calibration signal (zero or full-scale)
- 3. Take the START pin high or send the START command to start conversions. DRDY is driven high.
- 4. Before the conversion cycle completes, send the calibration command. Keep  $\overline{\text{CS}}$  low otherwise the command is cancelled. Send no other commands during the calibration period.
- 5. Calibration time depends on the data rate and digital filter mode. See 表 14. DRDY asserts low when calibration is complete. The offset or full-scale calibration registers are updated with new values. At calibration completion, new conversion data are ready using the new calibration value.

	表 14. Calibration Time (ms)							
DATA RATE	DATA RATE FILTER MODE (1)							
(SPS)	FIR	SINC1	SINC2	SINC3	SINC4	SINC5		
2.5	6805	6801	7601	8401	9201	_		
5	3405	3401	3801	4201	4601	_		
10	1705	1701	1901	2101	2301	_		
16.6	_	1021	1141	1261	1381	_		
20	854.5	850.9	951.0	1051	1151	_		
50	_	340.9	380.9	420.9	460.9	_		
60	_	284.2	317.5	350.9	384.2	_		
100	_	170.9	190.9	210.9	230.9	_		
400	_	43.36	48.36	53.36	58.36	_		
1200	_	15.02	16.69	18.36	20.02	_		
2400	_	7.938	8.772	9.605	10.44	_		
4800	_	4.397	4.813	5.230	5.647	_		
7200	_	3.216	3.494	3.772	4.050	_		
14400	_	_	_	_	_	1.892		
19200	_	_	_	_	_	1.458		
25600	_			_		1.133		
40000	_	_	_	_	_	0.738		

表 14. Calibration Time (ms)

# 9.4.7.6 User Calibration Procedure

To user calibrate, apply the calibration voltage, acquire conversion data, and compute the calibration value. The computed value is written to the corresponding calibration registers. Before starting calibration, preset the offset and full-scale registers to 000000h and 400000h, respectively.

To offset calibrate, short the ADC inputs (or inputs to the system) and average n number of the conversion results. Averaging conversion data reduces noise to improve calibration accuracy. Write the averaged value of the conversion data to the offset registers.

To gain calibrate using a full scale calibration voltage, temporarily reduce the full scale register 95% to avoid output clipped codes (set FSCAL[2:0] to 3CCCCCh). Acquire n number of conversions and average the conversions to reduce noise to improve calibration accuracy. Compute the full-scale calibration value as shown in 公式 7:

Full-Scale Calibration Value = Expected Code / Actual Code · 400000h

### where

• Expected code = 799998h using full scale calibration signal and 95% scale factor

(7)

<sup>(1)</sup> Nominal clock frequency. Chop and AC-excitation modes disabled.



## 9.5 Programming

#### 9.5.1 Serial Interface

The serial interface is SPI-compatible and is used to read conversion data, configure registers, and control the ADC. The serial interface consists of four control lines:  $\overline{CS}$ , SCLK, DIN, and DOUT/ $\overline{DRDY}$ . Most microcontroller SPI peripherals can operate with the ADC. The interface operates in SPI mode 1, where CPOL = 0 and CPHA = 1. In SPI mode 1, SCLK idles low and data are updated or changed on SCLK rising edges; data are latched or read on SCLK falling edges. Timing details of the SPI protocol are found in 2 1 and 2 2.

## 9.5.1.1 Chip Select (CS)

CS is an active-low input that selects the serial interface for communication. CS must be low during the entire data transaction. When CS is taken high, the serial interface resets, SCLK input activity is ignored (blocking commands), and DOUT/DRDY enters the high-impedance state. The operation of DRDY is not effected by CS. If the ADC is a single device connected to the serial bus, CS can be tied low in order to reduce the serial interface to three lines.

## 9.5.1.2 Serial Clock (SCLK)

SCLK is the serial clock input that shifts data into and out of the ADC. Output data are updated on the rising edge of SCLK and input data are latched on the falling edge of SCLK. Return SCLK low after the data operation is completed. SCLK is a Schmidt-triggered input designed to improve noise immunity. Even though SCLK is noise resistant, keep SCLK as noise-free as possible to avoid unintentional SCLK transitions. Avoid ringing and overshoot on the SCLK input. Place a series termination resistor close to the SCLK drive pin to reduce ringing.

## 9.5.1.3 Data Input (DIN)

DIN is the serial data input to the ADC. DIN is used to input commands and register data to the ADC. Data are latched on the falling edge of SCLK.

# 9.5.1.4 Data Output/Data Ready (DOUT/DRDY)

The DOUT/DRDY pin is a dual-function output. The functions of this pin are data output and data ready. The functionality changes automatically based on whether a read data operation is in progress. During a read data operation, the functionality is data output. After the read operation is complete, the functionality changes to data ready.

In data output mode, data are updated on the SCLK rising edge, therefore the host latches the data on the falling edge of SCLK. In data-ready mode, the pin functions the same as DRDY (if CS is low) by asserting low when data are ready. Therefore, monitor either DOUT/DRDY or DRDY to determine when data are ready. When CS is high, the DOUT/DRDY pin is in the high-impedance mode (tri-state).

#### 9.5.1.5 Serial Interface Auto-Reset

The serial interface is reset by taking  $\overline{CS}$  high. Applications that tie  $\overline{CS}$  low do not have the ability to reset the serial interface by  $\overline{CS}$ . If a false SCLK occurs (for example, caused by a noise pulse or clocking glitch), the serial interface may inadvertently advance one or more bit positions, resulting in loss of synchronization to the host. If loss of synchronization occurs, the ADC interface does not respond correctly until the interface is reset.

For applications that tie  $\overline{\text{CS}}$  low, the serial interface auto-reset feature recovers the interface in the event that an unintentional SCLK glitch occurs. When the first SCLK low-to-high transition occurs (either caused by a glitch or by normal SCLK activity), seven SCLK transitions must occur within 65536  $f_{\text{CLK}}$  cycles (8.9 ms) to complete the byte transaction, otherwise the serial interface resets. After reset, the interface is ready to begin the next byte transaction. If the byte transaction is completed within the 65536  $f_{\text{CLK}}$  cycles, the serial interface does not reset. The cycle of SCLK detection re-starts at the next rising edge of SCLK. The serial interface is reset by holding SCLK low for a minimum 65536  $f_{\text{CLK}}$  cycles.

The auto-reset function is enabled by the SPITIM bit (default is off). See 🛭 3 for timing details.



www.ti.com.cn

# Programming (接下页)

## 9.5.2 Data Ready (DRDY)

DRDY is an output that asserts low when conversion data are ready. After power-up, DRDY also indicates when the ADC is ready for communication. The operation of DRDY depends on the conversion mode (continuous or pulse) and whether the conversion data are retrieved or not. ₹ 36 shows DRDY operation with and without data retrieval in the two modes of conversion.




图 36. DRDY Operation

## 9.5.2.1 DRDY in Continuous-Conversion Mode

In continuous-conversion mode,  $\overline{DRDY}$  is driven high when conversions are started and is driven low when conversion data are ready. During data readback,  $\overline{DRDY}$  returns high at the end of the read operation. If the conversion data are not read,  $\overline{DRDY}$  pulses high 16 f<sub>CLK</sub> cycles prior to the next falling edge.

To read conversion data before the next conversion is ready, send the complete read-data command 16  $f_{CLK}$  cycles before the next  $\overline{DRDY}$  falling edge. If the readback command is sent less than 16  $f_{CLK}$  cycles before the  $\overline{DRDY}$  falling edge, either old or new conversion data are provided, depending on the timing of when the command is sent. In the case that old conversion data are provided,  $\overline{DRDY}$  driven low is delayed until after the read data operation is completed. In this case, the DRDY bit of the STATUS byte is cleared to indicate the same data have been read. If new conversion data are provided,  $\overline{DRDY}$  transitions low at the normal period of the data rate. In this case, the DRDY bit of the  $\overline{STATUS}$  byte is set to indicate that new data have been read. To make sure new data are read back, wait until  $\overline{DRDY}$  asserts low before starting the data read operation.

### 9.5.2.2 DRDY in Pulse-Conversion Mode

DRDY is driven high at conversion start and is driven low when the conversion data are ready. During the data read operation DRDY remains low until a new conversion is started.

## 9.5.2.3 Data Ready by Software Polling

Use software polling of data ready in lieu of hardware polling of  $\overline{DRDY}$  or  $DOUT/\overline{DRDY}$ . To software poll, read the STATUS register and poll the DRDY bit. In order to not skip conversion data in continuous conversion mode, poll the bit at least as often as the period of the data rate. If the DRDY bit is set, then conversion data are new since the previous data read operation. If the bit is cleared, conversion data are not new since the previous data read operation. In this case, the previous conversion data are returned.

#### 9.5.3 Conversion Data

Conversion data are read by the RDATA command. To read data, take  $\overline{\text{CS}}$  low and issue the read data command. The data field response consists of the optional STATUS byte, three data bytes, and the optional CRC byte. The CRC is computed over the combination of status byte and conversion data bytes. See the RDATA Command section for details to read conversion data.



# Programming (接下页)

## 9.5.3.1 Status byte (STATUS)

The status byte contains information on the operating state of the ADC. The STATUS byte is included with the conversion data by enabling bit STATENB of register MODE3. Optionally, read the STATUS register directly to read status information without the need to read conversion data. See § 42 for details.

#### 9.5.3.2 Conversion Data Format

The conversion data are 24 bits, in two's-complement format to represent positive and negative values. The data output begins with the most significant bit (sign bit) first. The data are scaled so that  $V_{\text{IN}} = 0$  V results in an uncalibrated code value of 000000h; positive full scale equals 7FFFFh and negative full scale equals 800000h; see  $\frac{1}{2}$  15 for the uncalibrated code values. The data are clipped to 7FFFFh (positive full scale) and 800000h (negative full scale) during positive and negative signal overdrive, respectively.

DESCRIPTION	INPUT SIGNAL (V)	24-BIT CONVERSION DATA (1)	
Positive full scale	$\geq V_{REF} / Gain \cdot (2^{23} - 1) / 2^{23}$	7FFFFh	
1 LSB	V <sub>REF</sub> / (Gain ⋅ 2 <sup>23</sup> )	000001h	
Zero scale	0	000000h	
-1 LSB	-V <sub>REF</sub> / (Gain ⋅ 2 <sup>23</sup> )	FFFFFh	
Negative full scale	≤ –V <sub>REF</sub> / Gain	800000h	

表 15. ADC Conversion Data Codes

## 9.5.4 CRC

Cyclic redundancy check (CRC) is an error checking code that detects communication errors to and from the host. CRC is the division remainder of the data payload bytes by a fixed polynomial. The data payload is 1, 2, 3 or 4 bytes depending on the data operation. The CRC mode is optional and is enabled by the CRCENB bit. See 表 35 to program the CRC mode.

The user computes the CRC corresponding to the two command bytes and appends the CRC to the command string (3rd byte). A 4th, zero-value byte completes the command field. The ADC repeats the CRC calculation and compares the calculation to the received CRC. If the user and repeated CRC values match, the command executes and the ADC responds by transmitting the repeated CRC during the 4th byte of the command. If the operation is conversion data or register data read, the ADC responds with a 2nd CRC that is computed over the requested data payload bytes. The response data payload is 1, 3, or 4 bytes depending on the data operation.

If the user and repeated CRC values do not match, the command does not execute and the ADC responds with an inverted CRC for the actual received command bytes. The inverted CRC is intended to signal the host of the failed operation. The user terminates transmission of the command bytes to match the action of ADC termination. The CRCERR bit is set in the STATUS register when a CRC error is detected. The ADC is ready to accept the next command after a CRC error occurs at the end of the 4th byte.

The CRC data byte is the 8-bit remainder of the bitwise exclusive-OR (XOR) operation of the argument by a CRC polynomial. The CRC polynomial is based on the CRC-8-ATM (HEC):  $X^8 + X^2 + X^1 + 1$ . The nine binary polynomial coefficients are: 100000111. The CRC calculation is preset with "1" data values.

The CRC mnemonics apply to the following command sections.

- CRC-2: Input CRC of command bytes 1 and 2. Except for WREG command, the value of byte 2 is arbitrary
- Out CRC-1: Output CRC of one register data byte
- Out CRC-2: Output CRC of two command bytes, inverted value if input CRC error detected
- Out CRC-3: Output CRC of three conversion data bytes
- Out CRC-4: Output CRC of three conversion data bytes plus STATUS byte
- Echo Byte 1: Echo of received input byte 1
- Echo Byte 2: Echo of received input byte 2

<sup>(1)</sup> Ideal (calibrated) conversion data.



## 9.5.5 Commands

www.ti.com.cn

Commands read conversion data, control the ADC, and read and write register data. See 表 16 for the list of commands. Send only the commands that are listed in 表 16. The ADC executes commands at completion of the 2nd byte (no CRC verification) or at completion of the 4th byte (with CRC verification). Follow the two byte or four byte format according to the CRC mode. Except for register write commands, the value of the second command byte is arbitrary but the value is included in the CRC calculation (total of two-byte CRC). If a CRC error is detected, the ADC does not execute the command. Taking CS high before the command is completed results in termination of the command. When CS is taken low, the communication frame is reset to start a new command.

表 16. Command Byte Summary

		20 TOT COMMITTATIO	,					
MNEMONIC	DESCRIPTION	BYTE 1	BYTE 2	BYTE 3 (CRC Mode Only)	BYTE 4 (CRC Mode only)			
Control Comm	Control Commands							
NOP	No operation	00h	Arbitrary	CRC-2	00h			
RESET	Reset	06h	Arbitrary	CRC-2	00h			
START	Start conversion	08h	Arbitrary	CRC-2	00h			
STOP	Stop conversion	0Ah	Arbitrary	CRC-2	00h			
Read Data Cor	mmand							
RDATA	Read conversion data	12h	Arbitrary	CRC-2	00h			
Calibration Co	mmands							
SYOCAL	System offset calibration	16h	Arbitrary	CRC-2	00h			
GANCAL	Gain calibration	17h	Arbitrary	CRC-2	00h			
SFOCAL	Self offset calibration	19h	Arbitrary	CRC-2	00h			
Register Com	mands							
RREG	Read register data	20h + rrh <sup>(1)</sup>	Arbitrary	CRC-2	00h			
WREG	Write register data	40h + rrh <sup>(1)</sup>	Register data	CRC-2	00h			
Protection Co	mmands							
LOCK	Register lock	F2h	Arbitrary	CRC-2	00h			
UNLOCK	Register unlock	F5h	Arbitrary	CRC-2	00h			

<sup>(1)</sup> rrh = 5-bit register address.

#### 9.5.5.1 NOP Command

This command is no operation. Use the NOP command to validate the CRC response byte and error detection without affecting normal operation. 表 17 shows the NOP command byte sequence.

表 17. NOP Command

DIRECTION	BYTE 1	BYTE 2	BYTE 3	BYTE 4
No CRC mode				
DIN	00h	Arbitrary		
DOUT/DRDY	FFh	Echo byte 1		
CRC mode	•	•	•	
DIN	00h	Arbitrary	CRC-2	00h
DOUT/DRDY	FFh	Echo byte 1	Echo byte 2	Out CRC-2

#### 9.5.5.2 RESET Command

The RESET command resets ADC operation and resets the registers to default values. See the *Reset by Command* section for details. 表 18 shows the RESET command byte sequence.

表 18. RESET Command

DIRECTION	BYTE 1	BYTE 2	BYTE 3	BYTE 4
No CRC mode	•	•	•	•



## 表 18. RESET Command (接下页)

DIRECTION	BYTE 1	BYTE 2	BYTE 3	BYTE 4			
DIN	06h	Arbitrary					
DOUT/DRDY	FFh	Echo byte 1					
CRC mode	CRC mode						
DIN	06h	Arbitrary	CRC-2	00H			
DOUT/DRDY	FFh	Echo byte 1	Echo byte 2	Out CRC-2			

#### 9.5.5.3 START Command

This command starts conversions. See the *Conversion Control* section for details. 表 19 shows the START command byte sequence.

## 表 19. START Command

DIRECTION	BYTE 1	BYTE 2	BYTE 3	BYTE 4				
No CRC mode								
DIN	08h	Arbitrary						
DOUT/DRDY	FFh	Echo byte 1						
CRC mode								
DIN	08h	Arbitrary	CRC-2	00h				
DOUT/DRDY	FFh	Echo byte 1	Echo byte 2	Out CRC-2				

## 9.5.5.4 STOP Command

This command stops conversions. See the *Conversion Control* section for details. 表 20 shows the STOP command byte sequence.

## 表 20. STOP Command

DIRECTION	BYTE 1	BYTE 2	BYTE 3	BYTE 4					
No CRC mode									
DIN	0Ah	Arbitrary							
DOUT/DRDY	FFh	Echo byte 1							
CRC mode									
DIN	0Ah	Arbitrary	CRC-2	00h					
DOUT/DRDY	FFh	Echo byte 1	Echo byte 2	Out CRC-2					

## 9.5.5.5 RDATA Command

This command reads conversion data. Because the data are buffered, the data can be read at any time during the conversion phase. If data are read near the completion of the next conversion, old or new conversion data are returned. See the *Data Ready (DRDY)* section for details.

The response of conversion data varies in length from 3 to 5 bytes depending if the STATUS byte and CRC bytes are included. See the *Conversion Data Format* section for the numeric data format. See 表 21, 图 37 (minimum configuration) and 图 38 (maximum configuration) for operation of the RDATA command.




ZHCSJC0-JANUARY 2019 www.ti.com.cn

## 表 21. RDATA Command

DIRECTION	BYTE 1	BYTE 2	BYTE 3	BYTE 4	BYTE 5	BYTE 6	BYTE 7	BYTE 8	BYTE 9	
No CRC mode	No CRC mode									
DIN	12h	Arbitrary	00h	00h	00h	00h				
DOUT/DRDY	FFh	Echo byte 1	STATUS <sup>(1)</sup>	MSB data	MID data	LSB data				
CRC mode	•									
DIN	12h	Arbitrary	CRC-2	00h	00h	00h	00h	00h	00h	
DOUT/DRDY	FFh	Echo byte 1	Echo byte 2	Out CRC-2	STATUS <sup>(1)</sup>	MSB data	MID data	LSB data	Out CRC-3 or Out CRC-4	

#### (1) Optional STATUS byte.



NOTE: CS can be tied low.

# 图 37. Conversion Data Read Operation (STATUS Byte and CRC Mode Disabled)




图 38. Conversion Data Read Operation (STATUS Byte and CRC Mode Enabled)

## 9.5.5.6 SYOCAL Command

This command is used for system offset calibration. See the Offset System-Calibration (SYOCAL) section for details. 表 22 shows the SYOCAL command byte sequence.

## 表 22. SYOCAL Command

DIRECTION	BYTE 1	BYTE 2	BYTE 3	BYTE 4					
No CRC mode									
DIN	16h	Arbitrary							
DOUT/DRDY	FFh	Echo byte 1							
CRC mode									
DIN	16h	Arbitrary	CRC-2	00h					
DOUT/DRDY	FFh	Echo byte 1	Echo Byte 2	Out CRC-2					



#### 9.5.5.7 GANCAL Command

This command is for gain calibration. See the *Full-Scale Calibration (GANCAL)* section for details. 表 23 shows the GANCAL command byte sequence.

表 23. GANCAL Command

DIRECTION	BYTE 1	BYTE 2	BYTE 3	BYTE 4					
No CRC mode									
DIN	17h	Arbitrary							
DOUT/DRDY	FFh	Echo byte 1							
CRC mode		•							
DIN	17h	Arbitrary	CRC-2	00h					
DOUT/DRDY	FFh	Echo byte 1	Echo Byte 2	Out CRC-2					

#### 9.5.5.8 SFOCAL Command

This command is used for *self* offset calibration. See the *Offset Self-Calibration (SFOCAL)* section for details. 表 24 shows the SFOCAL command byte sequence.

## 表 24. SFOCAL Command

DIRECTION	BYTE 1	BYTE 2	BYTE 3	BYTE 4					
No CRC mode									
DIN	19h	Arbitrary							
DOUT/DRDY	FFh	Echo byte 1							
CRC mode									
DIN	19h	Arbitrary	CRC-2	00h					
DOUT/DRDY	FFh	Echo byte 1	Echo Byte 2	Out CRC-2					

## 9.5.5.9 RREG Command

Use the RREG command to read register data. The register data are read one byte at a time by issuing the RREG command for each operation. Add the register address (rrh) to the base opcode (20h) to construct the command byte (20h + rrh). 表 25 illustrates the command byte sequence. The ADC responds with the register data byte, most significant bit first. The response to registers outside the valid address range is 00h. 图 39 depicts an example of the register read operation. The Out CRC-1 byte is the CRC calculated for the register data byte.

# 表 25. RREG Command

DIRECTION	BYTE 1	BYTE 2	BYTE 3	BYTE 4	BYTE 5	BYTE 6			
No CRC mode									
DIN	20h + rrh <sup>(1)</sup>	Arbitrary	00h						
DOUT/DRDY	FFh	Echo byte 1	Register data						
CRC mode									
DIN	20h + rrh	Arbitrary	CRC-2	00h	00h	00h			
DOUT/DRDY	FFh	Echo byte 1	Echo byte 2	Out CRC-2	Register data	Out CRC-1			

(1) rrh = 5-bit register address.






图 39. Register Read Operation (address = 02h, CRC Mode Enabled)

## 9.5.5.10 WREG Command

Use the WREG command to write register data. The register data are written one byte at a time by issuing the WREG command for each operation. Add the register address (rrh) to the base opcode (40h) to construct the command byte (40h + rrh). 表 26 shows the command byte sequence. 图 40 shows an example of the WREG operation. Be aware that writing to certain registers results in conversion restart. 表 29 lists the registers that restart an ongoing conversion when written to. Do not write to registers outside the address range.

表 26. WREG Command

DIRECTION	BYTE 1	BYTE 2	BYTE 3	BYTE 4					
No CRC mode									
DIN	40h + rrh <sup>(1)</sup>	Register data							
DOUT/DRDY	FFh	Echo byte 1							
CRC mode									
DIN	40h + rrh	Register data	CRC-2	00h					
DOUT/DRDY	FFh	Echo byte 1	Echo byte 2	Out CRC-2					

(1) rrh = 5-bit register address.




图 40. Register Write Operation (address = 02h, CRC Mode Enabled)



#### 9.5.5.11 LOCK Command

The LOCK command locks-out write access to the registers including the calibration registers that are changed by calibration commands. The default mode is UNLOCK. Read access is allowed in LOCK mode. 表 27 shows the LOCK command byte sequence.

## 表 27. LOCK Command

DIRECTION	BYTE 1	BYTE 2	BYTE 3	BYTE 4					
No CRC mode									
DIN	F2h	Arbitrary							
DOUT/DRDY	FFh	Echo byte 1							
CRC mode									
DIN	F2h	Arbitrary	CRC-2	00h					
DOUT/DRDY	FFh	Echo byte 1	Echo Byte2	out CRC-2					

## 9.5.5.12 UNLOCK Command

The UNLOCK command allows register write access, including access to the contents of the calibration registers that can be changed by the calibration commands. 表 28 shows the UNLOCK command byte sequence.

## 表 28. UNLOCK Command

DIRECTION	BYTE 1	BYTE 2	BYTE 3	BYTE 4					
No CRC mode									
DIN	F5h	Arbitrary							
DOUT/DRDY	FFh	Echo byte 1							
CRC mode									
DIN	F5h	Arbitrary	CRC-2	00h					
DOUT/DRDY	FFh	Echo byte 1	Echo Byte2	Out CRC-2					



# 9.6 Register Map

www.ti.com.cn

12h

**INPBIAS** 

The register map consists of 19, one-byte registers. Collectively, the registers are used to configure the ADC to the desired operating mode. Access the registers by using the RREG and WREG (read-register and write-register) commands. Register data are accessed one register byte at a time for each command operation. At power-on or device reset, the registers are reset to the default values, as shown in the *Default* column of 表 29. Writing new data to certain registers causes the ADC conversion in progress to restart. These registers are listed in the *Restart* column in 表 29.

Register-write access is enabled or disabled by the UNLOCK and LOCK commands, respectively. The default mode is register UNLOCK. See the *LOCK Command* section for more details.

#### REGISTER DEFAULT RESTART BIT 7 BIT 6 BIT 5 BIT 4 BIT 3 BIT 2 BIT 1 BIT 0 (rrh) 00h ID xxh DEV ID[3:0] REV ID[3:0] 01h **STATUS** 01h LOCK CRCERR PGAL\_ALM PGAH ALM REFL ALM DRDY CLOCK RESET MODE0 FILTER[2:0] 02h 24h Yes DR[4:0] 03h MODE1 01h Yes 0 CHOP[1:0] CONVRT DELAY[3:0] MODE2 GPIO\_CON[3:0] GPIO\_DIR[3:0] 04h 00h MODE3 00h **PWDN** STATENB CRCENB SPITIM GPIO\_DAT[3:0] REF 05h REFENB RMUXP[1:0] RMUXN[1:0] 07h OFCAL0 00h OFC[7:0] 08h OFCAL1 00h OFC[15:8] 09h OFCAL2 00h OFC[23:16] 0Ah FSCAL0 00h FSC[7:0] 0Bh FSCAL1 00h FSC[15:8] FSCAL2 0Ch 40h FSC[23:16] IMUX 0Dh FFh IMUX2[3:0] IMUX1[3:0] 0Eh IMAG 00h IMAG2[3:0] IMAG1[3:0] RESERVED 0Fh 00h 00h GAIN[2:0] 00h BYPASS 10h PGA 0 Yes 0 0 0 11h **INPMUX** FFh Yes MUXP[3:0] MUXN[3:0]

表 29. Register Map Summary

## 9.6.1 Device Identification (ID) Register (address = 00h) [reset = xxh]


Yes

## 图 41. ID Register

**VBIAS** 

BOCSP

BOCS[2:0]



LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

00h

## 表 30. ID Register Field Descriptions

Bit	Field	Туре	Reset	Description
7:4	DEV_ID[3:0]	R	xh	Device ID
				1000: ADS1261-Q1
				1010: ADS1260-Q1
3:0	REV_ID[3:0]	R	xh	Revision ID
				Note: Revision ID can change without notification



# 9.6.2 Device Status (STATUS) Register (address = 01h) [reset = 01h]

# 图 42. STATUS Register

7	6	5	4	3	2	1	0
LOCK	CRCERR	PGAL_ALM	PGAH_ALM	REFL_ALM	DRDY	CLOCK	RESET
R-0h	R/W-0h	R-0h	R-0h	R-0h	R-0h	R-xh	R/W-1h

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

# 表 31. STATUS Register Field Descriptions

Bit	Field	Туре	Reset	Description
7	LOCK	R	0h	Register Lock Status
				Indicates register lock status. Register writes are locked by the LOCK command and unlocked by the UNLOCK command.
				0: Register write not locked (default)
				1: Register write locked
6	CRCERR	R/W	0h	CRC Error
				Indicates that a CRC error is detected by the ADC. The CRC error bit remains set until cleared by the user.
				0: No CRC error
				1: CRC error
5	PGAL_ALM	R	0h	PGA Low Alarm
				Indicates PGA output voltage is below the low limit. The alarm resets at the start of conversion cycles.
				0: No Alarm
				1: Alarm
4	PGAH_ALM	R	0h	PGA High Alarm
				Indicates PGA output voltage is above the high limit. The alarm resets at the start of conversion cycles.
				0: No Alarm
				1: Alarm
3	REFL_ALM	R	0h	Reference Low Alarm
				Indicates reference voltage is below the low limit. The alarm resets at the start of conversion cycles.
				0: No Alarm
				1: Alarm
2	DRDY	R	0h	Data Ready
				Indicates conversion data ready.
				0: Conversion data <b>not new</b> since the previous read operation
				1: Conversion data <b>new</b> since the previous read operation
1	CLOCK	R	xh	Clock
				Indicates internal or external clock mode. The ADC automatically selects the clock source.
				0: ADC clock is internal
				1: ADC clock is external
0	RESET	R/W	1h	Reset
				Indicates ADC reset. Clear the bit to detect next device reset.
				0: No reset
				1: Reset (default)



www.ti.com.cn

# 9.6.3 Mode 0 (MODE0) Register (address = 02h) [reset = 24h]

# 图 43. MODE0 Register

7	6	5	4	3	2	1	0
		DR[4:0]				FILTER[2:0]	
		R/W-4h				R/W-4h	

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

# 表 32. MODE0 Register Field Descriptions

Bit	Field	Туре	Reset	Description
7:3	DR[4:0]	R/W	4h	Data Rate
				Select the ADC data rate.
				00000: 2.5 SPS
				00001: 5 SPS
				00010: 10 SPS
				00011: 16. <del>6</del> SPS
				00100: 20 SPS (default)
				00101: 50 SPS
				00110: 60 SPS
				00111: 100 SPS
				01000: 400 SPS
				01001: 1200 SPS
				01010: 2400 SPS
				01011: 4800 SPS
				01100: 7200 SPS
				01101: 14400 SPS
				01110: 19200 SPS
				01111: 25600 SPS
				10000 - 11111: 40000 SPS (f <sub>CLK</sub> = 10.24 MHz)
2:0	FILTER[2:0]	R/W	4h	Digital Filter
				Select the digital filter mode.
				000: sinc1
				001: sinc2
				010: sinc3
				011: sinc4
				100: FIR (default)
				101: Reserved
				110: Reserved
				111: Reserved



# 9.6.4 Mode 1 (MODE1) Register (address = 03h) [reset = 01h]

# 图 44. MODE1 Register

7	6	5	4	3	2	1	0
0	CHOP	[1:0]	CONVRT		DELA	Y[3:0]	
R/W-0h	R/W-	-0h	R/W-0h		R/W	/-1h	

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

# 表 33. MODE1 Register Field Descriptions

Bit	Field	Туре	Reset	Description
7	0	R/W	0h	Reserved
				Always write 0
6:5	CHOP[1:0]	R/W	0h	Chop and AC-Excitation Modes
				Select the Chop and AC-excitation modes.
				00: Normal mode (default)
				01: Chop mode
				10: 2-wire AC-excitation mode ( ADS1261-Q1 only)
				11: 4-wire AC-excitation mode ( ADS1261-Q1 only)
4	CONVRT	R/W	0h	ADC Conversion Mode
				Select the ADC conversion mode.
				0: Continuous conversions (default)
				1: Pulse (one shot) conversion
3:0	DELAY[3:0]	R/W	1h	Conversion Start Delay
				Program the time delay at conversion start. Delay values are with $f_{\text{CLK}} = 7.3728 \text{ MHz}$ .
				0000: 0 µs (not for 25600 SPS or 40000 SPS operation)
				0001: 50 μs (default)
				0010: 59 μs
				0011: 67 μs
				0100: 85 μs
				0101: 119 μs
				0110: 189 μs
				0111: 328 μs
				1000: 605 μs
				1001: 1.16 ms
				1010: 2.27 ms
				1011: 4.49 ms
				1100: 8.93 ms
				1101: 17.8 ms
				1110: Reserved
				1111: Reserved



# www.ti.com.cn

9.6.5 Mode 2 (MODE2) Register (address = 04h) [reset = 00h]

# 图 45. MODE2 Register

7	6	5	4	3	2	1	0		
	GPIO_CON[3:0]				GPIO_DIR[3:0]				
	R/W	/-0h			R/W	/-0h			

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

# 表 34. MODE2 Register Field Descriptions<sup>(1)</sup>

Bit	Field	Туре	Reset	Description
7	GPIO_CON[3]	R/W	0h	GPIO3 Pin Connection Connect GPIO3 to analog input AIN5. 0: GPIO3 not connected to AIN5 (default) 1: GPIO3 connected to AIN5
6	GPIO_CON[2]	R/W	Oh	GPIO2 Pin Connection Connect GPIO2 to analog input AIN4. 0: GPIO2 not connected to AIN4 (default) 1: GPIO2 connected to AIN4
5	GPIO_CON[1]	R/W	0h	GPIO1 Pin Connection Connect GPIO1 to analog input AIN3. 0: GPIO1 not connected to AIN3 (default) 1: GPIO1 connected to AIN3
4	GPIO_CON[0]	R/W	0h	GPIO0 Pin Connection Connect GPIO0 to analog input AIN2 0: GPIO0 not connected to AIN2 (default) 1: GPIO0 connected to AIN2
3	GPIO_DIR[3]	R/W	0h	GPIO3 Pin Direction Configure GPIO3 as a GPIO input or GPIO output on AIN5. 0: GPIO3 is an output (default) 1: GPIO3 is an input
2	GPIO_DIR[2]	R/W	Oh	GPIO2 Pin Direction Configure GPIO2 as a GPIO input or GPIO output on AIN4. 0: GPIO2 is an output (default) 1: GPIO2 is an input
1	GPIO_DIR[1]	R/W	Oh	GPIO1 Pin Direction Configure GPIO1 as a GPIO input or GPIO output on AIN3. 0: GPIO1 is an output (default) 1: GPIO1 is an input
0	GPIO_DIR[0]	R/W	0h	GPIO0 Pin Direction Configure GPIO0 as a GPIO input or GPIO output on AIN2. 0: GPIO0 is an output (default) 1: GPIO0 is an input

<sup>(1)</sup> ADS1261-Q1 only.



# 9.6.6 Mode 3 (MODE3) Register (address = 05h) [reset = 00h]

# 图 46. MODE3 Register

7	6	5	4	3	2	1	0
PWDN	STATENB	CRCENB	SPITIM		GPIO_D	AT[3:0]	
R/W-0h	R/W-0h	R/W-0h	R/W-0h		R/W	/-0h	

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

# 表 35. MODE3 Register Field Descriptions

Bit	Field	Туре	Reset	Description
7	PWDN	R/W	Oh	Software Power-down Mode Select the software power-down mode. 0: Normal mode (default) 1: Software power-down mode
6	STATENB	R/W	Oh	STATUS Byte Enable the Status byte for the conversion data read operation. 0: No Status byte (default) 1: Status byte enabled
5	CRCENB	R/W	Oh	CRC Data Verification  Enable CRC data verification.  0: No CRC (default)  1: CRC enabled
4	SPITIM	R/W	Oh	SPI Auto-Reset Function Enable the SPI auto-reset function. 0: SPI auto-reset disabled (default) 1: SPI auto-reset enabled
3	GPIO_DAT[3] <sup>(1)</sup>	R/W	Oh	GPIO3 Data  Read or write the GPIO3 data on AIN5.  0: GPIO3 is low (default)  1: GPIO3 is high
2	GPIO_DAT[2] <sup>(1)</sup>	R/W	Oh	GPIO2 Data  Read or write the GPIO2 data on AIN4.  0: GPIO2 is low (default)  1: GPIO2 is high
1	GPIO_DAT[1] <sup>(1)</sup>	R/W	Oh	GPIO1 Data  Read or write the GPIO1 data on AIN3.  0: GPIO1 is low (default)  1: GPIO1 is high
0	GPIO_DAT[0] <sup>(1)</sup>	R/W	Oh	GPIO0 Data  Read or write the GPIO1 data on AIN3.  0: GPIO0 is low (default)  1: GPIO0 is high

(1) ADS1261-Q1 only.



# 9.6.7 Reference Configuration (REF) Register (address = 06h) [reset = 05h]

# 图 47. REF Register

7	6	5	4	3	2	1	0		
0	0	0	REFENB	RMUXP	P[1:0]	RMUX	(N[1:0]		
R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-	R/W-1h		W-1h R/W-1h		/-1h

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

# 表 36. REF Register Field Descriptions

Bit	Field	Туре	Reset	Description
7:5	0	R/W	0h	Reserved
				Always write 0h
4	REFENB	R/W	0h	Internal Reference Enable
				Enable the internal reference.
				0: Internal reference disabled (default)
				1: Internal reference enabled
3:2	RMUXP[1:0]	R/W	1h	Reference Positive Input
				Select the positive reference input.
				00: Internal reference positive
				01: AVDD internal (default)
				10: AIN0 external
				11: AIN2 external ( ADS1261-Q1 only)
1:0	RMUXN[1:0]	R/W	1h	Reference Negative Input
				Select the negative reference input.
				00: Internal reference negative
				01: AVSS internal (default)
				10: AIN1 external
				11: AIN3 external ( ADS1261-Q1 only)



# 9.6.8 Offset Calibration (OFCALx) Registers (address = 07h, 08h, 09h) [reset = 00h, 00h, 00h] 图 48. OFCAL0, OFCAL1, OFCAL2 Registers

#### 7 6 5 0 OFC[7:0] R/W-00h 15 14 13 12 11 10 9 8 OFC[15:8] R/W-00h

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

# 表 37. OFCAL0, OFCAL1, OFCAL2 Registers Field Description

OFC[23:16] R/W-00h

1	Bit	Field	Туре	Reset	Description
2	23:0	OFC[23:0]	R/W	000000h	Offset Calibration
					These three registers are the 24-bit offset calibration word. The offset calibration is two's complement format. The ADC subtracts the offset value from the conversion result before the full-scale operation.

# 9.6.9 Full-Scale Calibration (FSCALx) Registers (address = 0Ah, 0Bh, 0Ch) [reset = 00h, 00h, 40h] 图 49. FSCAL0, FSCAL1, FSCAL2 Registers

7	6	5	4	3	2	1	0				
	FSC[7:0]										
	R/W-00h										
15	14	13	12	11	10	9	8				
			FSC	[15:8]							
			R/V	V-00h							
23	22	21	20	19	18	17	16				
	FSC[23:16]										
			R/W-40h								

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

# 表 38. FSCAL0, FSCAL1, FSCAL2 Registers Field Description

Bit	Field	Туре	Reset	Description
23:0	FSC[23:0]	R/W	400000h	Full-Scale Calibration
				These three registers are the 24-bit full scale calibration word. The full-scale calibration is straight binary format. The ADC divides the register value by 400000h then multiplies the result with the conversion data. The scaling operation occurs after the offset operation.



# 9.6.10 IDAC Multiplexer (IMUX) Register (address = 0Dh) [reset = FFh]

# 图 50. IMUX Register

7	6	5	4	3	2	1	0
	IMUX	[2[3:0]			IMUX	1[3:0]	
	R/W	/-Fh			R/W	/-Fh	

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

# 表 39. IMUX Register Field Descriptions

Bit	Field	Туре	Reset	Description
7:4	IMUX2[3:0]	R/W	Fh Fh	IDAC2 Output Multiplexer  Select the IDAC2 analog input pin connection.  0000: AIN0  0001: AIN1  0010: AIN2  0011: AIN3  0100: AIN4  0101: AIN5 ( ADS1261-Q1 only)  0110: AIN6 ( ADS1261-Q1 only)  0111: AIN7 ( ADS1261-Q1 only)  1000: AIN8 ( ADS1261-Q1 only)  1001: AIN9 ( ADS1261-Q1 only)  1001: AIN9 ( ADS1261-Q1 only)
				1100: No connection 1101: No connection 1110: No connection 1111: No connection (default)
3:0	IMUX1[3:0]	R/W	Fh	IDAC1 Output Multiplexer Select the IDAC1 analog input pin connection. 0000: AIN0 0001: AIN1 0010: AIN2 0011: AIN3 0100: AIN4 0101: AIN5 ( ADS1261-Q1 only) 0110: AIN6 ( ADS1261-Q1 only) 0111: AIN7 ( ADS1261-Q1 only) 1000: AIN8 ( ADS1261-Q1 only) 1000: AIN8 ( ADS1261-Q1 only) 1001: AIN9 ( ADS1261-Q1 only) 1010: AINCOM 1011: No connection 1100: No connection 1111: No connection 1111: No connection (default)



# 9.6.11 IDAC Magnitude (IMAG) Register (address = 0Eh) [reset = 00h]

# 图 51. IMAG Register

7	6	5	4	3	2	1	0		
	IMAG2[3:0]				IMAG1[3:0]				
R/W-0h					R/V	/-0h			

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

# 表 40. IMAG Register Field Descriptions

Bit	Field	Туре	Reset	Description
7:4	IMAG2[3:0]	R/W	0h	IDAC2 Current Magnitude
				Select the magnitude of current source IDAC2.
				0000: Off (default)
				0001: 50 μΑ
				0010: 100 μΑ
				0011: 250 μΑ
				0100: 500 μΑ
				0101: 750 μΑ
				0110: 1000 μA
				0111: 1500 μA
				1000: 2000 μΑ
				1001: 2500 μA
				1010: 3000 μΑ
				1011: Off
				1100: Off
				1101: Off
				1110: Off
				1111: Off
3:0	IMAG1[3:0]	R/W	0h	IDAC1 Current Magnitude
				Select the magnitude of current source IDAC1.
				0000: Off (default)
				0001: 50 μΑ
				0010: 100 μΑ
				0011: 250 μΑ
				0100: 500 μΑ
				0101: 750 μΑ
				0110: 1000 μA
				0111: 1500 μA
				1000: 2000 μΑ
				1001: 2500 μΑ
				1010: 3000 μΑ
				1011: Off
				1100: Off
				1101: Off
				1110: Off
				1111: Off



www.ti.com.cn

# 9.6.12 Reserved (RESERVED) Register (address = 0Fh) [reset = 00h]

# 图 52. RESERVED Register

7	6	5	4	3	2	1	0
0	0	0	0	0	0	0	0
R-0h							

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

# 表 41. RESERVED Register Field Descriptions

Bit	Field	Туре	Reset	Description
7:0	0	R	0h	Reserved
				These bits are read only and always return 0

# 9.6.13 PGA Configuration (PGA) Register (address = 10h) [reset = 00h]

# 图 53. PGA Register

7	6	5	4	3	2	1	0
BYPASS	0	0	0	0		GAIN[2:0]	
R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h		R/W-0h	

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

# 表 42. PGA Register Field Descriptions

Bit	Field	Туре	Reset	Description
7	BYPASS	R/W	0h	PGA Bypass Mode
				Select the PGA mode.
				0: PGA mode (default)
				1: PGA bypass
6:3	0	R/W	0h	Reserved
				Always write 0
2:0	GAIN[2:0]	R/W	0h	Gain
				Select the gain.
				000: 1 (default)
				001: 2
				010: 4
				011: 8
				100: 16
				101: 32
				110: 64
				111: 128



# 9.6.14 Input Multiplexer (INPMUX) Register (address = 11h) [reset = FFh]

# 图 54. INPMUX Register

7 6	5	4	3	2	1	0
	MUXP[3:0]			MUXI	N[3:0]	
	R/W-Fh			R/W	/-Fh	

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

# 表 43. INPMUX Register Field Descriptions

Bit	Field	Туре	Reset	Description
7:4	MUXP[3:0]	R/W	Fh	Positive Input Multiplexer
				Select the positive multiplexer input.
				0000: AINCOM
				0001: AIN0
				0010: AIN1
				0011: AIN2
				0100: AIN3
				0101: AIN4
				0110: AIN5 ( ADS1261-Q1 only)
				0111: AIN6 ( ADS1261-Q1 only)
				1000: AIN7 ( ADS1261-Q1 only)
				1001: AIN8 ( ADS1261-Q1 only)
				1010: AIN9 ( ADS1261-Q1 only)
				1011: Internal temperature sensor positive
				1100: Internal (AVDD - AVSS) / 4 positive
				1101: Internal (DVDD / 4) positive
				1110: Inputs open
				1111: Internal connection to V <sub>COM</sub> (default)
3:0	MUXN[3:0]	R/W	Fh	Negative Input Multiplexer
				Select the negative multiplexer input.
				0000: AINCOM
				0001: AIN0
				0010: AIN1
				0011: AIN2
				0100: AIN3
				0101: AIN4
				0110: AIN5 ( ADS1261-Q1 only)
				0111: AIN6 ( ADS1261-Q1 only)
				1000: AIN7 ( ADS1261-Q1 only)
				1001: AIN8 ( ADS1261-Q1 only)
				1010: AIN9 ( ADS1261-Q1 only)
				1011: Internal temperature sensor negative
				1100: Internal (AVDD - AVSS) / 4 negative
				1101: Internal (DVDD / 4) negative
				1110: All inputs open
				1111: Internal connection to V <sub>COM</sub> (default)



# 9.6.15 Input Bias (INPBIAS) Register (address = 12h) [reset = 00h]

# 图 55. INPBIAS Register

7	6	5	4	3	2	1	0
0	0	0	VBIAS	BOCSP		BOCS[2:0]	
R/W-0h	R/W-0h	R/W-0h	R/W-0h	R/W-0h		R/W-0h	

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

# 表 44. INPBIAS Register Field Descriptions

Bit	Field	Туре	Reset	Description	
7:5	0	R/W	0h	Reserved	
				Always write 0	
4	VBIAS	R/W	0h	VBIAS	
				Select the VBIAS connection to the AINCOM pin.	
				0: VBIAS disabled (default)	
				1: VBIAS enabled	
3	BOCSP	R/W 0h		Burn-Out Current Source Polarity	
				Select the burn-out current source polarity.	
				0: Pull-up mode (default)	
				1: Pull-down mode	
2:0	BOCS[2:0]	R/W 0h		Burn-Out Current Source Magnitude	
				Select the burn-out current source magnitude.	
				000: Off (default)	
				001: 50 nA	
				010: 200 nA	
				011: 1 μΑ	
				100: 10 μΑ	
				101: Reserved	
				110: Reserved	
				111: Reserved	



# 10 Application and Implementation

注

Information in the following applications sections is not part of the TI component specification, and TI does not warrant its accuracy or completeness. TI's customers are responsible for determining suitability of components for their purposes. Customers should validate and test their design implementation to confirm system functionality.

# 10.1 Application Information

## 10.1.1 Input Range

In PGA mode, the input voltage must be within the specified input range for linear operation. The following exercise shows how to use  $\Delta \vec{x}$  5 to verify the input voltage is within specification. The exercise is a thermocouple with the negative lead connected to AINCOM and the level-shift voltage enabled (2.5 V). The gain factor = 32 and the ADC is powered by a single 5-V power supply. The summary of conditions are:

- V<sub>AINN</sub> = Negative absolute input voltage = 2.5 V
- V<sub>AINP</sub> = Positive absolute input voltage = 2.56 V
- V<sub>IN</sub> = Differential input voltage = 60 mV
- AVDD = 4.75 V (worst-case minimum)
- AVSS = 0 V
- Gain = 32

Evaluation of the equation results in:

1.23 V < 2.5 V and 2.56 V < 3.52 V

The inequality is satisfied, therefore the absolute input voltages are within the specified PGA input range. The input requirement can also be verified by measuring the PGA output voltages (pins CAPP and CAPN) with a voltmeter. Check that both outputs are within the range: AVSS +  $0.3~V < V_{(CAPP)}$  and  $V_{(CAPN)} < AVDD - 0.3~V$ , under the worst-case input and power-supply conditions.

## 10.1.2 Input Overload

Observe the input overvoltage precautions as outlined in the *ESD Diodes* section. If an overvoltage condition occurs on an unused channel, the overvoltage channel may crosstalk to the measurement channel. One solution is to externally clamp the inputs with low-forward voltage diodes as shown in \$\mathbb{Z}\$ 56. The external diodes divert the overvoltage current around the ADC inputs to the power supply and ground. Be aware of the reverse leakage current of the Schottky diodes that may lead to measurement errors.




图 56. External Diode Clamps



www.ti.com.cn

# Application Information (接下页)

### 10.1.3 Burn-Out Current Source

When using the burn-out current sources, be aware of the offset error caused by the currents flowing through impedances in the input path, including the multiplexer resistance  $R_{MUX}$ ), external filter resistors and the internal impedance of the sensor  $R_{EXT}$ ), as shown in 85 57. In many cases, the offset error can be calibrated. Be aware that the combination of chop mode and high data rates increases the input current to the PGA. The increased input current can affect the accuracy of the burn-out current sources.




图 57. Burn-Out Current Source Offset Voltage Error

## 10.1.4 Unused Inputs and Outputs

Analog inputs:

To minimize input leakage of the measurement channel, tie unused inputs to mid-supply voltage (AVDD + AVSS) / 2 or to AVDD.

Digital I/O:

Not all the digital I/Os may be needed to operate the ADC. Be sure not to float both used and unused digital inputs, including during power-down mode. The following is a summary of the optional digital I/Os connection:

- CS: Tie CS low to permanently enable the serial interface.
- CLKIN: Tie CLKIN to DGND to permanently operate the ADC with the internal oscillator.
- START: Tie START to DGND to control conversions by command. Tie START to DVDD to permanently free-run conversions (Continuous-conversion mode only)
- RESET: Tie RESET to DVDD if not using hardware reset. The ADC is reset at power-on. The ADC is also reset by the RESET command.
- PWDN: Tie PWDN to DVDD if not using the hardware power-down mode. The ADC can be powered down by software.
- DRDY: The functionality of the DRDY output is also provided by the dual-mode DOUT/DRDY pin. The DOUT/DRDY output is active when CS is low. Data ready is also determined by software polling. Because the conversion data are buffered, data can be read at any time without the need to synchronize to data ready.



# Application Information (接下页)

## 10.1.5 AC-Excitation

₹ 58 shows a example of an AC-excited bridge measurement system. The example shown omits optional filter components for clarity. The transistors switch the bridge excitation voltage by drive signals provided by the GPIO drivers through the analog input pins. The timing of the drive signals are synchronized to the ADC conversions. The drive signals do not overlap in order to avoid bridge commutation during the switching phase of the drive signal. The transistors gate resistors bias the transistors off at power-on. At host start-up, the host configures the ADC to the AC-excitation mode. See ₹ 7 for timing of the drive signals.




图 58. 4-Wire Drive, AC-Excitation Example

The recommended sequence AC-excitation configuration is as follows:

- 1. Stop conversions by taking the START pin low, or by control of conversions in software mode; send the STOP command
- 2. Program the input and reference MUX, gain, data rata, filter mode and other configurations as needed
- 3. Program the 2-wire or 4-wire AC-excitation mode
- 4. Program the 2 GPIOs or 4 GPIOs internal connection to the analog input pins
- 5. Program the 2 GPIOs or 4 GPIOs as outputs to enable drive signals at the analog input pins.

Start the conversions. Adjust the time delay parameter as necessary based on the time constant of the input and reference filters.



# Application Information (接下页)

## 10.1.6 Serial Interface and Digital Connections

 $\blacksquare$  59 shows an example of the digital connections from a host  $\mu$ C to the ADC. Not all I/O connections are necessary for basic ADC operation; see the *Unused Inputs and Outputs* section. Impedance-matching resistors in series with the I/O PCB traces help reduce overshoot and ringing, and is particularly helpful over long trace runs.




图 59. Serial Interface and Digital I/O Connections



## 10.2 Typical Application

 $\boxtimes$  60 shows a fault-protected, 3-wire RTD application with hardware-based, lead-wire compensation. Two current sources are used together to compensate the RTD lead wire resistance. One current source (IDAC1) provides excitation to the RTD element through R<sub>LEAD1</sub>. The reference voltage of the ADC is derived directly from this current by resistor R<sub>REF</sub>. The second current source cancels lead-wire resistance by generating a voltage drop on lead-wire resistance R<sub>LEAD2</sub> equal to the voltage drop of R<sub>LEAD1</sub>. Because the R<sub>RTD</sub> signal voltage is measured differentially via inputs AIN2 and AIN3, the voltages across the lead wire resistance cancel. Resistor R<sub>BIAS</sub> level-shifts the RTD signal voltage to within the ADC input range. The current sources route to the RTD element through low V<sub>F</sub> diodes to provide input fault protection.




图 60. RTD Element With 3-Wire Lead Resistance Compensation

## 10.2.1 Design Requirements

The key considerations in the design of a 3-wire RTD circuit are the accuracy, stability and noise of the measurement, accuracy of the lead-wire compensation and self-heating of the sensor. Stability of the measurement is determined by the offset and gain drift of the ADC and by the drift of the external reference resistor. Measurement noise is determined by the ADC sample rate and by the digital filter settings. These parameters are not summarized here. 表 45 summarizes the basic design goals for a 3-wire Pt100 RTD.

表 45. Design Goals

DESIGN PARAMETER	VALUE
RTD sensor type	3-wire Pt100
RTD resistance range	20 $\Omega$ to 400 $\Omega$
RTD lead resistance range	0 Ω to 10 Ω
RTD self heating	< 1 mW



ZHCSJC0-JANUARY 2019 www.ti.com.cn

表 46 summarize the parameters of the detailed design procedure that follows.

## 表 46. Design Parameters

	DESIGN PARAMETER	DESIGN VALUE
I <sub>IDAC</sub>	IDAC current	500 μΑ
P <sub>RTD</sub>	RTD power dissipation	0.1 mW
$V_{RTD}$	RTD input voltage	0.20 V
Gain	ADC gain	8
$V_{REF}$	Reference voltage (design target allows for 10% overrange)	1.76 V
R <sub>REF</sub>	Reference resistor (senses the IDAC current to generate V <sub>REF</sub> )	3.52 kΩ
R <sub>BIAS</sub>	Bias resistor (provides the RTD level-shift voltage)	1.10 kΩ
$V_{RTDN}$	RTD negative input voltage	1.1 V
V <sub>RTDP</sub>	RTD positive input voltage	1.31 V
V <sub>IDAC1</sub>	IDAC1 loop voltage	3.37 V

## 10.2.2 Detailed Design Procedure

IDAC1 current flows through reference resistor,  $R_{REF}$ , which generates the ADC reference voltage,  $V_{REF} = I_{IDAC1}$ . R<sub>REF</sub>. IDAC1 current also flows through the RTD element. Since the same current flows through R<sub>REF</sub> and the RTD element, the RTD measurement is ratiometric, which means the drift and error of the current source are cancelled. Therefore, the measurement accuracy is solely dependent on the tolerance of R<sub>RFF</sub> and on ADC gain and offset errors. The errors are calibrated by host software control using shorted-input calibration and using a 400  $\Omega$  precision resistor for full-scale calibration.

The current of IDAC2 is programmed to the same value as IDAC1 and is connected to R<sub>LEAD2</sub>. IDAC2 generates an equal voltage drop across R<sub>LEAD1</sub> and IDAC1. The accuracy of lead-wire compensation depends on the matching error between IDAC1 to IDAC2.

Using  $R_{RTD} = 400 \Omega$ , IDAC current = 500  $\mu$ A, and gain = 8, the minimum ADC reference voltage requirement calculates to 1.6 V. To provide 10% design margin,  $R_{RFF}$  calculates to 3.52 k $\Omega$  (1.76 V / 500  $\mu$ A). 500  $\mu$ A is selected to minimize heating of the sensor.

Resistor R<sub>BIAS</sub> level-shifts the RTD voltage to meet the input range requirement of the ADC. This voltage is V<sub>RTDN</sub> and the low limit is calculated by  $\Delta \pm$  8. The  $V_{RTDN}$  low limit is 1 V.

AVSS + 
$$0.3 \text{ V} + \text{V}_{\text{RTD}} \cdot (\text{Gain} - 1) / 2 \le \text{V}_{\text{RTDN}}$$
 (8)

Using 10% design margin,  $R_{BIAS}$  calculates to 1.1 k $\Omega$  = 1.1 V / (2 · 500  $\mu$ A). The next step is to verify the positive RTD voltage (V<sub>RTDP</sub>) does not exceed the maximum input range, as shown in 公式 9:

$$Maximum V_{RTDP} \le AVDD - 0.3 V - V_{RTD} \cdot (Gain - 1) / 2$$
(9

Evaluation of the equation results in the  $V_{RTDP}$  high limit = 3.75 V. Calculate the actual  $V_{RTDP}$  input voltage by  $\triangle$ 式 10:

Actual 
$$V_{RTDP} = V_{RTDN} + I_{IDAC1} \cdot (R_{RTD} + 2 \cdot R_{LEAD}) = 1.1 \text{ V} + 500 \,\mu\text{A} \cdot (400 \,\Omega + 20 \,\Omega) = 1.31 \text{ V}$$
 (10)

 $V_{RTDN} = 1.1 \text{ V}$  and  $V_{RTDP} = 1.31 \text{ V}$  satisfy the negative and positive input voltage requirements of the ADC, respectively.

Verify the burden voltage of current source IDAC1 is below the specified compliance range. The burden voltage is the sum of voltages in the IDAC1 loop as calculated by V<sub>RTDP</sub>+ (IDAC1 · R<sub>REF</sub>) + V<sub>D</sub> ( V<sub>D</sub>= external diode voltage). The result is 3.37 V, which meets the specified compliance voltage of the current source.

External filter components R<sub>F1</sub>, R<sub>F2</sub>, C<sub>DIF1</sub>, C<sub>CM1</sub>, C<sub>CM2</sub>) and R<sub>F3</sub>, R<sub>F4</sub>, C<sub>DIF2</sub>, C<sub>CM3</sub>, and C<sub>CM4</sub>) filter the signal and reference inputs of the ADC. The filters remove both differential and common-mode noise. The input signal differential filter cutoff frequency as calculated by 公式 11:

$$f_{DIF} = 1 / [2\pi \cdot R_{F1} + R_{F2}) \cdot R_{DIF1} + C_{M1} || C_{M2}]$$
(11)

The Input signal common-mode filter is calculated by 公式 12:

$$f_{CM} = 1 / (2\pi \cdot R_{F1} \cdot C_{M1}) = 1 / (2\pi \cdot R_{F2} \cdot C_{M2})$$
 (12)



Component mismatch in the common-mode filter converts common-mode noise into differential noise. Use a differential capacitor  $C_{DIF1}$  10x higher value than the common-mode capacitors,  $C_{CM1}$  and  $C_{CM2}$  to minimize the effects of mismatch. The recommended range of input resistors is 1 k $\Omega$  to 10 k $\Omega$ ; increasing the resistance beyond 10 k $\Omega$  beyond can compromise noise and drift performance of the ADC. Use high-quality C0G ceramics or film-type capacitors. For consistent noise performance across the full RTD temperature range, match the corner frequencies of the input and reference filters. Detailed information is found in the *RTD Ratiometric Measurements and Filtering Using the ADS1148 and ADS1248 Family of Devices* application report.

## 10.2.3 Application Curves

 $\blacksquare$  61 shows the resistance measurement results. The measurements are taken at  $T_A = 25^{\circ}C$ . The data are taken using a precision resistor simulator with a 3-wire connection in place of the RTD. A system offset calibration is performed using shorted inputs. A system gain calibration is performed using a 390- $\Omega$  precision resistor. The measurement data are in ohms and do not include the error of the RTD sensor. The measured resistance error is <  $\pm 0.02~\Omega$  over the  $20-\Omega$  to  $400-\Omega$  range.




图 61. 3-Wire RTD Example Measurement Results



## 10.3 Initialization Setup




图 62. ADC Configuration and Measurement Procedure



# 11 Power Supply Recommendations

The ADC requires an analog power supply (AVDD, AVSS) and digital power supply (DVDD). The analog power supply can be bipolar (AVDD =  $\pm 2.5$  V and AVSS =  $\pm 2.5$  V) or unipolar (AVDD =  $\pm 5$  V and AVSS = DGND). The digital supply range is  $\pm 2.7$  V to  $\pm 5.25$  V. DVDD powers the ADC core by use of an internal regulator. DVDD also sets the digital I/O voltage. Keep in mind that the GPIO I/O voltages are AVDD and AVSS. Voltage ripple produced by switch-mode power supplies may interfere with the ADC conversions. Use low-dropout regulators (LDOs) to reduce switch-mode power supply ripple.

# 11.1 Power-Supply Decoupling

Good power-supply decoupling is important in order to achieve optimum performance. Power supplies must be decoupled close to the power supply pins using short, direct connections to ground. For the analog supply, place 0.1- $\mu$ F and 10- $\mu$ F capacitors between AVDD and AVSS and 0.1- $\mu$ F capacitors from each supply to ground. Connect a 1- $\mu$ F capacitor from DVDD to the ground plane. Connect a 1- $\mu$ F capacitor from BYPASS to the ground plane.

# 11.2 Analog Power-Supply Clamp

It is important to evaluate circumstances when an input signal is present with the ADC, both powered and unpowered. When the input signal exceeds the power-supply voltage, it is possible to *backdrive* the analog power-supply voltage with the input signal through a conduction path of the internal ESD diodes. Backdriving the ADC power supply can also occur when the power-supply is on. The backdriven current path is illustrated in \$\mathbb{S}\$ 63. Depending on how the power supply responds during a backdriven condition, it is possible to exceed the maximum rated ADC supply voltage. The ADC voltage must not be exceeded at all times. One solution is to clamp the analog supply to safe voltage using an external zener diode.




图 63. Analog Power-Supply Clamp

## 11.3 Power-Supply Sequencing

The power supplies can be sequenced in any order, but do not allow the analog or digital inputs to exceed the respective analog or digital power-supplies without external limits of the possible input fault currents.



# www.ti.com.cn 12 Layout

Good layout practices are crucial to realize the full-performance of the ADC. Poor grounding can quickly degrade the noise performance. The following layout guidelines help provide the best results.

#### 12.1 Layout Guidelines

For best performance, dedicate an entire PCB layer to a ground plane and do not route any other signal traces on this layer. However, depending on restrictions imposed by specific end equipment, a dedicated ground plane may not be practical. If ground plane separation is necessary, make a direct connection of the planes at the ADC. Do not connect individual ground planes at multiple locations because this configuration creates ground loops.

Route digital traces away from the CAPP and CAPN pins, away from the REFOUT pin, and away from all analog inputs and associated components in order to minimize interference.

Avoid long traces on DOUT/DRDY, because high capacitance on this pin can lead to increase of ADC noise levels. Use a series resistor or a buffer if long traces are used.

The internal reference output return shares the same pin as the AVSS power supply. To minimize coupling between the power supply and reference-return trace, route the traces separately; ideally, as a star connection to the AVSS pin.

Use C0G capacitors on the analog inputs and for the CAPP to CAPN capacitor. Use ceramic capacitors (for example, X7R grade) for the power supply decoupling capacitors. High-K capacitors (Y5V) are not recommended. The REFOUT pin requires a 10-µF capacitor and can be either ceramic or tantalum type. Place the required capacitors as close as possible to the device pins using short, direct traces. For optimum performance, use low-impedance connections on the ground-side connections of the bypass capacitors.

When applying an external clock, be sure the clock is free of overshoot and glitches. A source-termination resistor placed at the clock buffer often helps reduce overshoot. Glitches present on the clock input can lead to noise within the conversion data.

#### 12.2 Layout Example

₹ 64 is an example layout of the ADS1261-Q1, requiring a minimum of three PCB layers. The example circuit is shown with single supply operation (AVSS = DGND). In this example, the inner layer is dedicated to the ground plane and the outer layers are used for signal and power traces. If a four-layer PCB is used, dedicate the additional inner layer as the power plane. In this example, the ADC is oriented in such a way to minimize crossover of the analog and digital signal traces.



# Layout Example (接下页)




图 64. ADS1261-Q1 Layout Example



# 13 器件和文档支持

#### 13.1 文档支持

www.ti.com.cn

#### 13.1.1 相关文档

请参阅如下相关文档:

德州仪器 (TI), ADS1261 和 ADS1235 评估模块用户指南

#### 13.2 相关链接

下表列出了快速访问链接。类别包括技术文档、支持和社区资源、工具和软件,以及立即订购快速访问。

#### 表 47. 相关链接

器件	产品文件夹	立即订购	技术文档	工具与软件	支持和社区
ADS1260-Q1	请单击此处	请单击此处	请单击此处	请单击此处	请单击此处
ADS1261-Q1	请单击此处	请单击此处	请单击此处	请单击此处	请单击此处

#### 13.3 接收文档更新通知

要接收文档更新通知,请导航至 Tl.com.cn 上的器件产品文件夹。单击右上角的通知我进行注册,即可每周接收产品信息更改摘要。有关更改的详细信息,请查看任何已修订文档中包含的修订历史记录。

#### 13.4 社区资源

下列链接提供到 TI 社区资源的连接。链接的内容由各个分销商"按照原样"提供。这些内容并不构成 TI 技术规范,并且不一定反映 TI 的观点;请参阅 TI 的 《使用条款》。

TI E2E™ 在线社区 TI 的工程师对工程师 (E2E) 社区。此社区的创建目的在于促进工程师之间的协作。在 e2e.ti.com 中,您可以咨询问题、分享知识、拓展思路并与同行工程师一道帮助解决问题。

设计支持 71 参考设计支持 可帮助您快速查找有帮助的 E2E 论坛、设计支持工具以及技术支持的联系信息。

#### 13.5 商标

E2E is a trademark of Texas Instruments.

All other trademarks are the property of their respective owners.

#### 13.6 静电放电警告



ESD 可能会损坏该集成电路。德州仪器 (TI) 建议通过适当的预防措施处理所有集成电路。如果不遵守正确的处理措施和安装程序,可能会损坏集成电路。

ESD 的损坏小至导致微小的性能降级,大至整个器件故障。 精密的集成电路可能更容易受到损坏,这是因为非常细微的参数更改都可能会导致器件与其发布的规格不相符。

#### 13.7 术语表

SLYZ022 — TI 术语表。

这份术语表列出并解释术语、缩写和定义。



# 14 机械、封装和可订购信息

以下页面包含机械、封装和可订购信息。这些信息是指定器件的最新可用数据。数据如有变更,恕不另行通知,且 不会对此文档进行修订。如需获取此数据表的浏览器版本,请查阅左侧的导航栏。




**RHM0032A** 



#### **PACKAGE OUTLINE**

#### VQFNP - 0.9 mm max height

PLASTIC QUAD FLATPACK - NO LEAD



#### NOTES:

- All linear dimensions are in millimeters. Any dimensions in parenthesis are for reference only. Dimensioning and tolerancing per ASME Y14.5M.
   This drawing is subject to change without notice.
   The package thermal pad must be soldered to the printed circuit board for thermal and mechanical performance.




#### **EXAMPLE BOARD LAYOUT**

# **RHM0032A**

VQFNP - 0.9 mm max height

PLASTIC QUAD FLATPACK - NO LEAD



NOTES: (continued)

- 4. This package is designed to be soldered to a thermal pad on the board. For more information, see Texas Instruments literature number SLUA271 (www.ti.com/lit/slua271).
  5. Vias are optional depending on application, refer to device data sheet. If any vias are implemented, refer to their locations shown on this view. It is recommended that vias under paste be filled, plugged or tented.

www.ti.com 1-Aug-2022

#### PACKAGING INFORMATION

Orderable Device	Status (1)	Package Type	Package Drawing	Pins	Package Qty	Eco Plan	Lead finish/ Ball material	MSL Peak Temp	Op Temp (°C)	Device Marking (4/5)	Samples
ADS1260BQWRHMRQ1	ACTIVE	VQFN	RHM	32	3000	RoHS & Green	NIPDAUAG	Level-3-260C-168 HR	-40 to 125	ADS 1260BQ	Samples
ADS1261BQWRHMRQ1	ACTIVE	VQFN	RHM	32	3000	RoHS & Green	NIPDAUAG	Level-3-260C-168 HR	-40 to 125	ADS 1261BQ	Samples

(1) The marketing status values are defined as follows:

**ACTIVE:** Product device recommended for new designs.

LIFEBUY: TI has announced that the device will be discontinued, and a lifetime-buy period is in effect.

NRND: Not recommended for new designs. Device is in production to support existing customers, but TI does not recommend using this part in a new design.

PREVIEW: Device has been announced but is not in production. Samples may or may not be available.

**OBSOLETE:** TI has discontinued the production of the device.

(2) RoHS: TI defines "RoHS" to mean semiconductor products that are compliant with the current EU RoHS requirements for all 10 RoHS substances, including the requirement that RoHS substance do not exceed 0.1% by weight in homogeneous materials. Where designed to be soldered at high temperatures, "RoHS" products are suitable for use in specified lead-free processes. TI may reference these types of products as "Pb-Free".

RoHS Exempt: TI defines "RoHS Exempt" to mean products that contain lead but are compliant with EU RoHS pursuant to a specific EU RoHS exemption.

Green: TI defines "Green" to mean the content of Chlorine (CI) and Bromine (Br) based flame retardants meet JS709B low halogen requirements of <=1000ppm threshold. Antimony trioxide based flame retardants must also meet the <=1000ppm threshold requirement.

- (3) MSL, Peak Temp. The Moisture Sensitivity Level rating according to the JEDEC industry standard classifications, and peak solder temperature.
- (4) There may be additional marking, which relates to the logo, the lot trace code information, or the environmental category on the device.
- (5) Multiple Device Markings will be inside parentheses. Only one Device Marking contained in parentheses and separated by a "~" will appear on a device. If a line is indented then it is a continuation of the previous line and the two combined represent the entire Device Marking for that device.
- (6) Lead finish/Ball material Orderable Devices may have multiple material finish options. Finish options are separated by a vertical ruled line. Lead finish/Ball material values may wrap to two lines if the finish value exceeds the maximum column width.

**Important Information and Disclaimer:** The information provided on this page represents TI's knowledge and belief as of the date that it is provided. TI bases its knowledge and belief on information provided by third parties, and makes no representation or warranty as to the accuracy of such information. Efforts are underway to better integrate information from third parties. TI has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and chemicals. TI and TI suppliers consider certain information to be proprietary, and thus CAS numbers and other limited information may not be available for release.

In no event shall TI's liability arising out of such information exceed the total purchase price of the TI part(s) at issue in this document sold by TI to Customer on an annual basis.

# **PACKAGE OPTION ADDENDUM**

www.ti.com 1-Aug-2022

#### OTHER QUALIFIED VERSIONS OF ADS1260-Q1, ADS1261-Q1:

• Catalog : ADS1260, ADS1261


NOTE: Qualified Version Definitions:

• Catalog - TI's standard catalog product

# **PACKAGE MATERIALS INFORMATION**

www.ti.com 9-Aug-2022

#### TAPE AND REEL INFORMATION



# TAPE DIMENSIONS + K0 - P1 - B0 W Cavity - A0 -

A0	Dimension designed to accommodate the component width
В0	Dimension designed to accommodate the component length
K0	Dimension designed to accommodate the component thickness
W	Overall width of the carrier tape
P1	Pitch between successive cavity centers

#### QUADRANT ASSIGNMENTS FOR PIN 1 ORIENTATION IN TAPE




#### \*All dimensions are nominal

Device	Package Type	Package Drawing		SPQ	Reel Diameter (mm)	Reel Width W1 (mm)	A0 (mm)	B0 (mm)	K0 (mm)	P1 (mm)	W (mm)	Pin1 Quadrant
ADS1260BQWRHMRQ1	VQFN	RHM	32	3000	330.0	12.4	5.3	5.3	1.1	8.0	12.0	Q2
ADS1261BQWRHMRQ1	VQFN	RHM	32	3000	330.0	12.4	5.3	5.3	1.1	8.0	12.0	Q2


# **PACKAGE MATERIALS INFORMATION**

www.ti.com 9-Aug-2022



#### \*All dimensions are nominal

Device	Package Type	Package Drawing	Pins	SPQ	Length (mm)	Width (mm)	Height (mm)
ADS1260BQWRHMRQ1	VQFN	RHM	32	3000	367.0	367.0	35.0
ADS1261BQWRHMRQ1	VQFN	RHM	32	3000	367.0	367.0	35.0




Images above are just a representation of the package family, actual package may vary. Refer to the product data sheet for package details.

4205347/C



# **VQFNP - 0.9 mm max height**

PLASTIC QUAD FLATPACK - NO LEAD




#### NOTES:

- 1. All linear dimensions are in millimeters. Any dimensions in parenthesis are for reference only. Dimensioning and tolerancing per ASME Y14.5M.

  2. This drawing is subject to change without notice.
- 3. The package thermal pad must be soldered to the printed circuit board for thermal and mechanical performance.



PLASTIC QUAD FLATPACK - NO LEAD




NOTES: (continued)

- 4. This package is designed to be soldered to a thermal pad on the board. For more information, see Texas Instruments literature number SLUA271 (www.ti.com/lit/slua271).
- 5. Vias are optional depending on application, refer to device data sheet. If any vias are implemented, refer to their locations shown on this view. It is recommended that vias under paste be filled, plugged or tented.



PLASTIC QUAD FLATPACK - NO LEAD



NOTES: (continued)

6. Laser cutting apertures with trapezoidal walls and rounded corners may offer better paste release. IPC-7525 may have alternate design recommendations.



#### 重要声明和免责声明

TI"按原样"提供技术和可靠性数据(包括数据表)、设计资源(包括参考设计)、应用或其他设计建议、网络工具、安全信息和其他资源,不保证没有瑕疵且不做出任何明示或暗示的担保,包括但不限于对适销性、某特定用途方面的适用性或不侵犯任何第三方知识产权的暗示担保。

这些资源可供使用 TI 产品进行设计的熟练开发人员使用。您将自行承担以下全部责任:(1) 针对您的应用选择合适的 TI 产品,(2) 设计、验证并测试您的应用,(3) 确保您的应用满足相应标准以及任何其他功能安全、信息安全、监管或其他要求。

这些资源如有变更,恕不另行通知。TI 授权您仅可将这些资源用于研发本资源所述的 TI 产品的应用。严禁对这些资源进行其他复制或展示。您无权使用任何其他 TI 知识产权或任何第三方知识产权。您应全额赔偿因在这些资源的使用中对 TI 及其代表造成的任何索赔、损害、成本、损失和债务,TI 对此概不负责。

TI 提供的产品受 TI 的销售条款或 ti.com 上其他适用条款/TI 产品随附的其他适用条款的约束。TI 提供这些资源并不会扩展或以其他方式更改 TI 针对 TI 产品发布的适用的担保或担保免责声明。

TI 反对并拒绝您可能提出的任何其他或不同的条款。

邮寄地址:Texas Instruments, Post Office Box 655303, Dallas, Texas 75265 Copyright © 2022,德州仪器 (TI) 公司

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Analog to Digital Converters - ADC category:

Click to view products by Texas Instruments manufacturer:

Other Similar products are found below:

MCP37211-200I/TE AD9235BCPZRL7-40 HT7316ARQZ ADS1100A3IDBVR HI1175JCB HI3-574AJN-5 HI5714/4CB HI5746KCA
HI5766KCAZ HI5766KCBZ ISOSD61TR ES7201 AD7266BSUZ-REEL AD7708BRZ-REEL7 CLM2543IDW CLM2543CDW
MCP3004T-I/SL ADS7853IPWR GP9301BXI-F10K-D1V10-SH GP9301BXI-F10K-N-SH GP9101-F50-C1H1-SW GP9301BXI-F5K-N-SW
GP9101-F10K-N-SW GP9301BXI-F4K-D1V10-SH GP9301BXI-F1K-L5H2-SH LTC2484IDD#TRPBF AD9245BCPZRL7-20 SSP1120
ADS8332IBRGER ADS8168IRHBR HT7705ARWZ ADS9224RIRHBR ADC101S051CIMF AD7779ACPZ-RL AD7714YRUZ-REEL
LTC2447IUHF#PBF AD9235BRUZRL7-20 AD7888ARUZ-REEL AD7606BBSTZ-RL AD7998BRUZ-1REEL AD7276ARMZ-REEL
AD7712ARZ-REEL AD7997BRUZ-1REEL LTC2348ILX-16#PBF AD2S1210BSTZ-RL7 AD7711ARZ-REEL7 AD7865ASZ-1REEL
AD7923BRUZ-REEL AD7495ARZ-REEL7 AD9629BCPZRL7-40