







#### **ADS1283**

ZHCSK66C –JANUARY 2014–REVISED AUGUST 2019

# **ADS1283** 高分辨率模数转换器

# **1** 特性

高分辨率:

Texas

**INSTRUMENTS** 

- $-$  SNR: 130 dB (250 SPS, PGA = 1)
- 高精度:
	- $-$  THD:  $-122dB$
- 低功耗:
	- 18mW (PGA = 1、2、4 或 8)
	- 停机模式:10μW
- 低噪声 PGA: 5nV/ $\sqrt{\text{Hz}}$
- 双通道输入多路复用器
- 固有稳定性的调制器,具有快速响应超范围检测器
- 灵活的数字滤波器:
	- 正弦 + 有限脉冲响应 (FIR) + 无限脉冲响应 (IIR)(可选)
	- 线性或最小相位响应
	- 可编程的高通滤波器
	- 可选择 FIR 数据速率: 250SPS 至 4kSPS
- 偏移和增益校准引擎
- SYNC 输入
- 模拟电源: 5V 或 ±2.5V
- 数字电源: 1.8V 至 3.3V

# **2** 应用

- 能量勘探
- 地震监测
- 高精度仪器



# **3** 说明

**Software** 

ADS1283 是一款性能极高的单芯片模数转换器 (ADC), 配备集成式低噪声可编程增益放大器 (PGA) 和双通道输入多路复用器 (MUX)。ADS1283 可满足地 震监测设备的严苛要求。

此转换器使用一个固有稳定性的四阶 Δ-Σ 调制器来获 得出色的抗噪性能和线性性能。调制器数字输出由片上 数字滤波器进行数字过滤和抽取, 以生成 ADC 转换结 果。

输入多路复用器可灵活提供附加的外部输入,用于测量 以及内部自检输入连接。PGA 具有 出色的低噪声 (5nV/√Hz) 和极高的输入阻抗,便于轻松连接到具有宽 增益范围的地震检波器和水听器。

数字滤波器提供 250SPS 至 4000SPS 的可选数据速 率。高通滤波器 (HPF) 具有 可调节的角频率。片上增 益和偏移调节寄存器支持系统校准。

同步输入 (SYNC) 可用来使多个 ADS1283 器件的转换 同步。

ADS1283 采用紧凑的 24 引线 5mm x 4 mm VQFN 封 装,完全额定工作温度为 -40℃ 至 +85℃,最大工作 温度范围为 –50°C 至 +125°C。

器件信息**(1)**

器件型号	封装	封装尺寸 (标称值)
ADS1283		
ADS1283A	<b>VQFN (24)</b>	$5.00$ mm $\times$ 4.00mm
ADS1283B		

(1) 如需了解所有可用封装,请参阅产品说明书末尾的封装选项附 录。









目录



# **4** 修订历史记录

注:之前版本的页码可能与当前版本有所不同。

# **Changes from Revision B (December 2017) to Revision C Page**



#### **Changes from Revision A (May 2015) to Revision B Page**







# **Changes from Original (January 2014) to Revision A Page** • 已添加 ADS1283A 器件及相关内容添加到产品说明书... 1 • Added text regarding CS high to *Read Data Requirement* section. .. 44 • Added text regarding CS high to *SDATAC: Stop Read Data Continuous* section... 45

**EXAS NSTRUMENTS** 

# **5 Pin Configuration and Functions**



#### **Pin Functions**





# **6 Specifications**

# **6.1 Absolute Maximum Ratings(1)**

Over operating free-air temperature range (unless otherwise noted).



(1) Stresses above these ratings may cause permanent damage. Exposure to absolute maximum conditions for extended periods may degrade device reliability. These are stress ratings only, and functional operation of the device at these or any other conditions beyond those specified is not implied.

## **6.2 ESD Ratings**

![](_page_4_Picture_822.jpeg)

(1) JEDEC document JEP155 states that 500-V HBM allows safe manufacturing with a standard ESD control process.

(2) JEDEC document JEP157 states that 250-V CDM allows safe manufacturing with a standard ESD control process.

#### **6.3 Recommended Operating Conditions**

![](_page_4_Picture_823.jpeg)

(1) Calibration margin is the maximum allowable input voltage after user calibration of offset and gain errors.

# **6.4 Thermal Information**

![](_page_5_Picture_710.jpeg)

(1) For more information about traditional and new thermal metrics, see the *Semiconductor and IC Package Thermal Metrics* application report.

# **6.5 Electrical Characteristics**

maximum and minimum specifications over –40°C to +85°C; typical specifications at 25°C, AVDD = 2.5 V, AVSS = –2.5 V,  $f_{CLK}$  = 4.096 MHz, VREFP = 2.5 V, VREFN = -2.5 V, DVDD = 3.3 V, PGA = 1, OFFSET bit = 1 (enabled), CHOP bit = 1 (enabled), and  $f<sub>DATA</sub> = 1000$  SPS (unless otherwise noted)

![](_page_5_Picture_711.jpeg)

(1) PGA chop feature is disabled by setting CHOP bit = '0'. See Table 4

(2) Inputs shorted; see Table 1.

 $(3)$  Input signal = 31.25 Hz, -0.5 dBFS.

![](_page_6_Picture_0.jpeg)

### **Electrical Characteristics (continued)**

maximum and minimum specifications over -40°C to +85°C; typical specifications at 25°C, AVDD = 2.5 V, AVSS = -2.5 V,  $f_{CLK} = 4.096$  MHz, VREFP = 2.5 V, VREFN = -2.5 V, DVDD = 3.3 V, PGA = 1, OFFSET bit = 1 (enabled), CHOP bit = 1 (enabled), and  $f<sub>DATA</sub> = 1000$  SPS (unless otherwise noted)

![](_page_6_Picture_925.jpeg)

(4) Offset specification is input referred. The offset scales by the reference voltage ( $V_{REF}$ ).<br>(5) Calibration accuracy is on the level of noise reduced by four (calibration averages 16 re

Calibration accuracy is on the level of noise reduced by four (calibration averages 16 readings).

(6) The PGA output impedance and the modulator input impedance results in  $-1\%$  systematic gain error.<br>(7) Gain match relative to gain = 1.

(7) Gain match relative to gain = 1.<br>(8)  $f_{CM}$  is the input common-mode f

(8)  $f_{CM}$  is the input common-mode frequency.  $f_{PS}$  is the power-supply frequency.

(9) Input frequencies in the range of *N*f<sub>CLK</sub> / 1024 ± f<sub>DATA</sub> / 2 (where *N* = 1, 2, 3...) can intermodulate with the modulator chopper clock (and  $N$  multiples). At these frequencies, intermodulation =  $-120$  dB, typ.

(10) At dc; see Figure 42.

# **Electrical Characteristics (continued)**

maximum and minimum specifications over -40°C to +85°C; typical specifications at 25°C, AVDD = 2.5 V, AVSS = -2.5 V,  $f_{CLK} = 4.096$  MHz, VREFP = 2.5 V, VREFN = -2.5 V, DVDD = 3.3 V, PGA = 1, OFFSET bit = 1 (enabled), CHOP bit = 1 (enabled), and  $f<sub>DATA</sub> = 1000$  SPS (unless otherwise noted)

![](_page_7_Picture_462.jpeg)

(11) CLK input stopped.

![](_page_8_Picture_0.jpeg)

### **6.6 Timing Requirements**

at  $T_A = -40^{\circ}$ C to +85°C and DVDD = 1.65 V to 3.6 V (unless otherwise noted)

![](_page_8_Picture_509.jpeg)

(1) Holding SCLK low for 64 DRDY falling edges resets the serial interface.

# **6.7 Switching Characteristics**

over operating free-air temperature range (unless otherwise noted)

![](_page_8_Picture_510.jpeg)

![](_page_8_Figure_10.jpeg)

**Figure 1. Serial Interface Timing Diagram**

**EXAS NSTRUMENTS** 

**ADS1283** ZHCSK66C –JANUARY 2014–REVISED AUGUST 2019 **www.ti.com.cn**

# **6.8 Typical Characteristics**

At +25°C, AVDD = 2.5 V, AVSS = -2.5 V,  $f_{CLK}$  = 4.096 MHz, VREFP = 2.5 V, VREFN = -2.5 V, DVDD = 3.3 V, PGA = 1, OFFSET enabled, CHOP enabled, and  $f_{DATA}$  = 1000 SPS (unless otherwise noted). For ADS1283A, the electrical characteristics apply at PGA = 1, 4, and 16 only.

![](_page_9_Figure_5.jpeg)

![](_page_10_Picture_0.jpeg)

## **Typical Characteristics (continued)**

At +25°C, AVDD = 2.5 V, AVSS = -2.5 V,  $f_{CLK}$  = 4.096 MHz, VREFP = 2.5 V, VREFN = -2.5 V, DVDD = 3.3 V, PGA = 1, OFFSET enabled, CHOP enabled, and  $f<sub>DATA</sub> = 1000$  SPS (unless otherwise noted). For ADS1283A, the electrical characteristics apply at PGA = 1, 4, and 16 only.

![](_page_10_Figure_5.jpeg)

![](_page_11_Picture_0.jpeg)

# **Typical Characteristics (continued)**

At +25°C, AVDD = 2.5 V, AVSS = -2.5 V,  $f_{CLK}$  = 4.096 MHz, VREFP = 2.5 V, VREFN = -2.5 V, DVDD = 3.3 V, PGA = 1, OFFSET enabled, CHOP enabled, and  $f<sub>DATA</sub> = 1000$  SPS (unless otherwise noted). For ADS1283A, the electrical characteristics apply at PGA = 1, 4, and 16 only.

![](_page_11_Figure_5.jpeg)

![](_page_12_Picture_0.jpeg)

## **Typical Characteristics (continued)**

At +25°C, AVDD = 2.5 V, AVSS = -2.5 V,  $f_{CLK}$  = 4.096 MHz, VREFP = 2.5 V, VREFN = -2.5 V, DVDD = 3.3 V, PGA = 1, OFFSET enabled, CHOP enabled, and  $f<sub>DATA</sub> = 1000$  SPS (unless otherwise noted). For ADS1283A, the electrical characteristics apply at PGA = 1, 4, and 16 only.

![](_page_12_Figure_5.jpeg)

![](_page_13_Picture_1.jpeg)

## **7 Parameter Measurement Information**

### **7.1 Noise Performance**

The ADS1283 offers outstanding signal-to-noise ratio (SNR). The SNR depends on the ADC data rate and the PGA gain selected. As the bandwidth is reduced by decreasing the data rate, the SNR improves correspondingly. Similarly, as gain is increased, the input-referred noise decreases. The PGA noise is independent of gain; therefore, as the gain increases, the input range correspondingly decreases, resulting in decreased SNR.

The ADS1283 provides a *chop* feature that reduces the PGA 1/f noise. See the *Programmable Gain Amplifier (PGA)* section for more information about chopping. Table 1 summarizes the SNR and input noise voltage with the CHOP bit enabled. Disabling the CHOP bit results in increased low-frequency noise, particularly evident with high PGA gains and lower sample rates. Table 2 summarizes SNR and input noise voltage with CHOP disabled.

<b>DATA RATE</b>	PGA (SNR, $dB$ ) <sup>(1)</sup>					PGA (Input-Referred Noise, µV RMS)								
(SPS)		$\mathbf{2}$	4	8	16	32	64			4	8	16	32	64
250	130	129	129	127	125	119	114	0.59	0.30	0.16	0.10	0.07	0.06	0.06
500	127	126	126	124	122	116	111	0.84	0.43	0.23	0.14	0.09	0.09	0.08
1000	124	123	123	121	119	113	108	1.19	0.60	0.32	0.20	0.13	0.12	0.11
2000	121	120	120	118	116	110	105	1.68	0.86	0.46	0.28	0.18	0.17	0.16
4000	117	117	117	115	113	107	102	2.40	.22	0.66	0.40	0.26	0.25	0.23

**Table 1. Signal-to-Noise Ratio (dB) and Input Noise (µV), CHOP Bit Enabled**

(1) Typical values at  $T = +25^{\circ}C$  and  $V_{REF} = 5$  V. SNR values rounded to the nearest dB. Number of ADC conversions used in the analysis varied to maintain measurement bandwidth = 0.1 Hz to 0.413 × data rate. Note that SNR and input noise data of ADS1283A applies to  $PGA = 1, 4,$  and 16 only.

![](_page_13_Picture_1159.jpeg)

![](_page_13_Picture_1160.jpeg)

(1) Typical values at  $T = +25^{\circ}C$  and  $V_{REF} = 5 V$ . SNR values rounded to the nearest dB. Number of ADC conversions used in the analysis varied to maintain measurement bandwidth = 0.1 Hz to 0.413  $\times$  data rate. Note that SNR and input noise data of ADS1283A applies to PGA = 1, 4, and 16 only.

Input-referred noise is related to SNR by Equation 1:

$$
SNR = 20 \log \frac{FSR_{RMS}}{N_{RMS}}
$$

where

- $FSR_{RMS}$  = Full-scale range RMS =  $V_{REF}$  / (2 ×  $\sqrt{2}$  × PGA)
- $N_{RMS}$  = Noise (RMS, input-referred) (1)

![](_page_14_Picture_0.jpeg)

# **8 Detailed Description**

### **8.1 Overview**

The ADS1283 is a high-performance analog-to-digital converter (ADC) intended for energy exploration, seismic monitoring, chromatography, and other exacting performance applications. The converter provides 31-bit resolution in data rates from 250 SPS to 4000 SPS. See the *Functional Block Diagram* section for a block diagram of the ADS1283.

The ADS1283A device is functionally equivalent to the ADS1283, except that the ADS1283A supports PGA gains of 1, 4, and 16 only. The ADS1283A also relaxes the THD specification of these gains. See the *Electrical Characteristics* section for more details. The ADS1283B provides equivalent performance to the ADS1283, but provides two offset voltage options, 75 mV and 100 mV. See Offset for details.

The two-channel input mux allows five configurations:

- 1. Input 1
- 2. Input 2
- 3. Input 1 and input 2 shorted together
- 4. Input 1 and input 2 disconnected and PGA input internally shorted with two 400- $\Omega$  resistors
- 5. Input 1 and input 2 shorted to perform input common-mode test

See the *Analog Inputs and Multiplexer* section for more details.

The input mux is followed by a continuous-time PGA, featuring very low noise of 5 nV/√Hz. The PGA is controlled by register settings, allowing gains from 1 to 64 for the ADS1283 and ADS1283B, and gains of 1, 4, and 16 for the ADS1283A.

The inherently-stable, fourth-order, delta-sigma modulator measures the differential input signal ( $V_{IN}$  = AINP – AINN) against the differential reference ( $V_{REF}$  = VREFP – VREFN). A digital output (MFLAG) indicates that the modulator is in overload as a result of an overdrive condition. The modulator connects to the on-chip digital filter that provides the output codes.

The digital filter consists of a variable decimation rate, fifth-order sinc filter, followed by a variable phase, decimate-by-32, finite-impulse response (FIR) low-pass filter with programmable phase, and then by an adjustable high-pass filter for dc removal of the output code. The output of the digital filter can be taken from the sinc or the FIR low-pass, with the FIR option of the infinite impulse response (IIR) high-pass section.

Gain and offset registers scale the digital filter output to produce the final code value. The scaling feature can be used for calibration and sensor gain matching.

The SYNC input resets the operation of both the digital filter and the modulator, allowing synchronization conversions of multiple ADS1283 devices to an external event. The SYNC input supports a continuously-toggled input mode that accepts an external data frame clock locked to the conversion rate.

The RESET input resets the register settings and also restarts the conversion process.

The PWDN input sets the device into a micro-power state. Note that register settings are not retained in PWDN mode. Use the STANDBY command in its place if it is desired to retain register settings (the quiescent current in standby mode is slightly higher).

Noise-immune Schmitt-trigger and clock-qualified inputs (RESET and SYNC) provide increased reliability in highnoise environments. The SPI™-compatible serial interface is used to read conversion data, in addition to reading from and writing to the configuration registers.

The device allows either unipolar and bipolar analog power-supply operation. The analog supplies may be set to +5 V for unipolar signals (with the inputs level shifted externally), or set to  $\pm$ 2.5 V to accept true bipolar input signals (ground referenced). The digital supply is separate and accepts voltages from 1.8 V to 3.3 V, independent of the analog power supplies used.

An internal subregulator is used to supply the digital core from DVDD. BYPAS (pin 28), is the subregulator output and requires a 1-μF capacitor for noise reduction. Note that the regulated output voltage on BYPAS is not available to drive external circuitry.

Copyright © 2014–2019, Texas Instruments Incorporated

# **8.2 Functional Block Diagram**

![](_page_15_Figure_4.jpeg)

## **8.3 Feature Description**

## **8.3.1 Analog Inputs and Multiplexer**

A diagram of the input multiplexer is shown in Figure 25.

![](_page_15_Figure_8.jpeg)

**Figure 25. Analog Inputs and Multiplexer**

ESD diodes protect the multiplexer inputs. If either input is taken below AVSS – 0.3 V, or above AVDD + 0.3 V, the ESD protection diodes can turn on. If these conditions are possible, use external clamp diodes, series resistors, or both to limit the input current to safe values (see the Absolute Maximum Ratings table).

![](_page_16_Picture_0.jpeg)

(2)

#### **Feature Description (continued)**

Also, overdriving one unused input can affect the conversions of the other input. If an overdriven input interacts with the measured input, clamp the overdriven signal with external Schottky diodes.

 $AVSS + 0.7V < (AINN or AINP) < AVDD - 1.25V$ The specified input operating range of the PGA is shown in Equation 2:

For best operation, maintain absolute input levels (input signal level and common-mode level) within these limits.

The multiplexer connects one of the two external differential inputs to the preamplifier inputs, in addition to internal connections for various self-test modes. Table 3 summarizes the multiplexer configurations for Figure 25.

<b>MUX[2:0]</b>	<b>SWITCHES</b>	<b>DESCRIPTION</b>
000	$S_1, S_5$	AINP1 and AINN1 connected to preamplifier
001	$S_2, S_6$	AINP2 and AINN2 connected to preamplifier
010	$S_3, S_4$	Preamplifier inputs shorted together through $400-\Omega$ internal resistors
011	$S_1$ , $S_5$ , $S_2$ , $S_6$	AINP1, AINN1 and AINP2, AINN2 connected together and to the preamplifier
100	$S_6, S_7$	External short, preamplifier inputs shorted to AINN2 (common-mode test)

**Table 3. Multiplexer Modes**

The typical on-resistance (R<sub>ON</sub>) of the multiplexer is 30  $\Omega$  (each switch). When the multiplexer is used to drive an external load on one input by a signal generator on the other input, on-resistance and on-resistance amplitude dependency can lead to measurement errors. Figure 26 shows THD versus load resistance and amplitude. THD improves with high-impedance loads and with lower-amplitude drive signals. The data are measured with the circuit from Figure 27 with  $MUX[2:0] = 011$ .

![](_page_16_Figure_11.jpeg)

**Figure 26. THD vs External Load and Signal Magnitude (PGA); See Figure 27**

![](_page_16_Figure_13.jpeg)

**Figure 27. Driving an External Load Through the Multiplexer**

![](_page_17_Picture_1.jpeg)

#### **8.3.2 Programmable Gain Amplifier (PGA)**

The PGA of the ADS1283 is a low-noise, continuous-time, differential-in and differential-out CMOS amplifier. The gain is set by register bits PGA[2:0], and is programmable from 1 to 64 for the ADS1283, or can be set to 1, 4, and 16 for the ADS1283A. The PGA differentially drives the modulator through 300-Ω internal resistors. A C0G capacitor (10-nF C0G or film dielectric) must be connected to CAPP and CAPN to filter modulator sampling glitches. The external capacitor also serves as an antialias filter. The corner frequency is given in Equation 3:

$$
f_{\rm p} = \frac{1}{6.3 \times 600 \times C}
$$
 (3)

The ADS1283 PGA provides a chop feature. As shown in Figure 28, amplifiers  $A_1$  and  $A_2$  are chopper stabilized to remove the offset, offset drift, and 1/f noise. Chopper stabilization (or chopping) moves the offset and noise to  $f_{\text{C-K}}$  / 1024 (4 kHz,  $f_{\text{C-K}}$  = 4.096 MHz), which is located safely out of the pass-band frequency. Chopping can be disabled by setting the CHOP bit  $= 0$ . When chopping is disabled, the PGA input impedance increases (see *Differential Input Impedance* parameter in the Electrical Characteristics). As shown in Figure 29, chopping maintains flat noise density, leaving predominantly white noise. However, if chopping is disabled, the PGA input noise results in a rising 1/f noise profile.

![](_page_17_Figure_7.jpeg)

(1) Modulator input impedance scales with clock rate.

![](_page_17_Figure_9.jpeg)

![](_page_17_Figure_10.jpeg)

**Figure 29. PGA Noise**

![](_page_18_Picture_0.jpeg)

As a result of the stray capacitance of the input chopping switches, low-level transient currents flow through the inputs when chopping is enabled. The average value of the transient currents versus the input voltage results in an effective input impedance. The effective input impedance depends on the PGA gain, as shown in Table 4. Despite the relatively high input impedance, carefully evaluate applications with high-impedance sensors or highimpedance termination resistors when chopping is enabled. Table 4 shows the PGA differential input impedance with CHOP enabled.

![](_page_18_Picture_532.jpeg)

#### **Table 4. Differential Input Impedance (CHOP Enabled)**

The PGA has programmable gains from 1 to 64. Table 5 shows the register bit setting for the PGA and resulting full-scale differential range.

![](_page_18_Picture_533.jpeg)

#### **Table 5. PGA Gain Settings**

(1) The ADS1283A supports gains of 1, 4, and 16 only.

(2)  $V_{REF} = 5 V$ . The input range scales with  $V_{REF}$ .

 $AVSS + 0.4V < (CAPN or CAPP) < AVDD - 0.4V$ The specified range of the PGA output is shown in Equation 4:

For best performance, maintain PGA output levels (signal + common-mode) within these limits.

(4)

![](_page_19_Picture_1.jpeg)

### **8.3.3 Analog-to-Digital Converter (ADC)**

The ADC block of the ADS1283 is composed of two sections: a high-accuracy modulator and a programmable digital filter.

#### *8.3.3.1 Modulator*

The high-performance modulator is an inherently-stable, fourth-order,  $ΔΣ$ , 2 + 2 pipelined structure, as Figure 30 shows. The modulator shifts the quantization noise to a higher frequency (out of the pass band), where the noise can be easily removed by digital filtering. The modulator data can either be completely filtered by the on-chip digital filter or partially filtered by the onboard sinc filter in conjunction with external, post-processing filters.

![](_page_19_Figure_7.jpeg)

**Figure 30. Fourth-Order Modulator**

The modulator performance is optimized for input signals over the dc to 2-kHz bandwidth. As Figure 31 shows, the effect of PGA and modulator chop result in spectral artifacts at the chop frequency (4 kHz) and related oddorder harmonics to the chop frequency. When using the sinc filter mode in conjunction with an external postdecimation filter, design the external digital filter to suppress the modulator chopping artifacts.

![](_page_19_Figure_10.jpeg)

**Figure 31. Sinc Output FFT (64 kSPS)**

#### **8.3.3.1.1 Modulator Overrange**

The ADS1283 modulator is inherently stable, and therefore, has predictable recovery behavior resulting from an input overdrive condition. The modulator does not exhibit self-reset cycles, which often results in an unstable output data stream. The ADS1283 modulator outputs a data stream with 90% duty cycle of ones-to-zeroes density with the positive full-scale input signal applied (10% duty cycle with the negative full-scale signal). If the input is overdriven past 90% modulation, but below 100% modulation (10% and 0% for negative overdrive, respectively), the modulator remains stable and continues to output the 1s density data stream. The digital filter may or may not clip the output codes to +FS or –FS, depending on the duration of the overdrive. When the input returns to the normal range from a long-duration overdrive (worst case), the modulator returns immediately to the normal range, but the group delay of the digital filter delays the return of the conversion result to within the linear range (31 readings for linear phase FIR). An additional 31 readings (62 total) are required for completely-settled data.

![](_page_20_Picture_0.jpeg)

If the inputs are sufficiently overdriven to drive the modulator to full duty cycle (that is, all 1s or all 0s), the modulator enters a stable saturated state. The digital output code may clip to +FS or –FS, again depending on the duration. A small-duration overdrive condition may not always clip the output code. When the input returns to the normal range, the modulator requires up to 12 modulator clock cycles  $(f_{MOD})$  to exit saturation and return to the linear region. The digital filter requires an additional 62 conversions for fully-settled data (linear-phase FIR).

In the extreme case of input overrange (where either overdriven input exceeds the voltage of the analog supply voltage plus an internal ESD diode drop), the internal diodes begin to conduct, thus clipping the input signal. When the input overdrive is removed, the diodes recover quickly. Make sure to limit the input current to 10 mA (continuous duty) if an overvoltage condition is possible.

#### **8.3.3.1.2 Modulator Input Impedance**

The modulator samples the buffered input voltage with an internal capacitor to perform conversions. The charging of the input sampling capacitor draws a transient current from the PGA output. Use the average value of the current to calculate an effective input impedance, as shown in Equation 5:

$$
R_{\text{EFF}} = 1 / (f_{\text{MOD}} \times C_{\text{S}})
$$

where

- $f_{\text{MOD}}$  = Modulator sample frequency = CLK / 4
- $C_{\rm S}$  = Input sampling capacitor = 17 pF (typ) (5)

The resulting modulator input impedance is 55 kΩ (CLK = 4.096 MHz). The modulator input impedance and the internal PGA 300-Ω output resistors result in a systematic gain error of  $-1\%$ . The modulator C<sub>S</sub> can vary  $\pm 20\%$ over production lots, affecting the nominal gain error.

#### **8.3.3.1.3 Modulator Overrange Detection (MFLAG)**

The ADS1283 has a fast-responding, overrange detection that indicates when the differential input exceeds 100% or  $-100\%$  full-scale. The threshold tolerance is  $\pm 2.5\%$ . The MFLAG output pin asserts high when in an overrange condition. As Figure 32 and Figure 33 illustrate, the absolute differential input is compared to 100% of range. The output of the comparator is sampled at the rate of  $f_{\text{MOD}}$  / 2, yielding the MFLAG output. The minimum detectable MFLAG pulse duration is  $f_{\text{MOD}}$  / 2.

![](_page_20_Figure_15.jpeg)

**Figure 32. Modulator Overrange Block Diagram**

![](_page_20_Figure_17.jpeg)

**Figure 33. Modulator Overrange Flag Operation**

#### **ADS1283** ZHCSK66C –JANUARY 2014–REVISED AUGUST 2019 **www.ti.com.cn**

(8)

#### **8.3.3.1.4 Offset**

The ADC modulator can produce low-level idle tones that appear in the spectrum when there is no signal input or when low-level signal inputs are present to the ADC. The ADC provides an optional dc offset voltage designed to shift the idle tones to the stop band of digital filter response, where the idle tones are reduced. The internal offset is applied to the modulator input; therefore, the offset voltage amplitude is independent of PGA gain. For all ADS1283 versions, the offset option is 100 mV. For the ADS1283B, a second offset option is 75 mV. The 75-mV offset optimally reduces idle tones under various gain, data rate, and chop mode settings.

The offset is enabled by the OFFSET1 and OFFSET0 bits (default is off). The offset voltage reduces the available input range 4% (3% for the 75 mV value) before the onset of clipped codes. The offset voltage can be calibrated by using the offset calibration register (OFC[2:0]). Use the offset calibration register to compensate the offset voltage, thereby restoring the full input voltage range. See *Offset and Full-Scale Calibration Registers* and *Calibration Commands (OFSCAL and GANCAL)* sections for more details.

#### **8.3.3.1.5 Voltage Reference Inputs (VREFP, VREFN)**

The voltage reference for the ADS1283 is the differential voltage between VREFP and VREFN:

 $V_{REF} = VREFP - VREFN$  (6)

The reference inputs use a structure similar to that of the analog inputs with the circuitry of the reference inputs shown in Figure 34. The average load presented by the switched-capacitor reference input can be modeled with an effective differential impedance of:

 $R_{\text{EFF}} = t_{\text{SAMPLE}} / C_{\text{IN}} (t_{\text{SAMPLE}} = 1 / f_{\text{MOD}}).$  (7)

Note that the effective impedance of the reference inputs loads the external reference.

**Figure 34. Simplified Reference Input Circuit**

Place a 0.1-µF ceramic capacitor directly between the ADC VREFP and VREFN pins. Multiple ADC applications can share a single voltage reference, but must have individual capacitors placed for each ADC.

The ADS1283 reference inputs are protected by ESD diodes. In order to prevent these diodes from turning on, the voltage on either input must stay within the range shown in Equation 8:

 $AVSS - 300mV < (VREFP$  or  $VREFN <$   $\lt$  AVDD + 300mV

The minimum valid input for VREFN is AVSS – 0.1 V, and the maximum valid input for VREFP is AVDD + 0.1 V.

To achieve the best performance from the ADS1283, use a high-quality 5-V reference voltage. A 4-V or 4.5-V reference voltage can be used; however, this lower reference voltage reduces the signal input range with a corresponding decrease of SNR. Noise and drift on the reference degrade overall system performance. To achieve optimum performance, make sure to give special care to the circuitry generating the reference voltages. See the *Application Information* section for reference recommendations.

![](_page_21_Figure_17.jpeg)

![](_page_22_Picture_0.jpeg)

#### *8.3.3.2 Digital Filter*

The digital filter receives the modulator output and decimates the data stream. By adjusting the amount of filtering, tradeoffs can be made between resolution and data rate: filter more for higher resolution, filter less for higher data rate.

The digital filter is comprised of three cascaded filter stages: a variable-decimation, fifth-order sinc filter; a fixeddecimation FIR, low-pass filter (LPF) with selectable phase; and a programmable, first-order, high-pass filter (HPF), as shown in Figure 35.

![](_page_22_Figure_6.jpeg)

**Figure 35. Digital Filter and Output Code Processing**

The output can be taken from one of the three filter blocks, as Figure 35 shows. For partial filtering by the ADS1283, select the sinc filter output. For complete on-chip filtering, activate both the sinc + FIR stages. The HPF can then be included to remove dc and low frequencies from the data. Table 6 shows the filter options.

![](_page_22_Picture_465.jpeg)

#### **Table 6. Digital Filter Selection**

ZHCSK66C –JANUARY 2014–REVISED AUGUST 2019 **www.ti.com.cn**

# **8.3.3.2.1 Sinc Filter Stage (sinx / x)**

The sinc filter is a variable decimation rate, fifth-order, low-pass filter. Data are supplied to this section of the filter from the modulator at the rate of  $f_{MOD}$  ( $f_{CLK}$  / 4). The sinc filter attenuates the high-frequency noise of the modulator, then decimates the data stream into parallel data. The decimation rate affects the overall data rate of the converter, and is set by the DR[2:0] register bits, as shown in Table 7.

![](_page_23_Picture_645.jpeg)

#### **Table 7. Sinc Filter Data Rates**

Equation 9 shows the scaled Z-domain transfer function of the sinc filter.

$$
H(Z) = \left[\frac{1 - Z^{N}}{N(1 - Z^{1})}\right]^{5}
$$

where

• N = decimation ratio (9)

Equation 10 shows the frequency domain transfer function of the sinc filter.

$$
|H(f)| = \left| \frac{\sin \left( \frac{\pi N \times f}{f_{\text{MOD}}} \right)}{N \sin \left( \frac{\pi \times f}{f_{\text{MOD}}} \right)} \right|^{5}
$$

where

• N = decimation ratio (see Table 7) (10)

The sinc filter has notches (or zeros) that occur at the output data rate and multiples thereof. At these frequencies, the filter has zero gain. Figure 36 shows the frequency response of the sinc filter and Figure 37 shows the roll-off of the sinc filter.

![](_page_23_Figure_17.jpeg)

![](_page_24_Picture_0.jpeg)

#### **8.3.3.2.2 FIR Stage**

The second stage of the ADS1283 digital filter is an FIR low-pass filter. Data are supplied to this stage from the sinc filter. The FIR stage is segmented into four substages, as shown in Figure 38.

![](_page_24_Figure_5.jpeg)

**Figure 38. FIR Filter Substages**

The first two substages are half-band filters with decimation ratios of two. The third substage decimates by four, and the fourth substage decimates by two. The overall decimation of the FIR stage is 32. Note that two coefficient sets are used for the third and fourth sections, depending on the phase selection. Table 8 lists the data rates and overall decimation ratio of the FIR stage. See Table 9 for the FIR filter coefficients.

![](_page_24_Picture_805.jpeg)

![](_page_24_Picture_806.jpeg)

![](_page_24_Picture_807.jpeg)

![](_page_24_Picture_808.jpeg)

Copyright © 2014–2019, Texas Instruments Incorporated

# Texas<br>Instruments

# **Table 9. FIR Stage Coefficients (continued)**

![](_page_25_Picture_640.jpeg)

Copyright © 2014–2019, Texas Instruments Incorporated

![](_page_26_Picture_0.jpeg)

# **Table 9. FIR Stage Coefficients (continued)**

![](_page_26_Picture_513.jpeg)

**XAS** 

As shown in Figure 39, the FIR frequency response provides a flat pass band to 0.375 of the data rate (±0.003 dB pass-band ripple). Figure 40 shows the transition from pass band to stop band.

![](_page_27_Figure_3.jpeg)

Although not shown in Figure 40, the pass-band response repeats at multiples of the modulator frequency (Nf<sub>MOD</sub> – f<sub>0</sub> and Nf<sub>MOD</sub> + f<sub>0</sub>, where N = 1, 2, and so on, and f<sub>0</sub> = pass band). These image frequencies, if present in the signal and not externally filtered, fold back (or alias) into the pass band and cause errors. A low-pass signal filter reduces the effect of aliasing. Often, the RC low-pass filter provided by the PGA output resistors and the external capacitor connected to CAPP and CAPN provide sufficient signal attenuation.

#### **8.3.3.2.3 Group Delay and Step Response**

The FIR block is implemented as a multistage FIR structure with selectable linear or minimum phase response. The pass band, transition band, and stop band responses of the filters are nearly identical but differ in the respective phase responses.

#### *8.3.3.2.3.1 Linear Phase Response*

Linear phase filters exhibit constant delay time versus input frequency (that is, constant group delay). Linear phase filters have the property that the time delay is constant from any instant of the input signal to the same instant of the output data, and is independent of the signal nature. This filter behavior results in essentially zero phase error when analyzing multitone signals. However, the group delay and settling time of the linear phase filter are somewhat larger than the minimum phase filter, as shown in Figure 41.

![](_page_27_Figure_9.jpeg)

**Figure 41. FIR Step Response**

![](_page_28_Picture_0.jpeg)

#### *8.3.3.2.3.2 Minimum Phase Response*

The minimum phase filter provides a short delay from the arrival of an input signal to the output, but the relationship (phase) is not constant versus frequency, as shown in Figure 42. The filter phase is selected by the PHS bit, as Table 10 shows.

![](_page_28_Figure_5.jpeg)

**Figure 42. FIR Group Delay (** $f_{DATA}$  **= 500Hz)** 

![](_page_28_Picture_242.jpeg)

![](_page_28_Picture_243.jpeg)

#### **ADS1283** ZHCSK66C –JANUARY 2014–REVISED AUGUST 2019 **www.ti.com.cn**

#### **8.3.3.2.4 HPF Stage**

The last stage of the ADS1283 filter block is a first-order HPF implemented as an IIR structure. This filter stage blocks dc signals, and rolls off low-frequency components below the cutoff frequency. The transfer function for the filter is shown in Equation 11:

$$
HPF(Z) = \frac{2-a}{2} \times \frac{1-Z^{-1}}{1-bZ^{-1}}
$$

 $1 + (1 - a)^2$ 2

where

 $b =$ 

• *b* is calculated as shown in Equation 12 (11)

The high-pass corner frequency is programmed by registers HPF[1:0], in hexadecimal. Equation 13 is used to set the high-pass corner frequency. Table 11 lists example values for the high-pass filter.

$$
HPF[1:0] = 65,536 \left[ 1 - \sqrt{1 - 2 \frac{\cos \omega_N + \sin \omega_N - 1}{\cos \omega_N}} \right]
$$

where

30

- HPF = High-pass filter register value (converted to hexadecimal)
- $\omega_N = 2\pi f_{HP} / f_{DATA}$  (normalized frequency, radians)
- $f_{HP}$  = High-pass corner frequency (Hz)
- $f_{DATA} = Data\ rate\ (Hz)$  (13)

**Table 11. High-Pass Filter Value Examples**

![](_page_29_Picture_447.jpeg)

(12)

![](_page_30_Picture_0.jpeg)

The HPF causes a small gain error, in which case the magnitude of the error depends on the ratio of  $f_{HP}$  /  $f_{DATA}$ . For many common values of ( $f_{HP}$  /  $f_{DATA}$ ), the gain error is negligible. Figure 43 shows the gain error of the HPF.

![](_page_30_Figure_4.jpeg)

**Figure 43. HPF Gain Error**

The gain error factor is illustrated in Equation 14:

$$
HPF \text{ Gain} = \frac{1 + \sqrt{1 - 2\left(\frac{\cos \omega_N + \sin \omega_N - 1}{\cos \omega_N}\right)}}{2 - \left(\frac{\cos \omega_N + \sin \omega_N - 1}{\cos \omega_N}\right)}
$$
(14)

Figure 44 shows the first-order amplitude and phase response of the HPF. In the case of applying step inputs or synchronizing, make sure to take the settling time of the filter into account.

![](_page_30_Figure_9.jpeg)

**Figure 44. HPF Amplitude and Phase Response**

#### **8.3.4 Master Clock Input (CLK)**

The ADS1283 requires a clock for operation. The nominal clock frequency is 4.096 MHz. The clock is applied to the CLK pin. The ADC data rates scale with CLK frequency, however there is no benefit in noise by reducing the CLK frequency.

As with any high-speed data converter, a high-quality, low-jitter clock is essential for optimum performance. Crystal clock oscillators are the recommended clock source. Make sure to avoid excess ringing on the clock input; keep the clock trace as short as possible and use a 50-Ω series resistor close to the source.

![](_page_31_Picture_1.jpeg)

### **8.4 Device Functional Modes**

#### **8.4.1 Synchronization (SYNC PIN and SYNC Command)**

The ADS1283 can be synchronized to an external event, as well as to other ADS1283 devices if the synchronization is applied simultaneously.

The ADS1283 has two sources for synchronization: the SYNC input pin and the SYNC command. The ADS1283 also has two synchronizing modes: *pulse-sync* and *continuous-sync*. In pulse-sync mode, the ADS1283 synchronizes to a single synchronization. In continuous-sync mode, either a single synchronization is used to synchronize conversions, or a continuous clock is applied to the pin with a period equal to integer multiples of the data rate. When the periods of the SYNC input and the DRDY output do not match, the ADS1283 resynchronizes and conversions are restarted.

#### *8.4.1.1 Pulse-Sync Mode*

In pulse-sync mode, when a synchronization occurs (by pin or command), the ADS1283 unconditionally stops and restarts the conversion process. When the ADC synchronizes, the device resets the internal filter memory, DRDY goes high, and after the digital filter has settled, new conversion data are available as shown in Figure 45 and Table 12.

![](_page_31_Figure_9.jpeg)

**Figure 45. Pulse-Sync and Continuous-Sync Timing With Single Synchronization**

![](_page_31_Picture_719.jpeg)

![](_page_31_Picture_720.jpeg)

(1) CLK rising edge to SYNC rising edge timing must not occur within the specified time window.

(2) Continuous-sync mode; a free-running clock applied to the SYNC input without causing resynchronization. See Figure 46

![](_page_32_Picture_0.jpeg)

![](_page_32_Picture_1123.jpeg)

#### **Table 13.**  $t_{DR}$  **Time for Data Ready (Sinc Filter)**

(1) For SYNC and WAKEUP commands, number of  $f_{CLK}$  cycles from next rising CLK edge directly after eighth rising SCLK edge to  $\overline{DRDY}$  falling edge. For WAKEUP command only, subtract two  $f_{CLK}$  cycles.

#### Table 13 is referenced by Table 12 and Table 15.

Observe the timing restriction of SYNC rising edge to CLK rising edge as shown in Figure 45 and Table 12. Synchronization occurs on the next rising CLK edge after the rising edge of the SYNC, or after the eighth rising SCLK edge when synchronized by command. To synchronize multiple ADCs, broadcast the command to the ADCs simultaneously.

#### *8.4.1.2 Continuous-Sync Mode*

In continuous-sync mode, either a single synchronization pulse or a continuous clock may be applied. When a single synchronization pulse is applied (rising edge), the device resynchronizes as it does in pulse-sync mode. ADC resynchronization occurs only under the condition that the time from the previous rising edge of SYNC is not a multiple of the conversion period. When resynchronization occurs in continuous-sync mode, DRDY continues to toggle unaffected, and the DOUT output is held low until data are ready (63 DRDY periods later). At the 63rd reading, conversion data are valid (when the conversion data are non-zero), as shown in Figure 45.

When a continuous clock is applied to the SYNC pin, the period must be an integral multiple of the output data rate or the device resynchronizes. Note that synchronization results in the restarting of the digital filter and an interruption of 63 readings (as shown in Table 12).

If a SYNC clock is applied to the ADC, the device resynchronizes only under the condition t<sub>SYNC</sub>  $\neq$  N / f<sub>DATA</sub>, where  $N = 1, 2, 3$ , and so on. DRDY continues to output, but DOUT is held low until the new data are ready. If a SYNC clock is applied and the clock period matches an integral multiple of the output data rate, the device freely runs without resynchronization. Note that the phase of the applied clock and output data rate (DRDY) are not aligned because of the initial delay of DRDY after the SYNC clock is first applied. Figure 46 shows the timing for continuous-sync mode.

![](_page_32_Figure_12.jpeg)

**Figure 46. Continuous-Sync Timing With SYNC Clock**

Apply a SYNC clock input after the continuous-sync mode is set. The first rising edge of SYNC then causes a synchronization. Note that subsequent writes to any ADC register results in resynchronization at the time of the register write operation. The resynchronization leads to loss of the SYNC-pin controlled synchronization performed previously. Send the STANDBY command followed by the WAKEUP command to reestablish the SYNC-pin synchronization. Resynchronization to the SYNC pin occurs as long as the time between the STANDBY and WAKEUP commands is not a multiple integer of the conversion period by at least one clock cycle.

Copyright © 2014–2019, Texas Instruments Incorporated

### **8.4.2 Reset (RESET Pin and Reset Command)**

The ADS1283 can be reset in two ways: toggle the RESET pin low, or send a RESET command. When using the RESET pin, take it low and hold for at least 2 /  $f_{CLK}$  to force a reset. The ADS1283 is held in reset until the pin is released. By command, reset takes effect on the next rising edge of  $f_{CLK}$  after the eighth rising edge of SCLK of the command. In order to make certain that the RESET command can function, the SPI interface may need to be reset; see the *Serial Interface* section.

When the ADS1283 is reset, registers are set to default and the conversions are synchronized on the next rising edge of CLK. New conversion data are available, as shown in Figure 47 and Table 14.

![](_page_33_Figure_6.jpeg)

**Figure 47. Reset Timing**

![](_page_33_Picture_498.jpeg)

![](_page_33_Picture_499.jpeg)

![](_page_34_Picture_0.jpeg)

#### **8.4.3 Power-Down (PWDN Pin and STANDBY Command)**

There are two ways to power-down the ADS1283: take the PWDN pin low, or send a STANDBY command. When the PWDN pin is pulled low, the internal circuitry is disabled to minimize power and the contents of the register settings are reset.

When in a power-down state, the device outputs remain active and the device inputs must not float. When the STANDBY command is sent, the SPI port and the configuration registers are kept active. Figure 48 and Table 15 show the timing. Standby mode is cancelled when  $\overline{CS}$  is taken high.

![](_page_34_Figure_6.jpeg)

**Figure 48. PWDN Pin and Wake-Up Command Timing**  $(Table 15$  shows  $t_{DR}$ )

#### **Table 15. Power-On, PWDN Pin, and Wake-Up Command Timing for New Data**

![](_page_34_Picture_745.jpeg)

(1) Supply power-on and PWDN pin default is 1000 SPS FIR.

Subtract two CLK cycles for the WAKEUP command. The WAKEUP command is timed from the next rising edge of CLK to after the eighth rising edge of SCLK during command to DRDY falling.

#### **8.4.4 Power-On Sequence**

The ADS1283 has three power supplies: AVDD, AVSS, and DVDD. Figure 49 shows the power-on sequence of the ADS1283. The power supplies can be sequenced in any order. The supplies [the difference of (AVDD – AVSS) and DVDD] generate signals that are ANDed together for the internal reset. After the supplies have crossed the minimum thresholds, 2<sup>16</sup> f<sub>CLK</sub> cycles are counted before releasing the internal reset. After the internal reset is released, new conversion data are available, as shown in Figure 49 and Table 15.

![](_page_34_Figure_14.jpeg)

**Figure 49. Power-On Sequence**

#### **8.4.5 DVDD Power Supply**

The DVDD supply operates over the range of 1.65 V to 3.6 V. If operating DVDD at less than 2.25 V, connect the DVDD pin to the BYPAS pin. Otherwise, do not connect these pins together. Figure 50 shows this connection.

![](_page_35_Figure_5.jpeg)

**Figure 50. DVDD Power**

#### **8.4.6 Serial Interface**

A serial interface is used to read both the conversion data and to access the configuration registers. The interface is SPI-compatible and consists of four signals: CS, SCLK, DIN, and DOUT. A minimum of 16 ADCs converting at 4 kSPS can share a common serial bus when operating SCLK at 2 MHz.

### *8.4.6.1 Chip Select (CS)*

Chip select  $(\overline{CS})$  is an active-low input that enables the ADC serial interface for data transfer. When  $\overline{CS}$  is low, the serial interface is enabled for communication. When  $\overline{CS}$  is high, the serial interface is disabled. When the serial interface is disabled, the DOUT (output data pin) is high impedance (tristate or Hi-Z). When  $\overline{CS}$  is high, SCLK activity is ignored, and data transfers or commands in progress are reset. CS must remain low for the duration of the data transfer with the ADC. CS can be tied low, which permanently enables the ADC serial interface. When CS goes high, the ADC idles (STANDBY) and stop read data continuous (SDATAC) modes are cancelled. See the *SDATAC Requirements* section for more information about SDATAC mode.

#### *8.4.6.2 Serial Clock (SCLK)*

The serial clock (SCLK) is an input pin that is used to clock data into (DIN) and out of (DOUT) the ADC. SCLK is a Schmitt-trigger input that has a high degree of noise immunity. However, keep SCLK as clean as possible to prevent possible glitches from inadvertently shifting the data.

Data are shifted into DIN on the rising edge of SCLK and data are shifted out of DOUT on the falling edge of SCLK. Keep SCLK low when not active. SCLK is ignored when CS is high.

#### *8.4.6.3 Data Input (DIN)*

The data input pin (DIN) is used to input register data and commands to the ADS1283. Keep DIN low when reading conversion data in the read-data-continuous mode (except when issuing a SDATAC command). Data on DIN are shifted into the converter on the rising edge of SCLK.

#### *8.4.6.4 Data Output (DOUT)*

The data output pin (DOUT) is used to output data from the ADS1283. Data are shifted out on the falling edge of SCLK. When  $\overline{\text{CS}}$  is high, the DOUT pin is in tristate.

![](_page_36_Picture_0.jpeg)

#### *8.4.6.5 Serial Port Auto Timeout*

The serial interface is reset each time  $\overline{CS}$  is taken high. However, for applications that tie  $\overline{CS}$  low, the serial port cannot be reset by taking CS high; reset of the serial interface is no longer possible by using CS. The ADS1283 provides a feature that automatically recovers the interface when a transmission is stopped or interrupted, or if an inadvertent glitch appears on SCLK. To reset the serial interface, hold SCLK low for 64 DRDY cycles. The reset of the serial interface results in termination of data transfer or commands in progress. After serial port reset occurs, the next SCLK pulse starts a new communication cycle. To prevent automatic reset from occurring, pulse SCLK at least once for every 64 DRDY pulses.

### *8.4.6.6 Data Ready (DRDY)*

DRDY is an output that is driven low when new conversion data are ready, as shown in Figure 51. When reading data in continuous mode, the read operation must be completed before four CLK periods before the next falling DRDY goes low again, or the data are overwritten with new conversion data. When reading data in command mode, the read operation can overlap the occurrence of the next DRDY without data corruption.

![](_page_36_Figure_7.jpeg)

**Figure 51. DRDY With Data Retrieval**

DRDY resets high on the first falling edge of SCLK. Figure 51 and Figure 52 show the function of DRDY with and without data readback, respectively.

If data are not retrieved (no SCLK provided),  $\overline{DRDY}$  pulses high for four f<sub>CLK</sub> periods during the update time, as shown in Figure 52.

DRDY remains active when  $\overline{CS}$  is high.

![](_page_36_Figure_12.jpeg)

**Figure 52. DRDY With No Data Retrieval**

### **8.4.7 Data Format**

The ADS1283 output data is 32-bits in binary twos complement format, as shown in Table 16. The LSB of the data is a redundant sign bit: 0 for positive numbers and 1 for negative numbers. However, when the output is clipped to +FS, the LSB = 1, and when the output is clipped to  $-\overline{FS}$ , the LSB = 0. If desired, the data readback can be stopped at 24 bits. Note that in sinc-filter mode, the output data are scaled by  $\frac{1}{2}$ .

![](_page_37_Picture_524.jpeg)

### **Table 16. Ideal Output Code Versus Input Signal**

(1) Excludes effects of noise, linearity, offset, and gain errors.

(2) Due to the reduction in oversampling ratio (OSR) related to high data rates of the sinc filter, full resolution may not be available.

(3) In sinc-filter mode, the output does not clip at half-scale code when the full-scale range is exceeded.

![](_page_38_Picture_0.jpeg)

#### **8.4.8 Reading Data**

The ADS1283 provides two modes to read conversion data: read-data-continuous and read-data-by-command.

#### *8.4.8.1 Read-Data-Continuous Mode*

In the read-data-continuous mode, the conversion data are shifted out directly from the device without the need for sending a read command. This mode is the default mode at power-on. This mode is also enabled by the RDATAC command. When DRDY goes low, indicating that new data are available, the MSB of data appears on DOUT, as shown in Figure 53. The data are normally read on the rising edge of SCLK, at the occurrence of the first falling edge of SCLK, DRDY returns high. After 32 bits of data have been shifted out, further SCLK transitions cause DOUT to go low. If desired, the read operation may be stopped at 24 bits. The data shift operation must be completed within four CLK periods before DRDY falls again or the data may be corrupted.

When a SDATAC command is issued, the DRDY output is blocked but the ADS1283 continues conversions. In stop continuous mode, the data can only be read by command.

![](_page_38_Figure_7.jpeg)

(1) DOUT is in tristate when  $\overline{CS}$  is high.  $\overline{CS}$  can be tied low. See Figure 1 for  $\overline{CS}$  low to valid DOUT propagation time.

#### **Figure 53. Read Data Continuous**

#### **Table 17. Timing Data for Figure 53**

![](_page_38_Picture_976.jpeg)

(1) DOUT is in tristate when  $\overline{CS}$  is high. Load on DOUT = 20 pF || 100 k $\Omega$ .

#### *8.4.8.2 Read-Data-By-Command Mode*

Read-data-continuous mode is stopped by the SDATAC command and put into read-data-by-command mode. In read-data-by-command mode, an RDATA command must be sent to the device for each data conversion (as shown in Figure 54). When the read data command is received (on the eighth SCLK rising edge), data are available to read only when  $\overline{DRDY}$  goes low  $(t_{DR})$ . When  $\overline{DRDY}$  goes low, conversion data appear on DOUT. The data may be read on the rising edge of SCLK.

![](_page_38_Figure_15.jpeg)

(1) DOUT is in tristate when  $\overline{CS}$  is high. $\overline{CS}$  can be tied low. See Figure 1 for  $\overline{CS}$  low to SCLK rising edge time.

#### **Figure** 54. Read Data By Command, RDATA (t<sub>oppp</sub> timing is given in Table 17)

#### **Table 18. Read Data Timing for Figure 54**

![](_page_38_Picture_977.jpeg)

**ADS1283** ZHCSK66C –JANUARY 2014–REVISED AUGUST 2019 **www.ti.com.cn**

![](_page_39_Picture_1.jpeg)

#### **8.4.9 One-Shot Operation**

The ADS1283 can perform very power-efficient, one-shot conversions using the STANDBY command while under software control. Figure 55 shows this sequence. First, issue the STANDBY command to set the standby mode.

When ready to make a measurement, issue the WAKEUP command. When  $\overline{DRDY}$  goes low, the fully-settled conversion data are ready and can be read directly in read-data-continuous mode. Afterwards, issue another STANDBY command. When ready for the next measurement, repeat the cycle starting with another WAKEUP command.

![](_page_39_Figure_6.jpeg)

See Figure 48 and Table 15 for time to new data.

#### **Figure 55. One-Shot Conversions Using the STANDBY Command**

#### **8.4.10 Offset and Full-Scale Calibration Registers**

The conversion data can be scaled for offset and gain before yielding the final output code. As shown in Figure 56, the output of the digital filter is first subtracted by the offset register (OFC) and then multiplied by the full-scale register (FSC). Equation 15 shows the scaling:

$$
Final Output Data = (Input - OFC[2:0]) \times \frac{FSC[2:0]}{400000h}
$$
 (15)

The values of the offset and full-scale registers are set by writing to them directly, or they are set automatically by the calibration commands.

The offset and full-scale calibrations apply to specific PGA settings. When the PGA is changed, these registers generally require recalculation. Calibration is bypassed in the sinc filter mode.

![](_page_39_Figure_14.jpeg)

**Figure 56. Calibration Block Diagram**

![](_page_40_Picture_0.jpeg)

#### *8.4.10.1 OFC[2:0] Registers*

The 24-bit offset calibration word is composed of three 8-bit registers, as shown in Table 19. The offset register is left-justified to align with the 32 bits of conversion data. The offset is in twos complement format with a maximum positive value of 7FFFFFh and a maximum negative value of 800000h. This value is subtracted from the conversion data. A register value of 00000h has no offset correction (default value).

![](_page_40_Picture_763.jpeg)

![](_page_40_Picture_764.jpeg)

Although the offset calibration register value can correct offsets ranging from –FS to +FS (as shown in Table 20), in order to avoid input overload, do not exceed the maximum input voltage range of 106% FSR (including calibration).

![](_page_40_Picture_765.jpeg)

#### **Table 20. Offset Calibration Values**

(1) Full 32-bit final output code with zero code input.

#### *8.4.10.2 FSC[2:0] Registers*

The full-scale calibration is a 24-bit word, composed of three 8-bit registers, as shown in Table 21. The full-scale calibration value is 24-bit, straight offset binary, normalized to 1.0 at code 400000h.

![](_page_40_Picture_766.jpeg)

![](_page_40_Picture_767.jpeg)

Table 22 summarizes the scaling of the full-scale register. A register value of 400000h (default value) has no gain correction (gain = 1). Although the full-scale calibration register value corrects gain errors above one (gain correction  $\lt$  1), the full-scale range of the analog inputs must not exceed 106% FSR (including calibration) in order to avoid input overload.

![](_page_40_Picture_768.jpeg)

![](_page_40_Picture_769.jpeg)

![](_page_41_Picture_1.jpeg)

#### **8.4.11 Calibration Commands (OFSCAL and GANCAL)**

Use the calibration commands (OFSCAL or GANCAL) to calibrate the conversion data. The values of the offset and gain calibration registers are internally written to perform calibration. The appropriate input signals must be applied to the ADS1283 inputs before sending the commands. Use slower data rates to achieve more consistent calibration results; this effect is a byproduct of the lower noise that these data rates provide. Also, if calibrating at power-on, be sure the reference voltage is fully settled.

Figure 57 shows the calibration command sequence. After the analog input voltage (and reference) have stabilized, send the SDATAC command, followed by the SYNC and RDATAC commands. DRDY goes low after 64 data periods. After DRDY goes low, send the SDATAC command, then the calibrate command (OFSCAL or GANCAL), followed by the RDATAC command. After 16 data periods, calibration is complete and conversion data can be read at this time. The SYNC input must remain high during the calibration sequence.

![](_page_41_Figure_6.jpeg)

**Figure 57. Offset and Gain Calibration Timing**

The calibration commands apply to specific PGA settings. If the PGA is changed, recalibration is necessary. Calibration is bypassed in the sinc filter mode.

#### *8.4.11.1 OFSCAL Command*

The OFSCAL command performs an offset calibration. Before sending the OFSCAL command sequence (Figure 57), a *zero* input signal must be applied to the ADS1283 and the inputs allowed to stabilize. When the command sequence (Figure 57) is sent, the ADS1283 averages 16 readings, and then writes this value to the OFC register. The contents of the OFC register can be subsequently read or written. During offset calibration, the full-scale correction is bypassed. Use the OFSCAL command to calibrate the optional 100-mV offset.

#### *8.4.11.2 GANCAL Command*

The GANCAL command performs a gain calibration. Before sending the GANCAL command sequence (Figure 57), a dc input must be applied (typically full-scale input, but not to exceed 106% full-scale). After the signal has stabilized, the command sequence can be sent. The ADS1283 averages 16 readings, then computes a gain value that scales the applied calibration voltage to full-scale. The gain value is written to the FSC register, where the contents are subsequently read or written.

![](_page_42_Picture_0.jpeg)

#### **8.4.12 User Calibration**

System calibration of the ADS1283 can be performed without using the calibration commands. This procedure requires the calibration values to be externally calculated and then written to the calibration registers. The steps for this procedure are:

- 1. Set the OFSCAL[2:0] register = 0h, and GANCAL[2:0] = 400000h. These values set the offset and gain registers to 0 and 1, respectively.
- 2. Apply a zero differential input to the input of the system. Wait for the system to settle and then average the output readings. Higher numbers of averaged readings result in more consistent calibration. Write the averaged value to the OFC register.
- 3. Apply a differential dc signal, or an ac signal (typically full-scale, but do not exceed 106% FSR). Wait for the system to settle and then average the output readings.

The value written to the FSC registers is calculated by Equation 16 or Equation 17.

DC-signal calibration is shown in Equation 16. The expected output code is based on 31-bit output data.

$$
FSC[2:0] = 400000h \times \left[\frac{\text{Expected Output Code}}{\text{Actual Output Code}}\right]
$$

(16)

For ac-signal calibration, use an RMS value of collected data, as shown in Equation 17:

$$
FSC[2:0] = 400000h \times \frac{\text{Expected RMS Value}}{\text{Actual RMS Value}}
$$
\n(17)

![](_page_43_Picture_1.jpeg)

### **8.5 Programming**

#### **8.5.1 Commands**

The commands listed in Table 23 control the operation of the ADS1283. Most commands are stand-alone (that is, one byte in length); the register read and write commands are two bytes long in addition to the actual register data bytes.

![](_page_43_Picture_950.jpeg)

#### **Table 23. Command Descriptions**

 $(1)$   $X =$  don't care.

(2) *rrrrr* = starting address for register read and write commands.

(3) *nnnnn* = number of registers to be read from or written to – 1. For example, to read from or write to three registers, set *nnnnn* = 2 (00010).

(4) Required to cancel read-data-continuous mode before sending a command.

 $\overline{CS}$  must remain low for duration of the command-byte sequence. A delay of 24  $f_{CLK}$  cycles between commands and between bytes within a command is required, starting from the last SCLK rising edge of one command to the first SCLK rising edge of the following command. The required delay is shown in Figure 58.

![](_page_43_Figure_13.jpeg)

(1)  $t_{SCLKDLY} = 24 / f_{CLK}$  (min).

![](_page_43_Figure_15.jpeg)

#### *8.5.1.1 SDATAC Requirements*

In read-data-continuous mode, the ADS1283 places conversion data on the DOUT pin as SCLK is applied. As a result of the potential conflict between conversion data and register data placed on DOUT resulting from a RREG or RDATA operation, it is necessary to send a stop-read-data-continuous (SDATAC) command before a RREG or RDATA command. The SDATAC command disables the direct output of conversion data on the DOUT pin.  $\overline{CS}$  = 1 cancels SDATAC mode; therefore, keep  $\overline{CS}$  held low after sending the SDATAC command to the next RREG or RDATA command.

![](_page_44_Picture_0.jpeg)

#### *8.5.1.2 WAKEUP: Wake-Up From Standby Mode*

The WAKEUP command is used to exit the standby mode. After sending this command, the time for the first data to be ready is illustrated in Figure 48 and Table 16. Sending this command during normal operation has no effect; for example, reading data by the read-data-continuous mode with DIN held low.

#### *8.5.1.3 STANDBY: Standby Mode*

The STANDBY command places the ADS1283 into standby mode. In standby, the device enters a reduced power state where a low quiescent current remains to keep the register settings and serial interface active. The ADC remains in standby mode until CS is taken high or the WAKEUP command is sent. For complete device shutdown, take the PWDN pin low (register settings are not saved). The operation of standby mode is shown in Figure 59.

![](_page_44_Figure_7.jpeg)

**Figure 59. STANDBY Command Sequence**

#### *8.5.1.4 SYNC: Synchronize the Analog-to-Digital Conversion*

The SYNC command synchronizes the analog-to-digital conversion. Upon receiving the command, the reading in progress is cancelled and the conversion process is restarted. In order to synchronize multiple ADS1283s, the command must be sent simultaneously to all devices. The SYNC pin must be held high during this command.

#### *8.5.1.5 RESET: Reset the Device*

The RESET command resets the registers to default values, enables read-data-continuous mode, and restarts the conversion process. The RESET command is functionally equivalent to taking the RESET pin low. See Figure 47 for the RESET command timing.

#### *8.5.1.6 RDATAC: Read Data Continuous*

The RDATAC command enables read-data-continuous mode (default mode). In this mode, conversion data is read from the device directly without the need to supply a data read command. Each time DRDY falls low, new data are available to read. See the *Read-Data-Continuous Mode* section for more details.

#### *8.5.1.7 SDATAC: Stop Read Data Continuous*

The SDATAC command stops read-data-continuous mode. Exit read-data-continuous mode before sending register and data read commands. The SDATAC command suppresses the DRDY output, but the ADS1283 continues conversions. Take CS high to cancel SDATAC mode.

![](_page_45_Picture_1.jpeg)

#### *8.5.1.8 RDATA: Read Data by Command*

The RDATA command reads the conversion data. See the *Read-Data-By-Command Mode* section for more details.

#### *8.5.1.9 RREG: Read Register Data*

The RREG command is used to read single- or multiple-register data. The command consists of a two-byte opcode argument, followed by the output of register data. The first byte of the opcode includes the starting address, and the second byte specifies the number of registers to read minus one.

First command byte: 001r *rrrr*, where *rrrrr* is the starting address of the first register.

Second command byte: 000n *nnnn*, where *nnnnn* is the number of registers to read minus one.

Starting with the 16th falling edge of SCLK, the register data appear on DOUT. Read the data on the 17th SCLK rising edge.

The RREG command is illustrated in Figure 60.

A delay of 24  $f_{CLK}$  cycles is required between each byte transaction.

![](_page_45_Figure_12.jpeg)

(1) DOUT is in tristate when  $\overline{CS}$  is high.  $\overline{CS}$  can be tied low. See Figure 1 for  $\overline{CS}$  low to SCLK rising edge time.

#### **Figure** 60. Read Register Data (Table 24 shows  $t_{\text{DLY}}$ )

![](_page_45_Picture_532.jpeg)

### **Table 24. t**<sub>ppy</sub> Value

![](_page_46_Picture_0.jpeg)

#### *8.5.1.10 WREG: Write to Register*

The WREG command writes single- or multiple-register data. The command consists of a two-byte op-code argument followed by the input of register data. The first byte of the op-code contains the starting address and the second byte specifies the number of registers to write minus one.

First command byte: 010r *rrrr*, where *rrrrr* is the starting address of the first register.

Second command byte: 000n *nnnn*, where *nnnnn* is the number of registers to write minus one.

Data byte(s): one or more register data bytes, depending on the number of registers specified.

Figure 61 illustrates the WREG command.

A delay of 24  $f_{CLK}$  cycles is required between each byte transaction.

![](_page_46_Figure_10.jpeg)

(1)  $\overline{CS}$  can be tied low. See Figure 1 for  $\overline{CS}$  low to SCLK rising edge time.

#### **Figure** 61. Write Register Data (Table 24 shows  $t_{\text{DLY}}$ )

#### *8.5.1.11 OFSCAL: Offset Calibration*

The OFSCAL command performs an offset calibration. The inputs to the converter (or the inputs to the external preamplifier) should be zeroed and allowed to stabilize before sending this command. The offset calibration register updates after this operation. See the *Calibration Commands* section for more details.

#### *8.5.1.12 GANCAL: Gain Calibration*

The GANCAL command performs a gain calibration. The inputs to the converter should have a stable dc input (typically full-scale, but not to exceed 106% full-scale). The gain calibration register updates after this operation. See the *Calibration Commands* section for more details.

**ADS1283** ZHCSK66C –JANUARY 2014–REVISED AUGUST 2019 **www.ti.com.cn**

![](_page_47_Picture_1.jpeg)

### **8.6 Register Maps**

Collectively, the registers contain all the information needed to configure the device, such as data rate, filter selection, calibration, and more. The registers are accessed by the RREG and WREG commands. The registers can be accessed individually or as a block of registers by sending or receiving consecutive bytes. After a register write operation, the ADC resets, resulting in an interruption of 63 readings.

![](_page_47_Picture_717.jpeg)

#### **Table 25. Register Map**

#### **8.6.1 Register Descriptions**

#### *8.6.1.1 ID\_CFG: ID\_Configuration Register (address = 00h) [reset =x0h]*

### **Figure 62. ID\_CFG Register**

![](_page_47_Picture_718.jpeg)

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

#### **Bit[7:4] ID[3:0]**

Factory-programmed identification bits (read-only). The ID bits are subject to change without notification.

#### **Bit[3:2] Reserved**

Always write 00

#### **Bit[1:0] OFFSET[1:0] (see** *Offset* **section)**

00: Disables offset (default)

- 01: Reserved
- 10: Offset = 100/PGA mV (all ADS1283 versions)
- 11: Offset = 75/PGA mV (ADS1283B only)

![](_page_48_Picture_0.jpeg)

# *8.6.1.2 CONFIG0: Configuration Register 0 (address = 01h) [reset = 52h]*

![](_page_48_Picture_335.jpeg)

![](_page_48_Picture_336.jpeg)

**STRUMENTS** 

XAS

## *8.6.1.3 CONFIG1: Configuration Register 1 (address = 02h) [reset = 08h]*

![](_page_49_Picture_699.jpeg)

**Figure 64. CONFIG1 Register**

#### *8.6.1.4 HPF0 and HPF1 Registers*

These two bytes (high-byte and low-byte, respectively) set the corner frequency of the high-pass filter.

#### **8.6.1.4.1 HPF0: High-Pass Filter Corner Frequency, Low Byte (address = 03h) [reset = 32h]**

#### **Figure 65. HPF0 Register**

![](_page_49_Picture_700.jpeg)

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

#### **8.6.1.4.2 HPF1: High-Pass Filter Corner Frequency, High Byte (address = 04h) [reset = 03h]**

#### **Figure 66. HPF1 Register**

![](_page_49_Picture_701.jpeg)

LEGEND:  $R/W = Read/Write$ ;  $R = Read$  only; -n = value after reset

![](_page_50_Picture_0.jpeg)

### *8.6.1.5 OFC0, OFC1, OFC2 Registers*

These three bytes set the offset calibration value.

#### **8.6.1.5.1 OFC0: Offset Calibration, Low Byte (address = 05h) [reset = 00h]**

#### **Figure 67. OFC0 Register**

![](_page_50_Picture_808.jpeg)

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

#### **8.6.1.5.2 OFC1: Offset Calibration, Mid Byte (address = 06h) [reset = 00h]**

#### **Figure 68. OFC1 Register**

![](_page_50_Picture_809.jpeg)

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

#### **8.6.1.5.3 OFC2: Offset Calibration, High Byte (address = 07h) [reset = 00h]**

#### **Figure 69. OFC2 Register**

![](_page_50_Picture_810.jpeg)

LEGEND:  $R/W = Read/Write$ ;  $R = Read$  only; -n = value after reset

#### *8.6.1.6 FSC0, FSC1, FSC2 Registers*

These three bytes set the full-scale calibration value.

#### **8.6.1.6.1 FSC0: Full-Scale Calibration, Low Byte (address = 08h) [reset = 00h]**

#### **Figure 70. FSC0 Register**

![](_page_50_Picture_811.jpeg)

LEGEND:  $R/W = Read/Write$ ;  $R = Read$  only; -n = value after reset

#### **8.6.1.6.2 FSC1: Full-Scale Calibration, Mid Byte (address = 09h) [reset = 00h]**

#### **Figure 71. FSC1 Register**

![](_page_50_Picture_812.jpeg)

LEGEND: R/W = Read/Write; R = Read only; -n = value after reset

#### **8.6.1.6.3 FSC2: Full-Scale Calibration, High Byte (address = 0Ah) [reset = 40h]**

#### **Figure 72. FSC2 Register**

![](_page_50_Picture_813.jpeg)

LEGEND:  $R/W = Read/Write$ ;  $R = Read$  only; -n = value after reset

**FXAS NSTRUMENTS** 

## **9 Application and Implementation**

#### **NOTE**

Information in the following applications sections is not part of the TI component specification, and TI does not warrant its accuracy or completeness. TI's customers are responsible for determining suitability of components for their purposes. Customers should validate and test their design implementation to confirm system functionality.

#### **9.1 Application Information**

The ADS1283 is a very high-resolution ADC. Optimal performance requires giving special attention to the support circuitry and printed circuit board (PCB) design. Locate noisy digital components (such as microcontrollers, oscillators, and so on) in an area of the PCB away from the converter and front-end components. Keep the digital current path short and separate from sensitive analog components by placing the digital components close to the power-entry point.

### **9.2 Typical Applications**

### **9.2.1 Geophone Interface**

A typical geophone front-end application is shown in Figure 73. The application diagram shows the ADS1283 operation with dual ±2.5-V analog supplies. The ADS1283 can also operate with a single 5-V analog supply.

![](_page_51_Figure_11.jpeg)

(1) Optional external diode clamps.

(2) Optional reference noise filter.

![](_page_51_Figure_14.jpeg)

![](_page_52_Picture_0.jpeg)

### **Typical Applications (continued)**

The geophone input signal is filtered by both a differential filter (components  $C_4$  and  $R_1$  to  $R_4$ ) and by commonmode filters (components  $\textsf{C}_2$ ,  $\textsf{C}_3$  and  $\textsf{R}_1$ ,  $\textsf{R}_2$ ). The differential filter removes high-frequency normal-mode components from the input signal. The common-mode filters remove high-frequency components that are common to both input leads. The input filters are not required for all applications; check the system requirements for each application.

Resistors R<sub>5</sub> and R<sub>6</sub> bias the signal input to the midsupply point (ground). For single-supply operation, set the bias to a low impedance midsupply point (AVDD  $/ 2 = 2.5 V$ ).

Optional diode clamps protect the ADS1283 inputs from high-level voltage transients and overloads. The diodes provide additional protection if possible high-level input transients and surges exceed the ADC internal ESD diode rating.

The REF5050 5-V reference provides the reference to the ADC. An optional filter network (R<sub>7</sub> and C<sub>5</sub>) reduces the in-band reference noise for improved dynamic performance. However, the RC filter network increases the filter settling-time (from seconds to possibly minutes) depending on the dielectric absorption properties of capacitor C<sub>5</sub>. Capacitor C<sub>7</sub> is mandatory and provides high-frequency bypassing of the reference inputs; place C<sub>7</sub> as close as possible to the ADS1283 pins. Resistor R<sub>7</sub> (1 kΩ) results in a 1% systematic gain error. Multiple ADCs can share a single reference, but if shared, use independent reference filters for each ADC.

As an alternative, the REF5045 (4.5 V) reference can be used. The REF5045 reference has the advantage of operating directly from the 5-V (total) power supply; however, the 4.5-V reference reduces signal range by 10% and results in a 1-dB loss of SNR.

Capacitor  $C_6$  (10 nF) filters the PGA output glitches caused by sampling of the modulator. This capacitor also forms an antialias filter with a low-pass cutoff frequency of 26 kHz.

![](_page_53_Picture_1.jpeg)

### **Typical Applications (continued)**

#### **9.2.2 Digital Interface**

Figure 74 shows the digital connection to a controller (field programmable gate array or microcontroller). In this example, two ADCs are shown connected to one controller. The ADCs share the same serial interface (SCLK, DIN, and DOUT). The ADC is selected for communication by strobing each CS low. The DRDY output from both ADCs can be used; however, when the devices are synchronized, the DRDY output from only one device is sufficient.

![](_page_53_Figure_6.jpeg)

(1) For DVDD < 2.25 V, tie DVDD and BYPASS together. see the *DVDD Power Supply* section.

#### **Figure 74. Controller Interface with Dual ADCs**

The modulator overrange flag (MFLAG) from each device ties to the controller input. For synchronization, connect all ADCs to the same SYNC signal. For reset, either connect all ADCs to the same RESET signal or connect the ADCs to individual RESET signals.

Avoid ringing on the digital inputs to the ADCs. Place 47-Ω resistors in series with the digital traces to help reduce ringing by controlling impedances. Place the resistors at the source (driver) end of the trace. Do not float unused digital inputs; tie them to DVDD or GND.

![](_page_54_Picture_0.jpeg)

**www.ti.com.cn** ZHCSK66C –JANUARY 2014–REVISED AUGUST 2019

### **9.3 Initialization Set Up**

After reset or power-on, configure the registers using the following procedure:

- 1. **Reset the serial interface.** Before using the serial interface, it may be necessary to recover the serial interface (undefined I/O power-up sequencing may cause a false SCLK to occur). To reset the interface, toggle the CS pin high then <u>low, o</u>r toggle the RESET pin high then low, or when in read-data-continuous mode, hold SCLK low for 64 DRDY periods.
- 2. **Configure the registers.** The registers are configured by either writing to them individually or as a group, and can be configured in either mode. To cancel read-data-continuous mode, send the SDATAC command before register read and write operations .
- 3. **Verify register data.** For verification of device communications, read back the register.
- 4. **Set the data mode.** After register configuration, configure the device for read-data-continuous mode by executing the RDATAC command, or configure for read-data-by-command mode (set in step 2, by the SDATAC command).
- 5. **Synchronize readings.** Whenever SYNC is high, the ADS1283 freely runs the data conversions. To resynchronize the conversions in pulse-sync mode, take SYNC low and then high. In continuous-sync mode, apply the synchronizing clock to the SYNC pin with a clock period equal to multiples of the ADC conversion period.
- 6. **Read data.** If read-data-continuous mode is active, the data are read directly after DRDY falls by applying SCLK pulses. If the read-data-continuous mode is inactive, the data can only be read by executing the RDATA command. The RDATA command must be sent in this mode to read each conversion result.

**ADS1283**

# **10** 器件和文档支持

## **10.1** 接收文档更新通知

要接收文档更新通知,请导航至 Tl.com.cn 上的器件产品文件夹。单击右上角的通知我 进行注册,即可每周接收产 品信息更改摘要。有关更改的详细信息,请查看任何已修订文档中包含的修订历史记录。

## **10.2** 社区资源

The following links connect to TI community resources. Linked contents are provided "AS IS" by the respective contributors. They do not constitute TI specifications and do not necessarily reflect TI's views; see TI's Terms of Use.

**TI E2E™ Online Community** *TI's Engineer-to-Engineer (E2E) Community.* Created to foster collaboration among engineers. At e2e.ti.com, you can ask questions, share knowledge, explore ideas and help solve problems with fellow engineers.

**Design Support** *TI's Design Support* Quickly find helpful E2E forums along with design support tools and contact information for technical support.

### **10.3** 商标

E2E is a trademark of Texas Instruments. SPI is a trademark of Motorola Inc. All other trademarks are the property of their respective owners.

#### **10.4** 静电放电警告

![](_page_55_Picture_13.jpeg)

ESD 可能会损坏该集成电路。德州仪器 (TI) 建议通过适当的预防措施处理所有集成电路。如果不遵守正确的处理措施和安装程序 , 可 能会损坏集成电路。

![](_page_55_Picture_15.jpeg)

### **10.5 Glossary**

### SLYZ022 — *TI Glossary*.

This glossary lists and explains terms, acronyms, and definitions.

![](_page_56_Picture_0.jpeg)

# **11** 机械、封装和可订购信息

以下页面包含机械、封装和可订购信息。这些信息是指定器件的最新可用数据。数据如有变更,恕不另行通知,且 不会对此文档进行修订。如需获取此数据表的浏览器版本,请查阅左侧的导航栏。

**INSTRUMENTS** 

# **MECHANICAL DATA**

Texas

![](_page_57_Figure_3.jpeg)

- B. This drawing is subject to change without notice.
- C. QFN (Quad Flatpack No-Lead) Package configuration.
- D. The package thermal pad must be soldered to the board for thermal and mechanical performance.
- See the additional figure in the Product Data Sheet for details regarding the exposed thermal pad features and dimensions. Е.
- F. Falls within JEDEC MO-220.

![](_page_58_Picture_0.jpeg)

# THERMAL PAD MECHANICAL DATA

![](_page_58_Figure_4.jpeg)

NOTE: All linear dimensions are in millimeters

EXAS **ISTRUMENTS** 

# **LAND PATTERN DATA**

![](_page_59_Figure_4.jpeg)

NOTES: A. All linear dimensions are in millimeters.

- B. This drawing is subject to change without notice.
- C. Publication IPC-7351 is recommended for alternate designs.

D. This package is designed to be soldered to a thermal pad on the board. Refer to Application Note, Quad Flat-Pack Packages, Texas Instruments Literature No. SLUA271, and also the Product Data Sheets for specific thermal information, via requirements, and recommended board layout. These documents are available at www.ti.com <http://www.ti.com>.

- E. Laser cutting apertures with trapezoidal walls and also rounding corners will offer better paste release. Customers should contact their board assembly site for stencil design recommendations. Refer to IPC 7525 for stencil design considerations.
- F. Customers should contact their board fabrication site for recommended solder mask tolerances and via tenting recommendations for vias placed in thermal pad.

![](_page_60_Picture_0.jpeg)

# **PACKAGING INFORMATION**

![](_page_60_Picture_306.jpeg)

**(1)** The marketing status values are defined as follows:

**ACTIVE:** Product device recommended for new designs.

**LIFEBUY:** TI has announced that the device will be discontinued, and a lifetime-buy period is in effect.

**NRND:** Not recommended for new designs. Device is in production to support existing customers, but TI does not recommend using this part in a new design.

**PREVIEW:** Device has been announced but is not in production. Samples may or may not be available.

**OBSOLETE:** TI has discontinued the production of the device.

<sup>(2)</sup> RoHS: TI defines "RoHS" to mean semiconductor products that are compliant with the current EU RoHS requirements for all 10 RoHS substances, including the requirement that RoHS substance do not exceed 0.1% by weight in homogeneous materials. Where designed to be soldered at high temperatures, "RoHS" products are suitable for use in specified lead-free processes. TI may reference these types of products as "Pb-Free".

**RoHS Exempt:** TI defines "RoHS Exempt" to mean products that contain lead but are compliant with EU RoHS pursuant to a specific EU RoHS exemption.

Green: TI defines "Green" to mean the content of Chlorine (CI) and Bromine (Br) based flame retardants meet JS709B low halogen requirements of <=1000ppm threshold. Antimony trioxide based flame retardants must also meet the <=1000ppm threshold requirement.

**(3)** MSL, Peak Temp. - The Moisture Sensitivity Level rating according to the JEDEC industry standard classifications, and peak solder temperature.

**(4)** There may be additional marking, which relates to the logo, the lot trace code information, or the environmental category on the device.

**(5)** Multiple Device Markings will be inside parentheses. Only one Device Marking contained in parentheses and separated by a "~" will appear on a device. If a line is indented then it is a continuation of the previous line and the two combined represent the entire Device Marking for that device.

![](_page_61_Picture_0.jpeg)

# **PACKAGE OPTION ADDENDUM**

www.ti.com 10-Dec-2020

<sup>(6)</sup> Lead finish/Ball material - Orderable Devices may have multiple material finish options. Finish options are separated by a vertical ruled line. Lead finish/Ball material values may wrap to two lines if the finish value exceeds the maximum column width.

**Important Information and Disclaimer:**The information provided on this page represents TI's knowledge and belief as of the date that it is provided. TI bases its knowledge and belief on information provided by third parties, and makes no representation or warranty as to the accuracy of such information. Efforts are underway to better integrate information from third parties. TI has taken and continues to take reasonable steps to provide representative and accurate information but may not have conducted destructive testing or chemical analysis on incoming materials and chemicals. TI and TI suppliers consider certain information to be proprietary, and thus CAS numbers and other limited information may not be available for release.

In no event shall TI's liability arising out of such information exceed the total purchase price of the TI part(s) at issue in this document sold by TI to Customer on an annual basis.

# **PACKAGE MATERIALS INFORMATION**

Texas<br>Instruments

# **TAPE AND REEL INFORMATION**

![](_page_62_Figure_4.jpeg)

![](_page_62_Figure_5.jpeg)

# **QUADRANT ASSIGNMENTS FOR PIN 1 ORIENTATION IN TAPE**

![](_page_62_Figure_7.jpeg)

![](_page_62_Picture_306.jpeg)

**TEXAS**<br>SINSTRUMENTS

# **PACKAGE MATERIALS INFORMATION**

www.ti.com 26-Aug-2020

![](_page_63_Figure_4.jpeg)

\*All dimensions are nominal

![](_page_63_Picture_145.jpeg)

![](_page_64_Picture_1.jpeg)

# **PACKAGE OUTLINE**

# **RHF0024A VQFN - 1 mm max height**

PLASTIC QUAD FLATPACK - NO LEAD

![](_page_64_Figure_5.jpeg)

#### NOTES:

- 1. All linear dimensions are in millimeters. Any dimensions in parenthesis are for reference only. Dimensioning and tolerancing per ASME Y14.5M.
- 2. This drawing is subject to change without notice.
- 3. The package thermal pad must be soldered to the printed circuit board for thermal and mechanical performance.

![](_page_64_Picture_10.jpeg)

# **EXAMPLE BOARD LAYOUT**

# **RHF0024A VQFN - 1 mm max height**

PLASTIC QUAD FLATPACK - NO LEAD

![](_page_65_Figure_4.jpeg)

4. This package is designed to be soldered to a thermal pad on the board. For more information, see Texas Instruments literature

number SLUA271 (www.ti.com/lit/slua271).

5. Vias are optional depending on application, refer to device data sheet. If any vias are implemented, refer to their locations shown on this view. It is recommended that vias under paste be filled, plugged or tented.

![](_page_65_Picture_8.jpeg)

# **EXAMPLE STENCIL DESIGN**

# **RHF0024A VQFN - 1 mm max height**

PLASTIC QUAD FLATPACK - NO LEAD

![](_page_66_Figure_4.jpeg)

NOTES: (continued)

6. Laser cutting apertures with trapezoidal walls and rounded corners may offer better paste release. IPC-7525 may have alternate design recommendations.

![](_page_66_Picture_7.jpeg)

### 重要声明和免责声明

TI 提供技术和可靠性数据(包括数据表)、设计资源(包括参考设计)、应用或其他设计建议、网络工具、安全信息和其他资源,不保证没 有瑕疵且不做出任何明示或暗示的担保,包括但不限于对适销性、某特定用途方面的适用性或不侵犯任何第三方知识产权的暗示担保。

这些资源可供使用 TI 产品进行设计的熟练开发人员使用。您将自行承担以下全部责任:(1) 针对您的应用选择合适的 TI 产品,(2) 设计、验 证并测试您的应用,(3) 确保您的应用满足相应标准以及任何其他安全、安保或其他要求。这些资源如有变更,恕不另行通知。TI 授权您仅可 将这些资源用于研发本资源所述的 TI 产品的应用。严禁对这些资源进行其他复制或展示。您无权使用任何其他 TI 知识产权或任何第三方知 识产权。您应全额赔偿因在这些资源的使用中对 TI 及其代表造成的任何索赔、损害、成本、损失和债务,TI 对此概不负责。

TI 提供的产品受 TI 的销售条款 (https:www.ti.com.cn/zh-cn/legal/termsofsale.html) 或 ti.com.cn 上其他适用条款/TI 产品随附的其他适用条款 的约束。TI 提供这些资源并不会扩展或以其他方式更改 TI 针对 TI 产品发布的适用的担保或担保免责声明。

> 邮寄地址:上海市浦东新区世纪大道 1568 号中建大厦 32 楼,邮政编码:200122 Copyright © 2021 德州仪器半导体技术(上海)有限公司

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for* [Analog to Digital Converters - ADC](https://www.xonelec.com/category/semiconductors/integrated-circuits-ics/data-converter-ics/analog-to-digital-converters-adc) *category:*

*Click to view products by* [Texas Instruments](https://www.xonelec.com/manufacturer/texasinstruments) *manufacturer:* 

Other Similar products are found below :

[MCP37211-200I/TE](https://www.xonelec.com/mpn/microchip/mcp37211200ite) [AD9235BCPZRL7-40](https://www.xonelec.com/mpn/analogdevices/ad9235bcpzrl740) [HT7316ARQZ](https://www.xonelec.com/mpn/htcsemi/ht7316arqz) [ADS1100A3IDBVR](https://www.xonelec.com/mpn/texasinstruments/ads1100a3idbvr) [HI1175JCB](https://www.xonelec.com/mpn/renesas/hi1175jcb) [HI3-574AJN-5](https://www.xonelec.com/mpn/renesas/hi3574ajn5) [HI5714/4CB](https://www.xonelec.com/mpn/renesas/hi57144cb) [HI5746KCA](https://www.xonelec.com/mpn/renesas/hi5746kca) [HI5766KCAZ](https://www.xonelec.com/mpn/renesas/hi5766kcaz) [HI5766KCBZ](https://www.xonelec.com/mpn/renesas/hi5766kcbz) [ISOSD61TR](https://www.xonelec.com/mpn/stmicroelectronics/isosd61tr) [ES7201](https://www.xonelec.com/mpn/everestsemiconductor/es7201) [AD7266BSUZ-REEL](https://www.xonelec.com/mpn/analogdevices/ad7266bsuzreel) [AD7708BRZ-REEL7](https://www.xonelec.com/mpn/analogdevices/ad7708brzreel7) [CLM2543IDW](https://www.xonelec.com/mpn/chiplon/clm2543idw) [CLM2543CDW](https://www.xonelec.com/mpn/chiplon/clm2543cdw) [MCP3004T-I/SL](https://www.xonelec.com/mpn/microchip/mcp3004tisl) [ADS7853IPWR](https://www.xonelec.com/mpn/texasinstruments/ads7853ipwr) [GP9301BXI-F10K-D1V10-SH](https://www.xonelec.com/mpn/guestgood/gp9301bxif10kd1v10sh) [GP9301BXI-F10K-N-SH](https://www.xonelec.com/mpn/guestgood/gp9301bxif10knsh) [GP9101-F50-C1H1-SW](https://www.xonelec.com/mpn/guestgood/gp9101f50c1h1sw) [GP9301BXI-F5K-N-SW](https://www.xonelec.com/mpn/guestgood/gp9301bxif5knsw) [GP9101-F10K-N-SW](https://www.xonelec.com/mpn/guestgood/gp9101f10knsw) [GP9301BXI-F4K-D1V10-SH](https://www.xonelec.com/mpn/guestgood/gp9301bxif4kd1v10sh) [GP9301BXI-F1K-L5H2-SH](https://www.xonelec.com/mpn/guestgood/gp9301bxif1kl5h2sh) [LTC2484IDD#TRPBF](https://www.xonelec.com/mpn/analogdevices/ltc2484iddtrpbf) [AD9245BCPZRL7-20](https://www.xonelec.com/mpn/analogdevices/ad9245bcpzrl720) [SSP1120](https://www.xonelec.com/mpn/siproin/ssp1120) [ADS8332IBRGER](https://www.xonelec.com/mpn/texasinstruments/ads8332ibrger) [ADS8168IRHBR](https://www.xonelec.com/mpn/texasinstruments/ads8168irhbr) [HT7705ARWZ](https://www.xonelec.com/mpn/htcsemi/ht7705arwz) [ADS9224RIRHBR](https://www.xonelec.com/mpn/texasinstruments/ads9224rirhbr) [ADC101S051CIMF](https://www.xonelec.com/mpn/texasinstruments/adc101s051cimf) [AD7779ACPZ-RL](https://www.xonelec.com/mpn/analogdevices/ad7779acpzrl) [AD7714YRUZ-REEL](https://www.xonelec.com/mpn/analogdevices/ad7714yruzreel) [LTC2447IUHF#PBF](https://www.xonelec.com/mpn/analogdevices/ltc2447iuhfpbf) [AD9235BRUZRL7-20](https://www.xonelec.com/mpn/analogdevices/ad9235bruzrl720) [AD7888ARUZ-REEL](https://www.xonelec.com/mpn/analogdevices/ad7888aruzreel) [AD7606BBSTZ-RL](https://www.xonelec.com/mpn/analogdevices/ad7606bbstzrl) [AD7998BRUZ-1REEL](https://www.xonelec.com/mpn/analogdevices/ad7998bruz1reel) [AD7276ARMZ-REEL](https://www.xonelec.com/mpn/analogdevices/ad7276armzreel) [AD7712ARZ-REEL](https://www.xonelec.com/mpn/analogdevices/ad7712arzreel) [AD7997BRUZ-1REEL](https://www.xonelec.com/mpn/analogdevices/ad7997bruz1reel) [LTC2348ILX-16#PBF](https://www.xonelec.com/mpn/analogdevices/ltc2348ilx16pbf) [AD2S1210BSTZ-RL7](https://www.xonelec.com/mpn/analogdevices/ad2s1210bstzrl7) [AD7711ARZ-REEL7](https://www.xonelec.com/mpn/analogdevices/ad7711arzreel7) [AD7865ASZ-1REEL](https://www.xonelec.com/mpn/analogdevices/ad7865asz1reel) [AD7923BRUZ-REEL](https://www.xonelec.com/mpn/analogdevices/ad7923bruzreel) [AD7495ARZ-REEL7](https://www.xonelec.com/mpn/analogdevices/ad7495arzreel7) [AD9629BCPZRL7-40](https://www.xonelec.com/mpn/analogdevices/ad9629bcpzrl740)