

200:1 Gear Reduction Motor - ASR00016

 tinycircuits.com/products/200-1-gear-reduction-motor



DESCRIPTION

Add motion to your TinyDuino project! This gear motor uses the same JST connector that can be found on our [Dual Motor TinyShield](#), meaning it can be plugged right in without any soldering or crimping.

This motor has a built in gearbox which achieves 200:1 speed reduction for high torque. This makes it great for applications like robotics and anything else that would require high torque in a small package.

Fits any wheel, gear, or other attachment that fits a 3mm diameter D profile shaft, like our [45mm Wheels](#).

TECHNICAL DETAILS

Dimensions

- Wire Length: 100mm
- Shaft Diameter x Length: 3mm x 9mm
- Motor and Gearbox Dimensions: 26mm L, 12mm W, 10mm T
- JST-SH Connector Pitch: 1mm (0.039")

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [AC, DC & Servo Motors](#) category:

Click to view products by [TINY CIRCUITS](#) manufacturer:

Other Similar products are found below :

[79207644](#) [805470B40040MY](#) [80807028](#) [808070Y01125Z](#) [808550Y00049Z](#) [823055C10001MWY](#) [82520405](#) [82664024](#) [82802504](#)
[R88MK10030H](#) [M4E068-EC03-01](#) [M4E068-CF01-01](#) [79265119](#) [80510503](#) [805470A40040MY](#) [805470B40020MY](#) [80627003](#)
[808070Y00250Y](#) [808070Y83.33Y](#) [823055A20001MW](#) [825140A40010MP](#) [825290C43.75MX](#) [82714023](#) [82800003](#) [82830009](#) [82810017](#)
[R88M-K90010F-S2](#) [R88M-K1K030H-S2](#) [89830012](#) [82840003](#) [82840004](#) [82869011](#) [82524021](#) [82862202](#) [82869006](#) [82861013](#) [80803009](#)
[80547015](#) [82862205](#) [R88M-K40030T-B](#) [80527006](#) [82330514](#) [81021118](#) [82524004](#) [89800008](#) [82867009](#) [82662564](#) [82662515](#) [82600041](#)
[82524008](#)