Schottky Barrier Diode, 100mA, 30V Type

FEATURES

Forward Voltage

: V_F=0.71V (TYP.)

Forward Current

: I_{F(AV)}=100mA

Repetitive Peak Reverse Voltage: V_{RM}=30V

Environmentally Friendly

: EU RoHS Compliant, Pb Free

■ABSOLUTE MAXIMUM RATING

			1a=25 C	
PARAMETER	SYMBOL	RATINGS	UNIT	
Repetitive Peak Reverse Voltage	Vrm	30	V	
Reverse Voltage (DC)	Vr	30	V	
Forward Current (Average)	IF(AV)	100	mA	
Non Continuous	IFSM	0.6	А	
Forward Surge Current ^{*1}	IFSIM	0.0	~	
Junction Temperature	Tj	125	°C	
Storage Temperature Range	Tstg	-55~+150	°C	

*1 : Non continuous high amplitude 60Hz half -sine wave.

MARKING RULE




①: 0 (Product Number)
②: Assembly Lot Number

■ APPLICATIONS

Low Current Rectification

■ PACKAGING INFORMATION





■PRODUCT NAME

PRODUCT NAME	DESCRIPTION		
XBS013S15R	SOD-523		
XBS013S15R-G	SOD-523 (Halogen & Antimony free)		


* The "-G" suffix indicates that the products are Halogen and Antimony free as well as being fully RoHS compliant.


* The device orientation is fixed in its embossed tape pocket.

■ELECTRICAL CHARACTERISTICS

PARAMETER SYMBOL	SVMBOI	IBOL TEST CONDITIONS	LIMITS		UNIT	
	STNDOL		MIN.	TYP.	MAX.	UNIT
Forward Voltage VF1 VF2	VF1	I _F =1mA	-	0.31	-	V
	VF2	I _F =100mA	-	0.71	1	V
Reverse Current	Ir	V _R =25V	-	-	2	μA
Inter-Terminal Capacity	Ct	V _R =0V , f=1MHz	-	6	-	pF
Reverse Recovery Time ^{*2}	trr	I _F =I _R =10mA , irr=1mA	-	2	-	ns

*2 : trr measurement circuit





Ta=25°C


ETR1603-003

1/3


■TYPICAL PERFORMANCE CHARACTERISTICS

(1) Forward Current vs. Forward Voltage


(3) Forward Voltage vs. Operating Temperature



(5) Inter-Terminal Capacity vs. Reverse Voltage




(2) Reverse Current vs. Reverse Voltage




Reverse Voltage: VR (V)

(4) Reverse Current vs. Operating Temperature



(6) Average Forward Current vs. Operating Temperature



Operating Temperature: Ta (°C)

- 1 The products and product specifications contained herein are subject to change without notice to improve performance characteristics. Consult us, or our representatives before use, to confirm that the information in this datasheet is up to date.
- 2 We assume no responsibility for any infringement of patents, patent rights, or other rights arising from the use of any information and circuitry in this datasheet.
- 3 Please ensure suitable shipping controls (including fail-safe designs and aging protection) are in force for equipment employing products listed in this datasheet.
- 4 The products in this datasheet are not developed, designed, or approved for use with such equipment whose failure of malfunction can be reasonably expected to directly endanger the life of, or cause significant injury to, the user.
 - (e.g. Atomic energy; aerospace; transport; combustion and associated safety equipment thereof.)
- 5 Please use the products listed in this datasheet within the specified ranges. Should you wish to use the products under conditions exceeding the specifications, please consult us or our representatives.
- 6 We assume no responsibility for damage or loss due to abnormal use.
- 7 All rights reserved. No part of this datasheet may be copied or reproduced without the prior permission of TOREX SEMICONDUCTOR LTD.

TOREX SEMICONDUCTOR LTD.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Schottky Diodes & Rectifiers category:

Click to view products by Torex Semiconductor manufacturer:

Other Similar products are found below :

MA4E2039 D1FH3-5063 MBR10100CT-BP MBR1545CT MMBD301M3T5G RB160M-50TR RB551V-30 BAS16E6433HTMA1 BAT 54-02LRH E6327 NSR05F40QNXT5G NTE555 JANS1N6640 SB07-03C-TB-H SK310-T SK32A-LTP SK33A-TP SK34B-TP SS3003CH-TL-E GA01SHT18 CRS10I30A(TE85L,QM MA4E2501L-1290 MBRA140TRPBF MBRB30H30CT-1G SB007-03C-TB-E SK32A-TP SK33B-TP SK35A-TP SK38B-TP NRVBM120LT1G NTE505 NTSB30U100CT-1G SS15E-TP VS-6CWQ10FNHM3 ACDBA1100LR-HF ACDBA1200-HF ACDBA140-HF ACDBA2100-HF ACDBA3100-HF CDBQC0530L-HF CDBQC0240LR-HF BAT6202VH6327XTSA1 ACDBA340-HF ACDBA260LR-HF ACDBA1100-HF SK310B-TP MA4E2502L-1246 MA4E2502H-1246 NRVBM120ET1G NSR01L30MXT5G NTE573