TOSHIBA Diode Silicon Epitaxial Schottky Barrier Type

**1SS422** 

**High-Speed Switching Applications** 


- Low forward voltage V<sub>F</sub> = 0.23 V (typ.) @ I<sub>F</sub> = 5 mA
- Small package suitable for mounting on a small space

Absolute Maximum Ratings (Ta = 25°C)

Characteristics	Symbol	Rating	Unit
Maximum (peak) reverse voltage	V <sub>RM</sub>	35	V
Reverse voltage	V <sub>R</sub>	30	V
Maximum (peak) forward current	I <sub>FM</sub>	200*	mA
Average forward current	Ι <sub>Ο</sub>	100*	mA
Surge current (10 ms)	I <sub>FSM</sub>	1*	А
Power dissipation	Р	100*	mW
Junction temperature	Tj	125	°C
Storage temperature range	T <sub>stg</sub>	-55 to 125	°C
Operating temperature range	T <sub>opr</sub>	-40 to 100	°C

Note: Using continuously under heavy loads (e.g. the application of high

temperature/current/voltage and the significant change in



temperature, etc.) may cause this product to decrease in the reliability significantly even if the operating conditions (i.e. operating temperature/current/voltage, etc.) are within the absolute maximum

Weight: 0.0024 g (typ.)

ratings.

Please design the appropriate reliability upon reviewing the Toshiba Semiconductor Reliability Handbook ("Handling Precautions"/"Derating Concept and Methods") and individual reliability data (i.e. reliability test report and estimated failure rate, etc).

\*: This is the absolute maximum rating for a single diode. Where two diodes are used, the absolute maximum rating per diode is 75% that for the single diode.

Characteristics	Symbol	Test Condition	Min	Тур.	Max	Unit
Forward voltage	V <sub>F (1)</sub>	I <sub>F</sub> = 1 mA	—	0.18	—	V
	V <sub>F (2)</sub>	I <sub>F</sub> = 5 mA	_	0.23	_	
	V <sub>F (3)</sub>	I <sub>F</sub> = 100 mA	_	0.38	0.5	
Reverse current	I <sub>R (1)</sub>	V <sub>R</sub> = 10 V	_	_	20	μA
	I <sub>R (2)</sub>	V <sub>R</sub> = 30 V	_	_	50	
Total capacitance (between Cathode and Anode)	CT	V <sub>R</sub> = 0, f = 1 MHz	_	15	_	pF

#### Electrical Characteristics (Ta = 25°C)


### Marking




Start of commercial production 2004-04

# **TOSHIBA**

30







### **RESTRICTIONS ON PRODUCT USE**

- Toshiba Corporation, and its subsidiaries and affiliates (collectively "TOSHIBA"), reserve the right to make changes to the information in this document, and related hardware, software and systems (collectively "Product") without notice.
- This document and any information herein may not be reproduced without prior written permission from TOSHIBA. Even with TOSHIBA's written permission, reproduction is permissible only if reproduction is without alteration/omission.
- Though TOSHIBA works continually to improve Product's quality and reliability, Product can malfunction or fail. Customers are responsible for complying with safety standards and for providing adequate designs and safeguards for their hardware, software and systems which minimize risk and avoid situations in which a malfunction or failure of Product could cause loss of human life, bodily injury or damage to property, including data loss or corruption. Before customers use the Product, create designs including the Product, or incorporate the Product into their own applications, customers must also refer to and comply with (a) the latest versions of all relevant TOSHIBA information, including without limitation, this document, the specifications, the data sheets and application notes for Product and the precautions and conditions set forth in the "TOSHIBA Semiconductor Reliability Handbook" and (b) the instructions for the application with which the Product will be used with or for. Customers are solely responsible for all aspects of their own product design or applications, including but not limited to (a) determining the appropriateness of the use of this Product in such design or applications; (b) evaluating and determining the applicability of any information contained in this document, or in charts, diagrams, programs, algorithms, sample application circuits, or any other referenced documents; and (c) validating all operating parameters for such designs and applications. TOSHIBA ASSUMES NO LIABILITY FOR CUSTOMERS' PRODUCT DESIGN OR APPLICATIONS.
- PRODUCT IS NEITHER INTENDED NOR WARRANTED FOR USE IN EQUIPMENTS OR SYSTEMS THAT REQUIRE EXTRAORDINARILY HIGH LEVELS OF QUALITY AND/OR RELIABILITY, AND/OR A MALFUNCTION OR FAILURE OF WHICH MAY CAUSE LOSS OF HUMAN LIFE, BODILY INJURY, SERIOUS PROPERTY DAMAGE AND/OR SERIOUS PUBLIC IMPACT ("UNINTENDED USE"). Except for specific applications as expressly stated in this document, Unintended Use includes, without limitation, equipment used in nuclear facilities, equipment used in the aerospace industry, medical equipment, equipment used for automobiles, trains, ships and other transportation, traffic signaling equipment, equipment used to control combustions or explosions, safety devices, elevators and escalators, devices related to electric power, and equipment used in finance-related fields. IF YOU USE PRODUCT FOR UNINTENDED USE, TOSHIBA ASSUMES NO LIABILITY FOR PRODUCT. For details, please contact your TOSHIBA sales representative.
- Do not disassemble, analyze, reverse-engineer, alter, modify, translate or copy Product, whether in whole or in part.
- Product shall not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any
  applicable laws or regulations.
- The information contained herein is presented only as guidance for Product use. No responsibility is assumed by TOSHIBA for any infringement of patents or any other intellectual property rights of third parties that may result from the use of Product. No license to any intellectual property right is granted by this document, whether express or implied, by estoppel or otherwise.
- ABSENT A WRITTEN SIGNED AGREEMENT, EXCEPT AS PROVIDED IN THE RELEVANT TERMS AND CONDITIONS OF SALE FOR PRODUCT, AND TO THE MAXIMUM EXTENT ALLOWABLE BY LAW, TOSHIBA (1) ASSUMES NO LIABILITY WHATSOEVER, INCLUDING WITHOUT LIMITATION, INDIRECT, CONSEQUENTIAL, SPECIAL, OR INCIDENTAL DAMAGES OR LOSS, INCLUDING WITHOUT LIMITATION, LOSS OF PROFITS, LOSS OF OPPORTUNITIES, BUSINESS INTERRUPTION AND LOSS OF DATA, AND (2) DISCLAIMS ANY AND ALL EXPRESS OR IMPLIED WARRANTIES AND CONDITIONS RELATED TO SALE, USE OF PRODUCT, OR INFORMATION, INCLUDING WARRANTIES OR CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, ACCURACY OF INFORMATION, OR NONINFRINGEMENT.
- Do not use or otherwise make available Product or related software or technology for any military purposes, including without
  limitation, for the design, development, use, stockpiling or manufacturing of nuclear, chemical, or biological weapons or missile
  technology products (mass destruction weapons). Product and related software and technology may be controlled under the
  applicable export laws and regulations including, without limitation, the Japanese Foreign Exchange and Foreign Trade Law and the
  U.S. Export Administration Regulations. Export and re-export of Product or related software or technology are strictly prohibited
  except in compliance with all applicable export laws and regulations.
- Please contact your TOSHIBA sales representative for details as to environmental matters such as the RoHS compatibility of Product. Please use Product in compliance with all applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive. TOSHIBA ASSUMES NO LIABILITY FOR DAMAGES OR LOSSES OCCURRING AS A RESULT OF NONCOMPLIANCE WITH APPLICABLE LAWS AND REGULATIONS.

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Diodes - General Purpose, Power, Switching category:

Click to view products by Toshiba manufacturer:

Other Similar products are found below :

 RD0306T-H
 BAV17-TR
 BAV19-TR
 IN3611
 NTE156A
 NTE525
 NTE571
 NTE5804
 NTE5806
 NTE6244
 ISS181-TP

 ISS193,LF
 ISS400CST2RA
 SDAA13
 SHN2D02FUTW1TIG
 LS4151GS08
 IN4449
 IN456A
 IN4934-E3/73
 IN914B
 IN914BTR

 RFUH20TB3S
 BAS 28
 E6327
 BAV199-TP
 BAW56DWQ-7-F
 BAW75-TAP
 MM230L-CAA
 IDW40E65D1
 JAN1N3600
 LL4151-GS18

 053684A
 SMMSD4148T3G
 707803H
 NSVDAN222T1G
 SP000010217
 ACDSW4448-HF
 CDSZC01100-HF
 BAV199E6433HTMA1

 BAV70M3T5G
 SMBT2001T1G
 NTE5801
 NTE5808
 NTE6240
 NTE6248
 DLM10C-AT1
 BAS28-7
 BAW56HDW-13
 BAS28

 TR
 TR
 IN
 IN
 IN
 IN
 IN
 IN
 IN
 IN
 IS
 IN
 I