

## Rolling Dual-Screen TV/Monitor Cart - For Two 35" to 45" TVs and Monitors, Side-by-Side Mounting

MODEL NUMBER: DMCS3545M



Dual-screen mobile TV cart supports side-by-side mounting of two flat-panel televisions or monitors.

### Features

**Bring the Message to Your Audience**The DMCS3545M combines a height-adjustable TV stand with the convenience of a rolling cart. Mount two flat-panel televisions or monitors on this mobile TV cart and bring your message to your audience in a classroom, lecture hall, office, conference room or other location where audio/video resources are shared. This cart has a steel frame and accommodates most flat-panel displays from 35 to 45 inches. Maximum weight supported is 88 lbs (39.9 kgs) per display.

**Effectively Share Audio/Video Resources**Four sturdy swivel casters provide smooth rolling through doorways and over thresholds, making it possible to share dual screens within a facility instead of purchasing multiple setups. When not in use, the cart can be rolled into a secure area for storage. The casters lock to keep the cart in position while at rest.

**Easily Mount Two 35" to 45" Displays and Adjust the Viewing Angle**The columns telescope, so you can adjust the viewing height of the displays from 50 to 62.5 inches above the floor. For hassle-free display compatibility, this rolling TV cart supports the following VESA mounting hole patterns: 200 x 200, 200 x 300, 200 x 400, 300 x 200, 300 x 300, 300 x 400, 400 x 200, 400 x 300 and 400 x 400. The display angle can be adjusted from +10° to -10° for optimal viewing.

**Conveniently Place Peripherals and Manage Cables**This cart has two height-adjustable shelves that each support 11 lbs (4.9 kgs). The upper shelf holds a webcam or small projector. The lower shelf holds a laptop or other video source, such as a Blu-ray player. Add a clamp-on surge protector (sold separately) to the lower shelf to protect devices from power surges and help prevent line noise interference. Cable management openings in the columns allow you to route power and audio/video cords, reducing clutter for a clean, professional look.

### Highlights

- Holds most flat-panel displays from 35 to 45 in. and up to 88 lb.
- Display height adjusts from 50 to 62.5 in. for best viewing
- Locking swivel casters move easily over thresholds
- Adjustable shelves for a webcam and a video source support 11 lbs (4.9 kgs) each
- Cable management reduces cord clutter

### Applications

- View video in a multipurpose area where a permanent installation is not practical
- Move displays and a webcam into a meeting room for web conferencing
- Create a temporary digital signage display in an auditorium
- Easily move displays and a video source to a secure area for storage

### Package Includes

- All DMCS3545M components (assembly required)
- Assembly fasteners
- Display mounting fasteners
- Hex key
- Wrench
- Owner's manual

## Specifications

### OVERVIEW



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
www.tripplite.com

UPC Code	037332239433
Device Compatibility	Monitor/HDTV; Projector
<b>PHYSICAL</b>	
Color	Black
VESA Pattern (mm)	200x200; 200x300; 200x400; 300x200; 300x300; 300x400; 400x200; 400x300; 400x400
Material of Construction	steel
Maximum Screen Size (cm)	114.3
Maximum Screen Size (in.)	45
Maximum Weight Capacity (kg)	80
Maximum Weight Capacity (lbs.)	176
Minimum Screen Size (in.)	35
Minimum Screen Size (cm)	88.9
Motion	Fixed
Mounting Location	Floor
Number of Displays	2
Shipping Dimensions (hwd / cm)	35.56 x 50.80 x 157.48
Shipping Dimensions (hwd / in.)	14.00 x 20.00 x 62.00
Shipping Weight (kg)	39.60
Shipping Weight (lbs.)	87.30
Unit Dimensions (hwd / cm)	150.6 x 68.33 x 215.9
Unit Dimensions (hwd / in.)	59.3 x 26.9 x 85
Unit Weight (kg)	35.88
Unit Weight (lbs.)	79.1
<b>FEATURES &amp; SPECIFICATIONS</b>	
Tools Necessary	Yes
<b>SPECIAL FEATURES</b>	
Cord Management	No
Security Lock	No
<b>WARRANTY</b>	
Product Warranty Period (Worldwide)	5-year limited warranty

© 2021 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

<https://www.tripplite.com/products/product-certification-agencies>

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Mounting Fixings](#) category:*

*Click to view products by [Tripp Lite](#) manufacturer:*

Other Similar products are found below :

[5912235-2](#) [007541](#) [627](#) [M3783-7001](#) [71-074914-006](#) [71-441549-19S](#) [75-69211-3P](#) [75-69214-6P](#) [75-69220-27S](#) [75-69224-5S](#) [7717-8DAP](#)  
[85048GBESR](#) [FPK-02-R10](#) [PMS27488-001-01](#) [1-18023-0](#) [H-118-2](#) [D83999/20WC8SN](#) [DB1](#) [1302030464](#) [DC31-14W19PN](#) [DC31-14W19PW](#) [DC32-18W32SN](#) [DC36-18-32SW](#) [DC36-18-32SX](#) [DC37-14-19PW](#) [DC37-22-21PX](#) [1302010957](#) [1302263564](#) [1302340393](#)  
[1404-0016-78](#) [14540](#) [149331-9811](#) [1561-60](#) [1566](#) [1566](#) [17542](#) [BR16A](#) [HS5659MB98PN](#) [NT20SATT01](#) [201C5058-01-201](#) [REV E](#) [22594-8](#)  
[KBB-141](#) [89078GBEPR](#) [89078GBESR](#) [915060](#) [SF4011-60101](#) [97-CS-50](#) [1671](#) [LS10215R14-15PN](#) [LS10215R14-7PN L/C](#)