www.tripplite.com



Down-Angle Cat6 Gigabit Molded Slim UTP Ethernet Cable (RJ45 Right-Angle Down M to RJ45 M), Blue, 3 ft. (0.91 m)

MODEL NUMBER: N204-S03-BL-DN











Cat6 cable connects Gigabit Ethernet network components like routers, servers and switches in highdensity data centers.

Features

Down-Angle Cat6 Ethernet Cable Connects Equipment in Data Centers and VoIP NetworksThis Cat6 cable is ideal for connecting network components, such as printers, computers, copiers, routers, servers, modems and switches, in hard-to-reach areas of space-constrained high-density data centers. Designed for fast transmission and excellent signal quality, this RJ45 patch cable ensures data transfer speeds up to 1 Gbps throughout your Gigabit Ethernet or VoIP network.

Special Slim Design for Better Airflow and Easier Installation in Crowded RacksThis Cat6 UTP patch cord is more than 38% smaller in diameter than standard Cat6a cable. This increases airflow in tight spaces, which helps keep your equipment cool and properly functioning. It also cuts down on clutter in crowded racks and patch panels, and makes the cable easier to install around corners and through cable management panels.

Down-Angle RJ45 Patch Cable Makes Connecting and Disconnecting EasierOne RJ45 male connector is designed at a 90-degree downward angle, which prevents excessive bending and reduces stress on the cable. This makes the space-saving cable easy to plug into patch panels, switches and other devices located in a confined area or behind a desk.

Blue Jacket to Avoid Misidentification That Can Cause Costly DowntimeThis down-angle Cat6 Ethernet cable features a blue PVC jacket and molded blue ends. The blue color allows easy, fast identification in a crowded rack or workstation and helps prevent the cable from becoming inadvertently disconnected.

Highlights

- Cat6 Ethernet patch cable delivers fast transmission speeds up to 1 Gbps in your LAN
- Down-angle RJ45 connector is easy to plug into switch or panel pressed against a wall
- Over 38% slimmer than standard Cat6 cables to increase airflow in full racks
- Easy to route around corners and through crowded cable management panels
- Cable is blue for fast, easy identification in a crowded rack or workstation

Applications

- Build a Gigabit Ethernet or VoIP network through the connection of routers, modems, switches and servers in a high-density data center
- Connect a workstation computer to the company server to gain access to printers, scanners and copiers
- Combine with other Tripp Lite patch cables to set up a colorcoded system in a crowded rack
- Create a connection in a tight space, such as a repurposed server room or behind furniture

Package Includes

N204-S03-BL-DN Down-Angle
 Cat6 Gigabit Molded Slim UTP
 Patch Cable (M/M), Blue, 3 ft.



Specifications

OVERVIEW		
037332252227		
Cat5/5e; Cat6		
Blue		
UTP		
СМ		
4.0mm		
3		
0.9		
36		
91.4		
0		
14 to 122 F (-10 to 50 C)		
5 to 140 F (-15 to 60 C)		
0% to 90% RH, Non-Condensing		
COMMUNICATIONS		
1Gbps		
RJ45 (MALE)		
RJ45 (MALE) - DOWN ANGLE		
Gold		
Molded		
No		
STANDARDS & COMPLIANCE		
RoHS and REACH Compliant		



Tripp Lite1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234

WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

© 2021 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Ethernet Cables / Networking Cables category:

Click to view products by Tripp Lite manufacturer:

Other Similar products are found below:

73-6670-7 73-6680-15 73-7797-25 MCJB2-10P6Q7-120 84909-0204 1200700174 1200860368 E16A06002M030 E200102-009-S1

AX105346-EW MT14-187L 17-103530 ERWPAB3002M005 190-038045-01 NK5EPC18RDY NK5EPC18VLY NK5EPC18YLY

NK5EPC1GRY NK5EPC4Y NK5EPC6YLY NK5EPC8BLY NK5EPC9YLY 1969343-6 C501100010 C501106002 C501106007

C501106015 C501106025 C601102010 C601104010 C601106007 C601106015 2142758-2 2168427-2 CAT1106007 21949-1 2J1866A

RJF SFTP 5E 0500 AX100351 MN14CEC/ST C501100015 C501106004 C501106010 C5F1108007 C601104004 C601106004

CA21106004 CA21106010 CA21106015 CA21109007