

Cat5e/Cat6 24-Port Patch Panel - Shielded, Krone IDC, 568B, RJ45 Ethernet, 1U, TAA

MODEL NUMBER: N252-024-SH-K











Shielded 24-port patch panel organizes mission-critical Cat5e/Cat6 cable connections in your high-speed Ethernet network.

Features

Shielded 24-Port Patch Panel Organizes and Manages High-Speed Cat6 Network CablingManage your high-density Cat5e/6 application without taking up too much valuable rack space. The N252-024-SH-K offers 24 fully shielded RJ45 ports with color-coded Krone IDC slots that are terminated using a proper punch-down tool. The patch panel supports T568B wiring standards and is fully rated for 5 Gbps data transfer speeds in your Ethernet application. Both the rear and front connectors are numbered and labeled for custom naming to help you identify individual cable runs at a glance.

Mounts in 1U of Space in Your 19 in. Enclosure or Open Frame RackThe UL-approved patch panel supports mounting in 1U of space in your EIA-standard 19-inch rack enclosure or open frame rack. It comes with grounding wire, cable ties and a strain relief bar to help cut down on cord clutter, organize your connections, take stress off the Krone connectors and maintain stable performance.

TAA-Compliant for GSA Schedule PurchasesThe N252-024-SH-K is compliant with the Federal Trade Agreements Act (TAA). It is eligible for GSA (General Services Administration) Schedule and other federal procurement contracts.

Highlights

- Rated for 5 Gbps speeds for managing high-speed cabling in mission-critical Ethernet applications
- 24 RJ45 ports numbered, labeled and color-coded for easy cable identification
- 1U patch panel easy to mount for immediate use in your EIAstandard 19 in. rack
- Supports EIA/TIA T568B wiring standards for Krone-type terminations
- Complies with the Federal Trade
 Agreements Act (TAA) for GSA
 Schedule purchases

Applications

 Connect security cameras, sensors, routers, computers, switches, wireless access points and other network devices in a high-speed Ethernet setup

Package Includes

- N252-024-SH-K Cat6 24-Port Patch Panel, 1U
- (6) Cable ties
- (4) Screws
- Grounding wire
- Installation guide

Specifications

| OVERVIEW | |
|------------|---------------|
| UPC Code | 037332236166 |
| Technology | Cat5/5e; Cat6 |





| PHYSICAL | | |
|----------------------------------------|---------------------------|--|
| Color | Black | |
| Rack Height | 1U | |
| Shipping Dimensions (hwd / cm) | 5.59 x 10.41 x 51.82 | |
| Shipping Dimensions (hwd / in.) | 2.20 x 4.10 x 20.40 | |
| Shipping Weight (kg) | 1.22 | |
| Shipping Weight (lbs.) | 2.70 | |
| COMMUNICATIONS | | |
| | | |
| Network Speed Details | Rated for 5GbE | |
| CONNECTIONS | | |
| Ports | 24 | |
| Side A - Connector 1 | RJ45 (FEMALE) | |
| Side B - Connector 1 | KRONE IDC | |
| WARRANTY | | |
| Product Warranty Period (Worldwide) | Lifetime limited warranty | |

© 2021 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Racks & Rack Cabinet Accessories category:

Click to view products by Tripp Lite manufacturer:

Other Similar products are found below:

M00-PLN F2424 8351-832-A-24 9104 9105 PLFF2000 H-9163-B 1427C3 HTS10 PC-79 SC10-3A SC4-28 CG3-340S/12 CP-001BK M6123-4007-SS TS170 LP40 5261304-07 CG3-160G 7112C-PLN ALUM CM10 8610-3124-S-26 TS81 7142 GP134 M6125-4007-A-24 M6127-4007-SS PBCOVER 512 AEG-4000G AEG-3000G HD99 SR2-66A2 FP10B4HP-1 SR16-66A2 FP52-2 1406-1006-01 29478 TS2535 TS169-6 CAC2 HA19-3U BR-19-10-1 TS180 CG3-ESD SC11-1 CFS-1.00/2.20 AX6145WM HEC0800PB ZC633R