

# Cat6a Pass-Through Cassette - (x12) RJ45

MODEL NUMBER: N484-12RJ











### **Highlights**

- High Density Copper Cassette for use with the N484-00U and N484-01U chassis'
- Cat6a Pass-through Cassette, with (x12) RJ45 connections
- Rated for 10 Gbps Ethernet data transfer speeds

### **Package Includes**

- N484-12RJ Cat6a Pass-Through Cassette - (x12) RJ45
- · Quick Start Guide

### Description

Tripp Lite's N484-12RJ is a High Density Cat6a Pass-through Cassette with (x12) RJ45 connections. Designed specifically for use with Tripp Lite's N484-00U and N484-01U chassis'; up to 4 cassettes per N484-01U, or 1 per N484-00U. Each RJ45 connection is rated for 10 Gbps Ethernet data transfer speeds. Installation is simple, with the cassette being easily installed or removed using screw tabs to lock or unlock it from the panel; no tools required. Furthermore, each cassette features factory terminated connectors that reduce the time and labor required of field connector terminations. Cassette housing is manufactured with heavy duty, 1.0mm Cold Rolled Steel.

#### **Features**

- High Density Copper Cassette for use with the N484-00U and N484-01U chassis'
- Cat6a Pass-through Cassette, with (x12) RJ45 connections
- Rated for 10 Gbps Ethernet data transfer speeds
- Installation is simple, with the cassette being easily installed or removed using screw tabs to lock or unlock it from the panel; no tools required
- Each cassette features factory terminated connectors that reduce the time and labor required of field connector terminations.
- Housing made of heavy duty, 1.0mm Cold Rolled Steel

## **Specifications**

OVERVIEW	
UPC Code	037332187222
Technology	Cat6a





PHYSICAL		
Shipping Dimensions (hwd / cm)	5.99 x 20.07 x 3.71	
Shipping Dimensions (hwd / in.)	2.36 x 7.90 x 1.46	
Shipping Weight (kg)	0.23	
Shipping Weight (lbs.)	0.51	
ENVIRONMENTAL		
Operating Temperature Range	-4 to 122 F (-20 to 50 C)	
CONNECTIONS		
Ports	12	
Side A - Connector 1	RJ45 (FEMALE)	
Side B - Connector 1	RJ45 (FEMALE)	
STANDARDS & COMPLIANCE		
Approvals	RoHS, REACH	
WARRANTY		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

© 2021 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <a href="https://www.tripplite.com/products/product-certification-agencies">https://www.tripplite.com/products/product-certification-agencies</a>

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Tripp Lite manufacturer:

Other Similar products are found below:

79-653 N001-015-YW N204-005-BL-UP N001-010-RD U152-003-M M100-006-WH 79-519 79-537 PR40 PV-400FC 152-0199 152-1380

152-2404 P022-015 ISOBAR6 RT-2 3040 SU1500RTXL2U PV1000HF B042-004 INTERNET-OFFICE-280 3251 UL7408-6 ULHC4-15

DG115-SR P006-015 CK-8455-L2 SMART-1400-RM BC PERS300 PS3612 B021-000-19 BCPRO600 RS-0615-F RS-0615-R

SUINT1000RTXL2U 3310 B078-101-USB-8 SUINT1000LCD2U DCPU1 DWT3270X DWM1742S DDR1327SDD TLM615NC20

TLP806TELTAA PS3612-20HW PDUMV30HV2 OMNIVS800 SMART1500RM2UN SU3000RTXLCD2U P005010