

# DB9 to RJ45 Modular Serial Adapter (F/F), RS-232, RS-422, RS-485

MODEL NUMBER: P440-89FF



Modular DB9 to RJ45 converter allows a serial signal to be sent over twisted-pair Cat5e/6 cable. Recommended for creating customized connections with terminals, serial printers, modems, POS and other serial devices.

## Description

The P440-89FF DB9 to RJ45 Modular Serial Adapter (F/F) is designed for connecting terminals, serial printers, modems, POS and other serial devices to your network via twisted-pair Cat5e/6 cabling. This saves you time and money by eliminating the need to upgrade your existing hardware.

The adapter features a female DB9 serial connector with color-coded twisted-pair wires on one side and an RJ45 female connector on the other, allowing you to create customized RS-232, RS-422 and RS-485 connections. You can connect dumb desktop terminals to a central patch or directly to an MUX. Slotted, knurled thumbscrews provide a quick, secure attachment to your device. Color-coded wiring simplifies troubleshooting.

## Features

### Create Customized Serial Cable Configurations

- DB9 to RJ45 adapter allows serial signal to be transmitted over twisted-pair cable
- Connects terminals, serial printers, modems, POS and other serial devices to Cat5e/6 cabling
- Converts DB9 female connection to RJ45 female connection
- Connects dumb desktop terminals to central patch or directly to MUX
- Color-coded wires to simplify troubleshooting
- Slotted, knurled thumbscrews for easy, secure attachment
- Ideal for modular RS-232, RS-422 and RS-485 serial connections

## Highlights

- Converts DB9 female connection to RJ45 female connection
- Compatible with readily available Cat5e/6 patch cables
- Slotted, knurled thumbscrews for easy, secure attachment
- Color-coded wires to simplify troubleshooting
- Ideal for customizing RS-232, RS-422 and RS-485 connections

## System Requirements

- PC or other device with DB9 male connector

## Package Includes

- P440-89FF DB9 to RJ45 Modular Serial Adapter (F/F)

## Specifications

OVERVIEW	
UPC Code	037332206329
Technology	Cat5/5e; Cat6; Cat6a



Powering Business Worldwide



CONNECTIONS	
Side A - Connector 1	DB9 (FEMALE)
Side B - Connector 1	RJ45 (FEMALE)
PHYSICAL	
Color	Black
Shipping Dimensions (hwd / in.)	0.50 x 3.94 x 5.30
Shipping Dimensions (hwd / cm)	1.27 x 10.01 x 13.46
Shipping Weight (lbs.)	0.20
Shipping Weight (kg)	0.09
Unit Dimensions (hwd / in.)	0.000 x 0.000 x 0.000
Unit Dimensions (hwd / cm)	1.6 x 3.3 x 5.1
FEATURES & SPECIFICATIONS	
IP68 Rated	No
IP20 Rated	No
STANDARDS & COMPLIANCE	
Product Compliance	RoHS
WARRANTY & SUPPORT	
Product Warranty Period (Worldwide)	Lifetime limited warranty

1000 Eaton Boulevard  
Cleveland, OH 44122  
United States  
<https://tripplite.eaton.com>

© 2024 Eaton. All Rights Reserved.  
Eaton is a registered trademark. All other trademarks  
are the property of their respective owners.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for D-Sub Adapters & Gender Changers category:*

*Click to view products by Tripp Lite manufacturer:*

Other Similar products are found below :

[09641007210](#) [09641007240](#) [09642007240](#) [09643007210](#) [09643007240](#) [0976 PMC 515](#) [1201000004](#) [156-03002-E](#) [156-03022-E](#) [156-03042-E](#) [156-03062-E](#) [156-03082-E](#) [156-03102-E](#) [163A50009X](#) [163A50019X](#) [163A50029X](#) [163A50049X](#) [16-501373](#) [1652664](#) [1652677](#) [1652693](#) [1688722](#) [173114-0078](#) [173114-0081](#) [173114-0082](#) [173114-0083](#) [173114-0085](#) [173114-0086](#) [173114-0088](#) [173114-0090](#) [173114-0091](#) [173114-0093](#) [173114-0094](#) [173114-0097](#) [173114-0098](#) [173114-0099](#) [173114-0100](#) [173114-0102](#) [173114-0259](#) [173114-0271](#) [173114-0272](#) [173114-0286](#) [173114-0288](#) [212560-2](#) [230017003](#) [2310387](#) [232017003](#) [232SP9](#) [234016003](#) [234017003](#)