


Ceiling Center Support Kit for 12 in. Cable Runway, Straight and 90-Degree - Hardware Included


MODEL NUMBER: SRLCNTRSPPT12











Easy-to-connect ceiling support kit safely and securely creates a single point of attachment to simplify cable runway installation.

Features

Cable Ladder Center Support Kit Secures Your Data Center's Runway System to the CeilingThis SmartRack cable runway center support kit creates a single point of attachment from the ceiling of your server room or data center to a ladder section. All mounting and installation hardware is included, except for the threaded rod (because of variable ceiling heights) and appropriate fasteners to secure the durable steel wall bracket. The mounting surface must be able to support the combined equipment load safely. Be sure to use suitable mounting means when installing to cinder block, concrete, drywall or wooden studs. The SRLCNTRSPPT12 is designed for use with Tripp Lite's 12-inch (305-millimeter) SRCABLELADDER, SRL90BEND12 and other compatible straight and 90-degree ladder sections.

Highlights

- Securely connects cable management ladders to the ceiling of your data center
- Compatible with both 12 in. (305 mm) straight and 90-degreebend ladder sections
- Works with all 12 in. Tripp Lite SmartRack® ladder system accessories and runways

Applications

 Secure a ladder runway system from a rack enclosure or open frame rack to the ceiling of your data center or server room.

System Requirements

 Compatible with 12 in. (305 mm) straight and 90-degree-bend ladder sections, including Tripp Lite SRCABLELADDER and SRL90BEND12

Package Includes

- · Center support bracket
- Threaded rod cover
- (2) 5/8-11 hex nuts
- (2) 5/8 lock washers
- (2) M8 J-bolts
- (2) M8 lock washers
- (2) M8 hex nuts
- Installation guide

Specifications

OVERVIEW	
UPC Code	037332214584





PHYSICAL	
Color	Black
Shipping Dimensions (hwd / cm)	3.56 x 6.10 x 34.54
Shipping Dimensions (hwd / in.)	1.40 x 2.40 x 13.60
Shipping Weight (kg)	0.46
Shipping Weight (lbs.)	1.02
Unit Dimensions (hwd / cm)	3.556 x 6.096 x 34.54
Unit Dimensions (hwd / in.)	1.400 x 2.40 x 13.60
Unit Weight (kg)	0.46
Unit Weight (lbs.)	1.020
WARRANTY	
Product Warranty Period (Worldwide)	5-year limited warranty

© 2021 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Mounting Fixings category:

Click to view products by Tripp Lite manufacturer:

Other Similar products are found below:

5912235-2 007541 627 M3783-7001 71-074914-006 71-441549-19S 75-69211-3P 75-69214-6P 75-69220-27S 75-69224-5S 7717-8DAP

85048GBESR FPK-02-R10 PMS27488-001-01 1-18023-0 H-118-2 D83999/20WC8SN DB1 1302030464 DC31-14W19PN DC31
14W19PW DC32-18W32SN DC36-18-32SW DC36-18-32SX DC37-14-19PW DC37-22-21PX 1302010957 1302263564 1302340393

1404-0016-78 14540 149331-9811 1561-60 1566 1566 17542 BR16A HS5659MB98PN NT20SATT01 201C5058-01-201 REV E 22594-8

KBB-141 89078GBEPR 89078GBESR 915060 SF4011-60101 97-CS-50 1671 LS10215R14-15PN LS10215R14-7PN L/C