



4-Port USB-C Hub, USB-C to 4x USB-A Ports, USB 3.0, Black

MODEL NUMBER: U460-004-4A-AL











USB 3.1 Gen 1 portable hub adds 4 USB-A ports to the USB-C or Thunderbolt 3 port on your MacBook, Chromebook, PC, tablet or smartphone.

Features

USB-C 3.1 Hub Connects 4 USB Peripherals to Your MacBook or ChromebookThis USB-C hub allows you to connect up to four USB peripherals to your tablet, laptop, notebook, MacBook, Chromebook, smartphone or PC. You can expand the potential of your device by connecting USB peripherals that can help you do your job faster, easier and better, such as an external hard drive, keyboard/mouse, power meter and printer.

Connects USB Peripherals and Transfers Data at Fast USB 3.1 Gen 1 SpeedsAll four USB ports transfer data at speeds up to 5 Gbps, which is 10 times faster than USB 2.0. The USB ports are backward compatible with previous USB generations, so you can continue using older peripherals while getting high-speed performance from new devices.Note: Host must support USB OTG (On-the-Go)Built-In USB-C Cable Connects in Either Direction

Connect the reversible USB-C plug to your source device's USB-C or Thunderbolt 3 port. The fumble-free USB-C plug connects in either direction to ensure fast, easy connection every time.

Ready to Use Right Out of the PackageThe plug-and-play USB Type-C hub is specifically designed for use with the MacBook, Google Chromebook Pixel and other laptops, tablets and devices equipped with a USB-C or Thunderbolt 3 port. It requires no software, drivers or external power. The lightweight aluminum case fits easily into a pocket, briefcase or laptop bag for connecting on the go.

Highlights

- USB-C 3.1 Type-C hub is compatible with all USB-C and Thunderbolt 3 devices
- Accepts up to 4 USB peripherals, turning your laptop into a mini workstation
- Supports USB 3.1 Gen 1 speeds up to 5 Gbps to ensure fast data transfers
- Reversible USB-C plug connects in either direction for immediate no-fuss use
- Plug-and-play operation with no software required for easy, immediate installation

Applications

- Connect up to 4 USB peripherals, such as an external hard drive, MP3 player, power meter and printer
- Transfer files quickly to and from a USB thumb drive
- Attach a USB headset/microphone for recording your podcast
- Write a report using a USB keyboard with your tablet or Android smartphone
- Download photos from a digital camera

System Requirements

Tablet, laptop, Chromebook,
 MacBook, smartphone, PC or
 other device with USB-C or



Thunderbolt 3 port

Package Includes

U460-004-4A-AL USB 3.1 C
 Hub, 5 Gbps, Aluminum
 Housing

Specifications

OVERVIEW		
UPC Code	037332214010	
Product Type	Hub	
Technology	USB; USB 3.1 (Gen 1)	
Host Connector	USB C (MALE)	
VIDEO		
Number of Monitors Supported	0	
Extended Mode	No	
Mirror Mode	No	
DATA		
Data Ports	(4) USB A (FEMALE)	
Data Ports Detail	(4) USB-A - USB 3.2 Gen 1 (5 Gbps)	
INPUT		
Bus Powered	Yes	
Product Length (in.)	8.5	
Product Length (cm.)	21.6	
Product Length (ft.)	0.71	
Product Length (m.)	0.22	
BATTERY		
Battery Charging (5V/1.5A Port)	No	
POWER		



USB Power Delivery (PD) Charging Support	No	
USER INTERFACE, ALERTS & CONTROLS		
LED Indicators	Blue - Connection	
CHARGING		
Charging Ports / Amps	(4) 1.5A	
PHYSICAL		
Color	Black	
Cable Jacket Rating	VW-1	
Material of Construction	Aluminum	
Shipping Dimensions (hwd / cm)	$0.00 \times 0.00 \times 0.00$	
Shipping Dimensions (hwd / in.)	$0.00 \times 0.00 \times 0.00$	
Shipping Weight (kg)	0.00	
Shipping Weight (lbs.)	0.00	
Unit Dimensions (hwd / cm)	4.1 x 6.1 x 1.0	
Unit Dimensions (hwd / in.)	1.6 x 2.4 x 0.4	
Unit Packaging Type	Вох	
Unit Weight (kg)	0.04	
Unit Weight (lbs.)	0.09	
ENVIRONMENTAL		
Operating Temperature Range	32 to 122 F (0 to 50 C)	
Storage Temperature Range	14 to 167 F (-10 to 75 C)	
Relative Humidity	0% to 85% RH, Non-Condensing	
BTUs	2.4 BTU/Hr	
Power Consumption (Watts)	0.7	
CONNECTIONS		
Ports	4	
Side A - Connector 1	USB C (MALE)	
Side B - Connector 1	(4) USB 3.0 A (FEMALE)	
Side B - Connector 2	MICRO-USB B (FEMALE)	
Connector Plating	Nickel	
FEATURES & SPECIFICATIONS		



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234

USB Specification	USB 3.1 Gen 1 (up to 5 Gbps)	
Driver Required	No	
STANDARDS & COMPLIANCE		
Certifications	CE, FCC, RoHS, REACH	
WARRANTY		
Product Warranty Period (Worldwide)	3-year limited warranty	

© 2021 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Interface Modules category:

Click to view products by Tripp Lite manufacturer:

Other Similar products are found below:

IFD8520 cPCI-3544 422CON ATX6022/14GP7 ATX6022/8 FC6A-EXM2 OPT8AP-AE 60006-016 96RMKVM-19V1C-A 60016-011 60016-014 60006-008 60016-015 60011-075 HPCI-14S12U cBP-3208 cBP-3062A FAB205-6P5 ATX6022/6 60016-012 96RMKVM-17V1C-A PCE-DP10-00A1E MOS-1120Y-0201E 96RMLCD-17V1-A 96RMKVM-17V8C-A 60004-005 60016-017 60006-019 60006-009 60016-035 60016-034 60016-031 60016-030 60016-026 60016-025 60016-024 60016-021 60016-018 60016-007 60016-006 60016-005 60016-004 60007-002 60006-018 60006-010 AXX10GBTWLHW3 382-BBEH 555-BDCL GW DEVICE SERVER 2E/4DB9 K6CMISZBI52