P160 Series

Features:


- 16 mm
- Conductive plastic element
- 100,000 cycle life
- Metal shaft/bushing
- Multi-ganged available
- RoHS compliant






Model Styles

Side Adjust , Solder Lugs	P160KNP
Side Adjust , PC pins	P160KN
Side Adjust , PC Pins, Long pins	P160KN2
Rear Adjust, PC pins	P160KNPD





CLOCKWISE ELECTRICAL ROTATION

General Note

TT Electronics reserves the right to make changes in product specification without notice or liability. All information is subject to TT Electronics' own data and is considered accurate at time of going to print.

TT Electronics | BI Technologies 413 Rood RD, Suite 7 Calexico, CA 92231 Ph: +1 714 447 2345 www.ttelectronics.com/bi-technologies

P160 Series



Electrical Specifications

Resistance Range, Ohms	500-1M
Standard Resistance Tolerance	± 20%
Residual Resistance	20 ohms max.
Power rating Input Voltage, maximum	200 Vac max.
Power Rated, Watts	0.2W- B taper, 0.1W-others
Dielectric Strength	500Vac, I minute
Insulation Resistance, Minimum	100M ohms at 250Vdc
Sliding Noise	100mV max.
Actual Electrical Travel, Nominal	260°

Mechanical Specifications

Total Mechanical Travel	300°± 10°
Static Stop Strength	90 oz-in
Rotational Torque	0.5 to 1.25 oz-in


Environmental Specifications

Operating Temperature Range	-20°C to +70°C
Rotational Life	100,000 cycles

P160 Series




Shaft Types



Shaft Position (F-Type Shaft)


Dashed lines on Type "C" and Type "A" shows position of adjustment slot for E-Type and Q-Type shafts



Standard Resistance Values, Ohms



Circuit Diagram



General Note TT Electronics reserves the right to make changes in product specification without notice or liability. All information is subject to TT Electronics' own data and is considered accurate at time of going to print. TT Electronics | BI Technologies 413 Rood RD, Suite 7 Calexico, CA 92231 Ph: +1 714 447 2345 www.ttelectronics.com/bi-technologies

© TT electronics plc


Issue B 04/2019 Page 3

P160 Series




Outline Drawings

Model P160KNP (Side Adjust , Solder Lugs)



Model P160KN (Side Adjust , PC pins)



General Note

TT Electronics reserves the right to make changes in product specification without notice or liability. All information is subject to TT Electronics' own data and is considered accurate at time of going to print.

TT Electronics | BI Technologies 413 Rood RD, Suite 7 Calexico, CA 92231 Ph: +1 714 447 2345 www.ttelectronics.com/bi-technologies


Issue B 04/2019 Page 4

P160 Series




Outline Drawings

Model P160KN2 (Side Adjust , PC Pins, Long pins)



Model P160KNPD (Rear Adjust , PC Pins)



General Note

TT Electronics reserves the right to make changes in product specification without notice or liability. All information is subject to TT Electronics' own data and is considered accurate at time of going to print.

TT Electronics | BI Technologies 413 Rood RD, Suite 7 Calexico, CA 92231 Ph: +1 714 447 2345 www.ttelectronics.com/bi-technologies

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Potentiometers category:

Click to view products by TT Electronics manufacturer:

Other Similar products are found below :

58C2-2 590SX1N32F103SS 591SXP56S252SC D31409 70B1G048K502X-A 70B1M032S502W 70B1N056S202W 70B8N056F502W 70J8N048S104U 70L1N040P103W 70L1N048P103X 70L1N048S103W GA2L040S102UC GA2L040S103UC GS1G044P103UA GS1N048P103UA GS1T032S103UA A43-1500 A43-20K A47-200K A4720K 132-2-0-202 132-0-0-202 RK14K1220-F25-C0-A103 RK14K1220F25C0C104 RK14K1220-F25-C1-B103 14910FAGJSX10102KA 14910FBGLFY00103KA 14910AABHSX10103KA 14910FAGJSX10104KA 152-01031 C0342008 5K J97589 23M728 248BBHS0XB25104MA 248BBHS0XB25503MA 249FGJS0XB25503KA RV170F-10-15R1-B500K-0021 917523A A43-40 A43-750 A438-5 A47-15K A47-1K A4750K SPPG048S103U SPPG056P103U SWE-10 GA2G040F103BA 249FGJS0XB25102KA