


Low Resistance Stand-Up Power Wirewound Resistor

PWRL Series

- 3, 5, 7, and 10 watts
- 0.01Ω to 0.18Ω range
- Radial leads for PC mount
- TC's from 50 ppm/°C to +500 ppm/°C (range dependant)




All Pb-free parts comply with EU Directive 2011/65/EU amended by (EU) 2015/863 (RoHS3)

Electrical Data

		PWRL
Power rating	watts	3, 5, 7 and 10
Resistance range	ohms	OR01 to OR18
Tolerance	%	±1, ±2, ±3, ±5 and ±10

Physical Data



Dimensions (Inches and (mm))


Type	A	B	C	D	E	LD
PWRL-3	0.475 ±0.030 (12.0 ±0.8)	0.320 ±0.030 (8.1 ±0.8)	1.00 ±0.030 (25.4 ±0.8)	0.200 ±0.062 (5.08 ±1.6)	0.175 ±0.062 (4.44 ±1.6)	0.040 ±0.002 (1.02 ±0.05)
PWRL-5	0.500 ±0.030 (12.7 ±0.8)	0.350 ±0.030 (8.8 ±0.8)	1.00 ±0.030 (25.4 ±0.8)	0.200 ±0.062 (5.08 ±1.6)	0.175 ±0.062 (4.44 ±1.6)	0.040 ±0.002 (1.02 ±0.05)
PWRL-7	0.500 ±0.030 (12.7 ±0.8)	0.350 ±0.030 (8.8 ±0.8)	1.50 ±0.032 (38.1 ±0.81)	0.200 ±0.062 (5.08 ±1.6)	0.175 ±0.062 (4.44 ±1.6)	0.040 ±0.002 (1.02 ±0.05)
PWRL-10	0.630 ±0.032 (16.0 ±0.81)	0.510 ±0.032 (13.2 ±0.81)	1.39 ±0.032 (35.3 ±0.81)	0.290 ±0.062 (7.4 ±1.6)	0.250 ±0.062 (6.4 ±1.6)	0.040 ±0.002 (1.02 ±0.05)

General Note


TT Electronics reserves the right to make changes in product specification without notice or liability. All information is subject to TT Electronics' own data and is considered accurate at time of going to print.

PWRL Series

Temperature Rise Chart



Power Derating Curve



Ordering Procedure

This product has two valid part numbers:


European (Welwyn) Part Number: PWRL3-R01JI (PWRL3, 10 milliohms ±5%, Pb-free)



1	2	3	4
Type	Value	Tolerance	Packing & Termination Finish
PWRL3	R = ohms	F* = ±1%	I = Standard packing & Pb-free
PWRL5		G = ±2%	Bulk pack
PWRL7		H = ±3%	
PWRL10		J* = ±5%	
		K = ±10%	

* preferred

USA (IRC) Part Number: PWRL3R010JLF (PWRL3, 10 milliohms ±5%, Pb-free)



1	2	3	4
Type	Value	Tolerance	Packing & Termination Finish
PWRL3	R = ohms	F* = ±1%	Omit for SnPb
PWRL5		G = ±2%	LF = Pb-free
PWRL7		H = ±3%	Bulk pack
PWRL10		J* = ±5%	
		K = ±10%	

* preferred

General Note

TT Electronics reserves the right to make changes in product specification without notice or liability. All information is subject to TT Electronics' own data and is considered accurate at time of going to print.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Metal Film Resistors - Through Hole](#) category:

Click to view products by [TT Electronics](#) manufacturer:

Other Similar products are found below :

[MF2S-6K8JI](#) [GP55S-1002-FTW](#) [GP55S-1004-FTW](#) [GP55S-4753-FTW](#) [QW210](#) [RCFH-0.5-5TA](#) [RCFH-100-5TA](#) [RCFH-10-5TA](#) [RCFH-110-5TA](#) [RCFH-11K-5TA](#) [RCFH-11M-5TA](#) [RCFH-12K-5TA](#) [RCFH-130K-5TA](#) [RCFH-13-5TA](#) [RCFH-13K-5TA](#) [RCFH-13M-5TA](#) [RCFH-150K-5TA](#) [RCFH-15-5TA](#) [RCFH-160-5TA](#) [RCFH-160K-5TA](#) [RCFH-16-5TA](#) [RCFH-180K-5TA](#) [RCFH-18K-5TA](#) [RCFH-1M-5TA](#) [RCFH-200-5TA](#) [RCFH-200K-5TA](#) [RCFH-20K-5TA](#) [RCFH-220-5TA](#) [RCFH-220K-5TA](#) [RCFH-22K-5TA](#) [RCFH-2.2M-5TA](#) [RCFH-240K-5TA](#) [RCFH-24K-5TA](#) [RCFH-2-5TA](#) [RCFH-27-5TA](#) [RCFH-27K-5TA](#) [RCFH-2M-5TA](#) [RCFH-330-5TA](#) [RCFH-33-5TA](#) [RCFH-3.3M-5TA](#) [RCFH-360-5TA](#) [RCFH-360K-5TA](#) [RCFH-3.6M-5TA](#) [RCFH-39-5TA](#) [RCFH-39K-5TA](#) [RCFH-3.9M-5TA](#) [RCFH-430-5TA](#) [RCFH-47K-5TA](#) [RCFH-510K-5TA](#) [RCFH-51-5TA](#)