TUNGSRAM[™]

Innovation is our heritage EST. 1896





GU10 Start

LED Start GU10 5W(50) 840 35° TU 1/8 93094489

Product information

This new entry level range of highly competitive LED GU10 and R50 products consume only 3.5W and 5W respectively and offer a fantastic energy saving alternative to 50W and 35W Halogen GU10 lamps.


Application areas





ြ္က) Hospitality

🕞 Home



Product data

Product Code	93094489
Bulb Shape	PAR
Bulb Finish	White
Bulb maximum overall diameter [mm]	50
Nominal Length [mm]	53
Net weight per piece [g]	29
RoHS compliant	Yes
Brand	Tungsram
Cap/Base	GU10

Performance data


Nominal/ Rated Beam Angle [°]	35
Nominal center beam candlepower (CBCP) [cd]	700
Rated Lumens [lm]	365
Weighted energy consumption [kWh/1000h]	5.0
Useful lumens (at 90° cone) [lm]	365
Rated efficacy [lm/W]	73
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	15 000
Nominal correlated colour temperature (CCT) [K]]	4000
Nominal lumens [lm]	390
Colour Rendering Index (CRI) [Ra]	80

Electrical data

Nominal lamp power factor	0.5
Rated power [W]	5.0
Number of switching cycles	50 000
Dimming Capability	No
Nominal lamp voltage range [V]	220-240
Nominal power [W]	5.0

Logistic data

DUN Code	20064894509609
EAN Code	0064894509605
Pack Quantity	8
Inner pack type	Box
Product status	Available



Downloads & Links

Go to the catalog site (HTTP) Photometry (IES) Product datasheet (PDF) Lighting design tools & calculators (HTTP) Images (HTTP) Doc documents (PDF) Certificate for the Quality Management System of GE Lighting EMEA (PDF) Certificate for the Environmental Management System of GE Lighting EMEA (PDF)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for LED Backlighting category:

Click to view products by TUNGSRAM manufacturer:

Other Similar products are found below :

 HBL0218
 SSB-COB7540GW
 SSB-DL6528SRW
 3G3DV130B4294
 SSB-CEL8040UWW
 49131
 0025 INT CLASSIC GLACIER WHITE

 0025 INT NATURAL BLUE
 0100 INT CLASSIC GLACIER WHITE
 0100 INT EXTREME ORANGE
 0100 INT NATURAL BLUE
 0200

 INT EXTREME BLUE GREEN
 30531
 30586
 30588
 30590
 30637
 4052899149281
 4052899326453
 44892WFL
 JDR20W38 E14

 JDR50W38 GU10
 KB-2600ID
 KB-2855SGW
 4052899913615
 L-875/4IDT
 L-875/4SRDT
 44860WFL
 44870WFL
 MR16 60ST 20W

 MR16 60ST 50W
 64465
 64695 ECO
 64701 ECO
 64702 ECO
 64760
 30597
 SL2CD
 SKU 167
 SKU 193
 SKU 194

 SKU 203
 4052899973428
 8718696537015
 8718696728352
 8718696598375
 8718291787051