

REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD

SPECIFICATIONS

Electrical
 Current Rating: 0.5A AC(rms)/DC
 Voltage Rating: 50V AC(rms)/DC
 Contact Resistance: 20 mΩ Max
 Insulation Resistance: 500 MΩ MIN
 Withstanding Voltage: 200V AC r.m.s
 Temperature Range-Operating: -25°C~+85°C
 Material and Plating
 Housing: PA6T UL 94V-0
 Actuator: PA6T UL 94V-0
 Contact: Phosphor Bronze/ Tin Plated
 Stopper: Phosphor Bronze/ Tin Plated

Circuits	Part No.	Dimensions(In/mm)		
		A	B	C
4	FFC05020-04SBB124W5M	.240(6.10)	.059(1.50)	.101(2.57)
5	FFC05020-05SBB124W5M	.260(6.60)	.079(2.00)	.121(3.07)
6	FFC05020-06SBB124W5M	.280(7.10)	.098(2.50)	.141(3.57)
7	FFC05020-07SBB124W5M	.299(7.60)	.118(3.00)	.160(4.07)
8	FFC05020-08SBB124W5M	.319(8.10)	.138(3.50)	.180(4.57)
9	FFC05020-09SBB124W5M	.339(8.60)	.157(4.00)	.200(5.07)
10	FFC05020-10SBB124W5M	.358(9.10)	.177(4.50)	.219(5.57)
11	FFC05020-11SBB124W5M	.378(9.60)	.197(5.00)	.239(6.07)
12	FFC05020-12SBB124W5M	.398(10.10)	.217(5.50)	.259(6.57)
13	FFC05020-13SBB124W5M	.417(10.60)	.236(6.00)	.278(7.07)
14	FFC05020-14SBB124W5M	.437(11.10)	.256(6.50)	.298(7.57)
15	FFC05020-15SBB124W5M	.457(11.60)	.276(7.00)	.318(8.07)
16	FFC05020-16SBB124W5M	.476(12.10)	.295(7.50)	.337(8.57)
17	FFC05020-17SBB124W5M	.496(12.60)	.315(8.00)	.357(9.07)
18	FFC05020-18SBB124W5M	.516(13.10)	.335(8.50)	.377(9.57)
19	FFC05020-19SBB124W5M	.535(13.60)	.354(9.00)	.396(10.07)
20	FFC05020-20SBB124W5M	.555(14.10)	.374(9.50)	.416(10.57)
21	FFC05020-21SBB124W5M	.575(14.60)	.394(10.00)	.436(11.07)
22	FFC05020-22SBB124W5M	.594(15.10)	.413(10.50)	.456(11.57)

Ordering Information


FFC 050 20 - XX S B B 1 2 4 W 5 M
 1 2 3 4 5 6 7 8 9 10 11 12
 1 Category 2 Series Number 3 Distinction No. 4 Circuits 5 Assemble Layout 6 Entry Angle
 7 Contact Position 8 ZIF 9 Plating 10 Material-Resin 11 Color-Resin 12 Packaging

1	Category	2	Series Number	3	Distinction No.	4	Circuits	5	Assemble Layout	6	Entry Angle
7	Contact Position	8	ZIF	9	Plating	10	Material-Resin	11	Color-Resin	12	Packaging


1	THIRD ANGLE	DESIGN UNITS	INCH (metric)
2	SCALE	A4	1:1
3	GENERAL TOLERANCES	(UNLESS SPECIFIED)	
4	APPROVE BY	FRANK	18/JUN/13
5	CHECKED BY	JACOB	18/JUN/13
6	DRAWN BY	CHERRY	18/JUN/13
7	DATE	18/JUN/13	
8	PART NO.	FFC05020-XXSBB124W5M	ITEM NO.
9	TITLE	FPC/FCC connector 0.5mm Bottom contact SMT	REV 0
10	SHEET NO.1/2		
11	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		




1	THIRD ANGLE	DESIGN UNITS	INCH (metric)
2	SCALE	A4	1:1
3	GENERAL TOLERANCES	(UNLESS SPECIFIED)	
4	APPROVE BY	FRANK	18/JUN/13
5	CHECKED BY	JACOB	18/JUN/13
6	DRAWN BY	CHERRY	18/JUN/13
7	DATE	18/JUN/13	
8	PART NO.	FFC05020-XXSBB124W5M	ITEM NO.
9	TITLE	FPC/FCC connector 0.5mm Bottom contact SMT	REV 0
10	SHEET NO.1/2		
11	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		




1	THIRD ANGLE	DESIGN UNITS	INCH (metric)
2	SCALE	A4	1:1
3	GENERAL TOLERANCES	(UNLESS SPECIFIED)	
4	APPROVE BY	FRANK	18/JUN/13
5	CHECKED BY	JACOB	18/JUN/13
6	DRAWN BY	CHERRY	18/JUN/13
7	DATE	18/JUN/13	
8	PART NO.	FFC05020-XXSBB124W5M	ITEM NO.
9	TITLE	FPC/FCC connector 0.5mm Bottom contact SMT	REV 0
10	SHEET NO.1/2		
11	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		




1	THIRD ANGLE	DESIGN UNITS	INCH (metric)
2	SCALE	A4	1:1
3	GENERAL TOLERANCES	(UNLESS SPECIFIED)	
4	APPROVE BY	FRANK	18/JUN/13
5	CHECKED BY	JACOB	18/JUN/13
6	DRAWN BY	CHERRY	18/JUN/13
7	DATE	18/JUN/13	
8	PART NO.	FFC05020-XXSBB124W5M	ITEM NO.
9	TITLE	FPC/FCC connector 0.5mm Bottom contact SMT	REV 0
10	SHEET NO.1/2		
11	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		




1	THIRD ANGLE	DESIGN UNITS	INCH (metric)
2	SCALE	A4	1:1
3	GENERAL TOLERANCES	(UNLESS SPECIFIED)	
4	APPROVE BY	FRANK	18/JUN/13
5	CHECKED BY	JACOB	18/JUN/13
6	DRAWN BY	CHERRY	18/JUN/13
7	DATE	18/JUN/13	
8	PART NO.	FFC05020-XXSBB124W5M	ITEM NO.
9	TITLE	FPC/FCC connector 0.5mm Bottom contact SMT	REV 0
10	SHEET NO.1/2		
11	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		




1	THIRD ANGLE	DESIGN UNITS	INCH (metric)
2	SCALE	A4	1:1
3	GENERAL TOLERANCES	(UNLESS SPECIFIED)	
4	APPROVE BY	FRANK	18/JUN/13
5	CHECKED BY	JACOB	18/JUN/13
6	DRAWN BY	CHERRY	18/JUN/13
7	DATE	18/JUN/13	
8	PART NO.	FFC05020-XXSBB124W5M	ITEM NO.
9	TITLE	FPC/FCC connector 0.5mm Bottom contact SMT	REV 0
10	SHEET NO.1/2		
11	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		




1	THIRD ANGLE	DESIGN UNITS	INCH (metric)
2	SCALE	A4	1:1
3	GENERAL TOLERANCES	(UNLESS SPECIFIED)	
4	APPROVE BY	FRANK	18/JUN/13
5	CHECKED BY	JACOB	18/JUN/13
6	DRAWN BY	CHERRY	18/JUN/13
7	DATE	18/JUN/13	
8	PART NO.	FFC05020-XXSBB124W5M	ITEM NO.
9	TITLE	FPC/FCC connector 0.5mm Bottom contact SMT	REV 0
10	SHEET NO.1/2		
11	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		




1	THIRD ANGLE	DESIGN UNITS	INCH (metric)
2	SCALE	A4	1:1
3	GENERAL TOLERANCES	(UNLESS SPECIFIED)	
4	APPROVE BY	FRANK	18/JUN/13
5	CHECKED BY	JACOB	18/JUN/13
6	DRAWN BY	CHERRY	18/JUN/13
7	DATE	18/JUN/13	
8	PART NO.	FFC05020-XXSBB124W5M	ITEM NO.
9	TITLE	FPC/FCC connector 0.5mm Bottom contact SMT	REV 0
10	SHEET NO.1/2		
11	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		




1	THIRD ANGLE	DESIGN UNITS	INCH (metric)
2	SCALE	A4	1:1
3	GENERAL TOLERANCES	(UNLESS SPECIFIED)	
4	APPROVE BY	FRANK	18/JUN/13
5	CHECKED BY	JACOB	18/JUN/13
6	DRAWN BY	CHERRY	18/JUN/13
7	DATE	18/JUN/13	
8	PART NO.	FFC05020-XXSBB124W5M	ITEM NO.
9	TITLE	FPC/FCC connector 0.5mm Bottom contact SMT	REV 0
10	SHEET NO.1/2		
11	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		




1	THIRD ANGLE	DESIGN UNITS	INCH (metric)
2	SCALE	A4	1:1
3	GENERAL TOLERANCES	(UNLESS SPECIFIED)	
4	APPROVE BY	FRANK	18/JUN/13
5	CHECKED BY	JACOB	18/JUN/13
6	DRAWN BY	CHERRY	18/JUN/13
7	DATE	18/JUN/13	
8	PART NO.	FFC05020-XXSBB124W5M	ITEM NO.
9	TITLE	FPC/FCC connector 0.5mm Bottom contact SMT	REV 0
10	SHEET NO.1/2		
11	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		




1	THIRD ANGLE	DESIGN UNITS	INCH (metric)
2	SCALE	A4	1:1
3	GENERAL TOLERANCES	(UNLESS SPECIFIED)	
4	APPROVE BY	FRANK	18/JUN/13
5	CHECKED BY	JACOB	18/JUN/13
6	DRAWN BY	CHERRY	18/JUN/13
7	DATE	18/JUN/13	
8	PART NO.	FFC05020-XXSBB124W5M	ITEM NO.
9	TITLE	FPC/FCC connector 0.5mm Bottom contact SMT	REV 0
10	SHEET NO.1/2		
11	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		




1	THIRD ANGLE	DESIGN UNITS	INCH (metric)
2	SCALE	A4	1:1
3	GENERAL TOLERANCES	(UNLESS SPECIFIED)	
4	APPROVE BY	FRANK	18/JUN/13
5	CHECKED BY	JACOB	18/JUN/13
6	DRAWN BY	CHERRY	18/JUN/13
7	DATE	18/JUN/13	
8	PART NO.	FFC05020-XXSBB124W5M	ITEM NO.
9	TITLE	FPC/FCC connector 0.5mm Bottom contact SMT	REV 0
10	SHEET NO.1/2		
11	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		




1	THIRD ANGLE	DESIGN UNITS	INCH (metric)
2	SCALE	A4	1:1
3	GENERAL TOLERANCES	(UNLESS SPECIFIED)	
4	APPROVE BY	FRANK	18/JUN/13
5	CHECKED BY	JACOB	18/JUN/13
6	DRAWN BY	CHERRY	18/JUN/13
7	DATE	18/JUN/13	
8	PART NO.	FFC05020-XXSBB124W5M	ITEM NO.
9	TITLE	FPC/FCC connector 0.5mm Bottom contact SMT	REV 0
10	SHEET NO.1/2		
11	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		




1	THIRD ANGLE	DESIGN UNITS	INCH (metric)
2	SCALE	A4	1:1
3	GENERAL TOLERANCES	(UNLESS SPECIFIED)	
4	APPROVE BY	FRANK	18/JUN/13
5	CHECKED BY	JACOB	18/JUN/13
6	DRAWN BY	CHERRY	18/JUN/13
7	DATE	18/JUN/13	
8	PART NO.	FFC05020-XXSBB124W5M	ITEM NO.
9	TITLE	FPC/FCC connector 0.5mm Bottom contact SMT	REV 0
10	SHEET NO.1/2		
11	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		




1	THIRD ANGLE	DESIGN UNITS	INCH (metric)
2	SCALE	A4	1:1
3	GENERAL TOLERANCES	(UNLESS SPECIFIED)	
4	APPROVE BY	FRANK	18/JUN/13
5	CHECKED BY	JACOB	18/JUN/13
6	DRAWN BY	CHERRY	18/JUN/13
7	DATE	18/JUN/13	
8	PART NO.	FFC05020-XXSBB124W5M	ITEM NO.
9	TITLE	FPC/FCC connector 0.5mm Bottom contact SMT	REV 0
10	SHEET NO.1/2		
11	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		



1	THIRD ANGLE	DESIGN UNITS	INCH (metric)
2	SCALE	A4	1:1
3	GENERAL TOLERANCES	(UNLESS SPECIFIED)	
4	APPROVE BY	FRANK	18/JUN/13
5	CHECKED BY	JACOB	18/JUN/13
6	DRAWN BY	CHERRY	18/JUN/13
7	DATE	18/JUN/13	
8	PART NO.	FFC05020-XXSBB124W5M	ITEM NO.
9	TITLE	FPC/FCC connector 0.5mm Bottom contact SMT	REV 0
10	SHEET NO.1/2		
11	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		



1	THIRD ANGLE	DESIGN UNITS	INCH (metric)
2	SCALE	A4	1:1
3	GENERAL TOLERANCES	(UNLESS SPECIFIED)	
4	APPROVE BY	FRANK	18/JUN/13
5	CHECKED BY	JACOB	18/JUN/13
6	DRAWN BY	CHERRY	18/JUN/13
7	DATE	18/JUN/13	
8	PART NO.	FFC05020-XXSBB124W5M	ITEM NO.
9	TITLE	FPC/FCC connector 0.5mm Bottom contact SMT	REV 0
10	SHEET NO.1/2		
11	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		





1	THIRD ANGLE	DESIGN UNITS	INCH (metric)
2	SCALE	A4	1:1
3	GENERAL TOLERANCES	(UNLESS SPECIFIED)	
4	APPROVE BY	FRANK	18/JUN/13
5	CHECKED BY	JACOB	18/JUN/13
6	DRAWN BY	CHERRY	18/JUN/13
7	DATE	18/JUN/13	
8	PART NO.	FFC05020-XXSBB124W5M	ITEM NO.
9	TITLE		

REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD




Note:

- 10 sprocket hole cumulative tolerance±0.2
- Carrier comb is within 1.0mm in 250mm
- Material: White Conductive polystyrene Alloy 100% recyclable
- All dimensions meet EIA-481-3 requirements
- Peel off force of cover tape&carrier tape: 20g~130g(0.2N~1.3N)
- Component load per 13" reel: 4,000 pcs

Circuits	Dimensions(in/mm)	
(n)	A	B
4~8	.630(16.0)	.295(7.50)
9~24	.945(24.0)	.453(11.50)
25~36	1.260(32.0)	.561(14.25)
37~55	1.732(44.0)	.797(20.25)
50~55	1.732(44.0)	.797(20.25)
56~60	2.205(56.0)	1.033(26.25)



THIRD ANGLE		DESIGN UNITS		SCALE	
	(UNLESS SPECIFIED)	X.±.012(0.30)	X.±.008(0.20)	5:1	A4
APPROVE BY	FRANK	DATE	18/JUN/13	DRAWN BY	CHEERY
PART NO.	FFC05020-XXSBB124WSM	DATE	18/JUN/13	DATE	18/JUN/13
ITEM NO.	FFC05020	FILE	FPC/FPC connector 0.5mm	Bottom contact SMT	REV 0
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(S)ZCO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					









A B C D E F

1 2 3 4 5 6 7 8

REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD

SPECIFICATIONS

Electrical
 Current Rating: 0.5A AC(rms)/DC
 Voltage Rating: 50V AC(rms)/DC
 Contact Resistance: 20 mΩ Max
 Insulation Resistance: 500 MΩ MIN
 Withstanding Voltage: 200V AC r.m.s
 Temperature Range—Operating: -25°C~+85°C
 Material and Plating
 Housing: LCP UL 94V-0
 Actuator: LCP UL 94V-0
 Contact: Phosphor Bronze/ Tin Plated
 Stopper: Phosphor Bronze/ Tin Plated



Ordering Information

FFC 050 20 - XX S B 7 8 9 10 11 12 M - C




1	Category	2	Series Number	3	Distinction No.	4	Circuits	5	Assemble Layout	6	Entry Angle	7	Contact Position
1	FFC-FPC	2	050-Pitch:0.50mm	3	20	4	XX	5	S-SMT	6	B-90° Angle	7	B-Bottom
8	ZIF	9	2-Tin Plated	10	3-LCP	11	Color-Resin	12	M-Reel	13	C-Type C		
	1-ZIF						WS-Housing: Natural, Actuator: Black						

GENERAL TOLERANCES (UNLESS SPECIFIED)	APPROVE BY	DATE	PART NO.	ITEM NO.
FRANK	18/JUN/13	FFC05020-XXSBR123WSM-C	FFC05020	
CHECKED BY	DATE	TITLE		
JACOB	18/JUN/13	FPC/FPC connector 0.5mm Bottom contact SMT		
DRAWN BY	DATE			
CHERRY	18/JUN/13	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
SCALE	A4			
DESIGN UNITS	Inch (metric)			
X.X±.008(0.20)	X.X±.1			
X.XX±.006(0.15)	X.XX±.1			
X.XXX±.004(0.10)	X.XXX±.05			
THIRD ANGLE				
PROJECTION				
X±.012(0.30)	X.±.5			



REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD

Circuits (n)	Part No.	Dimensions(in/mm)		
		A	B	C
6	FFC05020-06SBB123W5M-C	.280(7.10)	.098(2.50)	.172(3.60)
8	FFC05020-08SBB123W5M-C	.319(8.10)	.138(3.50)	.181(4.60)
9	FFC05020-09SBB123W5M-C	.339(8.60)	.157(4.00)	.201(5.10)
10	FFC05020-10SBB123W5M-C	.358(9.10)	.177(4.50)	.220(5.60)
12	FFC05020-12SBB123W5M-C	.398(10.10)	.217(5.50)	.260(6.60)
20	FFC05020-20SBB123W5M-C	.555(14.10)	.374(9.50)	.417(10.60)
24	FFC05020-24SBB123W5M-C	.634(16.10)	.453(11.50)	.493(12.60)
26	FFC05020-26SBB123W5M-C	.673(17.10)	.492(12.50)	.535(13.60)
30	FFC05020-30SBB123W5M-C	.752(19.10)	.571(14.50)	.614(15.60)
34	FFC05020-34SBB123W5M-C	.830(21.10)	.650(16.50)	.693(17.60)
35	FFC05020-35SBB123W5M-C	.850(21.60)	.669(17.00)	.713(18.10)
36	FFC05020-36SBB123W5M-C	.870(22.10)	.689(17.50)	.732(18.60)
40	FFC05020-40SBB123W5M-C	.949(24.10)	.768(19.50)	.811(20.60)
50	FFC05020-50SBB123W5M-C	1.146(29.10)	.965(24.50)	1.008(25.60)
54	FFC05020-54SBB123W5M-C	1.224(31.10)	1.043(26.50)	1.087(27.60)
60	FFC05020-60SBB123W5M-C	1.343(34.10)	1.161(29.50)	1.205(30.60)

 THIRD ANGLE PROJECTION		DESIGN UNITS Inch (metric)	SCALE 5:1 A4	GENERAL TOLERANCES (UNLESS SPECIFIED)	DATE 18/JUN/13	APPROVE BY FRANK	DATE 18/JUN/13	PART NO. FFC05020-XXSBB123W5M-C	ITEM NO.
 THIRD ANGLE PROJECTION		DESIGN UNITS Inch (metric)	SCALE 5:1 A4	GENERAL TOLERANCES (UNLESS SPECIFIED)	DATE 18/JUN/13	CHECKED BY JACOB	DATE 18/JUN/13	TITLE FFC/FC connector 0.5mm Bottom contact SMT	REV 0
 THIRD ANGLE PROJECTION		DESIGN UNITS Inch (metric)	SCALE 5:1 A4	GENERAL TOLERANCES (UNLESS SPECIFIED)	DATE 18/JUN/13	DRAWN BY CHERRY	DATE 18/JUN/13	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(SZ)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	

1 2 3 4 5 6 7 8

A B C D E F

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [FFC & FPC Connectors](#) category:

Click to view products by [TXGA](#) manufacturer:

Other Similar products are found below :

[HFW11R-1STE1H1LF](#) [FH29B-100S-0.2SHW\(99\)](#) [FA5S008HP1](#) [FH29B-120S-0.2SHW\(99\)](#) [FH29B-80S-0.2SHW\(99\)](#) [FHS-16](#) [FPH-2022G](#)
[52610-1075](#) [52610-1275](#) [52610-1934](#) [XF3M\(1\)-1415-1B-R100](#) [501864-3091-TR225](#) [0525594033](#) [086210010340800](#) [086222026001800](#)
[52271-2869-CUT-TAPE](#) [62674-201121DLF](#) [62684-36210E9ALF](#) [52610-1675](#) [52746-1671-TR250](#) [10051922-2810EHLF](#) [6-520415-9](#)
[BD021-09A-A1-0350-0200-0550-LD](#) [SFV6R-1STE9HLF](#) [XF3M-2915-1B-R100](#) [1658549-1](#) [62674-221121ALF](#) [46214008010800](#)
[046298003000883](#) [151660622](#) [842-816-2630-035](#) [AYF530665TA](#) [AYF351525](#) [046296011930846+](#) [AYF352325A](#) [046254020000800+](#)
[FH19C-13S-0.5SH\(99\)](#) [FH39J-51S-0.3SHW\(99\)](#) [AYF355125A](#) [AYF530365TA](#) [FH29B-44S-0.2SHW\(99\)](#) [SFW5R-2STAE9LF](#) [AYF351125A](#)
[AYF350725A](#) [62684-502100AHLF](#) [FH39-61S-0.3SHW\(99\)](#) [AYF414035A](#) [10064555-172520HLF](#) [AYF212335A](#) [504754-2500](#)