




REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD
1	△	Add dimensions	19/DEC/19	KATE	CHERRY

Electrical

Current Rating: 2.5A AC(rms)/DC  
Voltage Rating: 250V AC(rms)/DC  
Contact Resistance: 20 mΩ Max  
Insulation Resistance: 1000 MΩ MIN  
Withstanding Voltage: 1000V AC r.m.s  
Temperature Range—Operating: -25°C~+85°C

Material and Plating

Housing: PA66 (UL 94V-2)  
Contact Pin: Brass  
Plating: Tin Plated/ Gold flash



Type-A

Circuits (n)	Part No.	Dimensions(in/mm)	
		A	B
2	FWF25403-S02BX2W1B-A	.100(2.54)	.200(5.08)
3	FWF25403-S03BX2W1B-A	.200(5.08)	.300(7.62)
4	FWF25403-S04BX2W1B-A	.300(7.62)	.400(10.16)
5	FWF25403-S05BX2W1B-A	.400(10.16)	.500(12.70)
6	FWF25403-S06BX2W1B-A	.500(12.70)	.600(15.24)
7	FWF25403-S07BX2W1B-A	.600(15.24)	.700(17.78)
8	FWF25403-S08BX2W1B-A	.700(17.78)	.800(20.32)

Ordering Information

FWF 254 03 — S XX B X 2 W1 B - A  
1 2 3 4 5 6 7 8 9 10 11

1   Category FWF—Wafer	2   Series Number 254—Pitch2.54mm	3   Distinction No. 03	4   Row Option S—Single Row	5   Circuits XX	6   Entry Angle B—90° Angle
7   Plating 2—Tin plated 1—Gold flash	8   Material—Resin 2—PA66	9   Color—Resin W1—White	10   Packaging B—PE Bag	11   Type A—Type A	

 THIRD ANGLE PROJECTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		APPROVE BY FRANK	DATE 8/JUL/13	PART NO. FWF25403-SXXBX2W1B-A	ITEM NO. FWF25403-A	 Leader Of Industry	
	DESIGN UNITS Inch (metric)	X.±.012(0.30)	X.±5'	CHECKED BY JACOB	DATE 8/JUL/13	TITLE Wire to Board (Wafer) Pitch 2.54mm 90° Angl (DIP)		REV 1
SCALE 5:1	SIZE A4	X.XX±.006(0.15)	.XX±1'	DRAWN BY CHERRY	DATE 8/JUL/13	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(S.Z)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Headers & Wire Housings](#) category:*

*Click to view products by [TXGA](#) manufacturer:*

Other Similar products are found below :

[0015917161](#) [0022155065](#) [57102-F02-18ULF](#) [58102-G61-06LF](#) [582553-1](#) [01.001.5753.1](#) [0050291907](#) [02.125.8002.8](#) [609-3404](#) [61062-3](#)  
[CSU011177004](#) [622-0430](#) [622-3653LF](#) [63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [65495-038](#) [65692-001LF](#) [65781-018](#)  
[65781-047](#) [65817-010LF](#) [65817-015LF](#) [67095-007LF](#) [67601157](#) [68631-112](#) [68645-018](#) [699319-000](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#) [70-](#)  
[4853B](#) [71.350.2428.0](#) [733-134](#) [733-162](#) [760-3052](#) [MHR-64-VUAL](#) [80.063.4001.1](#) [800-90-001-10-001000](#) [801-43-002-10-013000](#)  
[801-43-006-10-002000](#) [803-43-024-10-001000](#) [803-93-012-10-001000](#) [8-1437020-4](#) [819-22-004-30-001101](#) [820-22-006-30-001101](#)  
[820-22-008-30-001101](#) [821-22-002-10-001101](#)