



文件編號：20191219

Part No	WLR 压敏电阻器系列	Rev: 1/A (Dec 18 <sup>th</sup> , 2019)
<b>1. APPEARANCE 外观</b>		
1-1 图示 (例)	1-2 Marking 标志 (例)	

Part No	WLR 压敏电阻器系列	Rev: 1/A (Dec 18 <sup>th</sup> , 2019)
<b>3 Dimensions (mm) 尺寸</b>		
<b>3-1: 外形尺寸参数表</b>		

Part No	WLR 压敏电阻器系列				Rev: 1/A (Dec 18 <sup>th</sup> , 2019)		
<b>3-1:外形尺寸参数表</b>							
型号	F	D	T	H <sub>max</sub>	L (10 <sup>-4</sup> )	l	包封脚 P <sub>max</sub>

Part No	WLR 压敏电阻器系列				Rev: 1/A (Dec 18 <sup>th</sup> , 2019)		
<b>3-1:外形尺寸参数表</b>							
型号	F	D	T	H <sub>max</sub>	L (10 <sup>-4</sup> / μ)	l	包封脚 P <sub>max</sub>

Part No	WLR 压敏电阻器系列	Rev: 1/A (Dec 18 <sup>th</sup> , 2019)
3-2. 编带尺寸		
3-2-1. 5D/7D 轴弯编带尺寸		

Part No	WLR 压敏电阻器系列	Rev: 1/A (Dec 18 <sup>th</sup> , 2019)	
3-2-5. 10D/14D 轴弯编带尺寸			
	组件直径 (D)	≦ 12.5 (10D)	≦ 16.5 (14D)

Part No	WLR 压敏电阻器系列	Rev: 1/A (Dec 18 <sup>th</sup> , 2019)
<b>3-3. Rating 额定参数</b> 3-1. Operating Temperature 工作温度范围:环氧树脂包封-40~85℃/硅树脂包封型-40~125℃; 3-2. ... 贮存温度范围: -40~125℃ ... 保质期: 3个月(非密封型)		



Part No	WLR 压敏电阻器系列	Rev: 1/A (Dec 18 <sup>th</sup> , 2019)
---------	-------------	--


Part No	WLR 压敏电阻器系列	Rev: 1/A (Dec 18 <sup>th</sup> , 2019)
附表 2: 电气性能参数表		

Part No	WLR 压敏电阻器系列					Rev: 1/A (Dec 18 <sup>th</sup> , 2019)		
<b>附表 2: 电气性能参数表</b>								
	最大容许回	能量/耐量	最大峰值电流	最大额	压敏电压	最大限制	电容量	

Part No	WLR 压敏电阻器系列	Rev: 1/A (Dec 18 <sup>th</sup> , 2019)
5. Mechanical Characteristics 机械性能		

Part No	WLR 压敏电阻器系列	Rev: 1/A (Dec 18 <sup>th</sup> , 2019)
7.Characteristic Diagram 特性曲线图		

Part No	WLR 压敏电阻器系列	Rev: 1/A (Dec 18 <sup>th</sup> , 2019)
---------	-------------	--







Part No	WLR 压敏电阻器系列	Rev: 1/A (Dec 18 <sup>th</sup> , 2019)
 <p>14D820K to 14D471K 电压-电流特性曲线</p>		



Part No	WLR 压敏电阻器系列	Rev: 1/A (Dec 18 <sup>th</sup> , 2019)
<b>20D820K to 20D471K 电压-电流特性曲线</b>		



Part No	WLR 压敏电阻器系列	Rev: 1/A (Dec 18 <sup>th</sup> , 2019)
7-2 Impulse Lifetime Ratings 脉冲寿命		

Part No	WLR 压敏电阻器系列	Rev: 1/A (Dec 18 <sup>th</sup> , 2019)
 A graph showing the characteristics of the 10D820K-10D471K varistor. The y-axis is labeled '10000' and the x-axis is labeled '10D820K-10D471K'. The graph contains a grid and a curve.		 A graph showing the characteristics of the 10D511K-10D112K varistor. The y-axis is labeled '10000' and the x-axis is labeled '10D511K-10D112K'. The graph contains a grid and a curve.

Part No	WLR 压敏电阻器系列	Rev: 1/A (Dec 18 <sup>th</sup> , 2019)
 A graph showing the characteristics of WLR varistors for part numbers 14D820K-14D471K. The y-axis is labeled '10000' and the x-axis is labeled '14D820K-14D471K'. The graph contains a grid and a curve.		 A graph showing the characteristics of WLR varistors for part numbers 14D511K-14D182K. The y-axis is labeled '10000' and the x-axis is labeled '14D511K-14D182K'. The graph contains a grid and a curve.

Part No	WLR 压敏电阻器系列	Rev: 1/A (Dec 18 <sup>th</sup> , 2019)
 A graph showing the characteristics of the 20D820K-20D182K series. The y-axis is labeled '10000' and the x-axis is labeled '20D820K-20D182K'. The graph contains a grid and a curve.		 A graph showing the characteristics of the 20D820KJ-20D182KJ series. The y-axis is labeled '10000' and the x-axis is labeled '20D820KJ-20D182KJ'. The graph contains a grid and a curve.

Part No	WLR 压敏电阻器系列				Rev: 1/A (Dec 18 <sup>th</sup> , 2019)
<b>8. Packing 包装</b>					
<b>8-1. 包装数量 (pcs/mm)</b>					
型号	类别	型号单位	包装数量	包装数量	包装数量

Part No	WLR 压敏电阻器系列	Rev: 1/A (Dec 18 <sup>th</sup> , 2019)
8-2-3 高温型散装式样 (例)		
散 装 品		
PE袋	Box内箱	Car ton外箱

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Varistors](#) category:*

*Click to view products by [Tyohm](#) manufacturer:*

Other Similar products are found below :

[820443211E](#) [MLV0402E30703T](#) [MLV0603E30403T](#) [B72205S271K111](#) [B72207S350K311](#) [B72207S381K101](#) [B72260B102K1](#)  
[B72260B251K1](#) [B72280B0381K001](#) [B72280B0461K001](#) [B72280B271K1](#) [B72650M0151K093](#) [B72660M0271K093](#) [S10K11G5S5](#) [ERZ-](#)  
[C07DK221U](#) [TND10V-471KB00AAA0](#) [B72205S301K211](#) [B72207S141K111](#) [B72210S271K111](#) [B72214S350K551](#) [B72220P3351K101](#)  
[B72280B0231K001](#) [B72280B112K1](#) [B72280B381K1](#) [B72590D360A60](#) [B72650M0400K072](#) [B72650M0500K072](#) [B72660M0200K072](#)  
[B72660M1300K072](#) [B72670M1140K72](#) [MLV0603E30703T](#) [MLV0603E32503T](#) [TVZ18EC271KBS](#) [TVZ20EB911KBS](#) [TVZ25D201KBS](#)  
[TVZ25D241KBS](#) [419-2080-101](#) [ERZ-V20R201](#) [MLV0805E31103T](#) [MLV0805E30703T](#) [ERZ-V20R221](#) [B72205S350K211](#)  
[B72210P2511K101](#) [B72214S271K501](#) [B72220P3551K101](#) [B72240B681K1](#) [B72650M350K72](#) [TVZ20ECN511KBS](#) [TVZ20EC911KBS](#)  
[TVZ20EBN911KBS](#)