

CAxxxx Cables

Technical Datasheet





CA0001



For LWC-L Battery (UBBL01)	
Battery Connector	LEMO FGG 0B 305 CLA
Cable Length	CA0001: 61 cm. (24 in.) nominal CA0001-01: 100 cm. (39.36 in.) nominal CA0001-02: 200 cm. (78.74 in.) nominal
Cable Type	2 Conductor; 22 AWG; red positive, black negative
Insulation	Foil shielded black PVC

CA0002








Pin 1	
Pin 2	
Pin 4	
Pin 5	




For UBI-2590 Battery (UBBL02) and UBBL09	
Cable Length	CA0002: 61 cm. (24 in.) nominal CA0002-01: 100 cm. (39.36 in.) nominal CA0002-02: 200 cm. (78.74 in.) nominal
Cable Type	4 Conductor; 18 AWG
Pin/Wire Color Key	Pin 1 Black, Pin 2 White, Pin 4 Red, Pin 5 Green
Insulation	Black type SJOOW rubber

CA0005



Pin 1	
Pin 2	
Pin 3	
Pin 4	
Pin 5	

For UBBL03 Battery (Type LI-7)	
Battery Connector	JBXFD1G05MCSDSMR
Cable Length	CA0005: 61 cm. (24 in.) nominal CA0005-01: 100 cm. (39.36 in.) nominal CA0005-02: 200 cm. (78.74 in.) nominal
Cable Type	5 Conductor, 20 AWG
Pin/Wire Color Key	Pin 1 Red, Pin 2 Green, Pin 3 White, Pin 4 Black, Pin 5 Blue
Insulation	Foil shielded black PVC



CA0006: 24V



For UBI-2590 Battery (UBBL02), BA-5390 Battery (UB0001) and UBBL09 Battery

Cable Length	CA0006: 61 cm. (24 in.) nominal CA0006-01: 100 cm. (39.36 in.) nominal CA0006-02: 200 cm. (78.74 in.) nominal
Cable Type	24V, 2 Conductor; 18 AWG
Pin/Wire Color Key	Pin 4 White/positive, Pin 2 Black/negative
Insulation	Black type SJ rubber

CA0007: 12V



For UBI-2590 Battery (UBBL02), BA-5390 Battery (UB0001) and UBBL09 Battery

Cable Length	CA0007: 61 cm. (24 in.) nominal CA0007-01: 100 cm. (39.36 in.) nominal CA0007-02: 200 cm. (78.74 in.) nominal
Cable Type	4 Conductor; 18 AWG
Pin/Wire Color Key	Pins 4 & 5 White/Positive, Pins 1 & 2 Black/Negative
Insulation	Black type SJOOW rubber

CA0008:12/24V



For UBI-2590 Battery (UBBL02), BA-5390 Battery (UB0001) and UBBL09 Battery

Cable Length	CA0008: 61 cm. (24 in.) nominal CA0008-01: 100 cm. (39.36 in.) nominal CA0008-02: 200 cm. (78.74 in.) nominal
Cable Type	12/24V, 4 Conductor; 18 AWG
Pin/Wire Color Key	Pin 1 Black, Pin 2 White, Pin 4 Red, Pin 5 Gray

Pin 1	
Pin 2	
Pin 4	
Pin 5	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [DC Power Cords](#) category:

Click to view products by [Ultralife](#) manufacturer:

Other Similar products are found below :

[2R6006A20A120](#) [172-4000](#) [172-4101](#) [172-7443-E](#) [21033836407](#) [2J-1865A](#) [426055400-3](#) [MN47A4BC01M010](#) [H-OU-2](#) [CA0002](#)
[420680840-3](#) [426451500-3](#) [P162PT4-36](#) [1-832692-4](#) [FJ-VSP 3M](#) [96CB-POWER-B-1.8M2](#) [426040200](#) [CA0006](#) [H-OU-27](#) [1700019464](#) [FJ-](#)
[VSP 10M](#) [MN47B4BC01M040](#) [H-OU-20](#) [2-836917-8](#) [867566-1](#) [804001P03M050G](#) [2050KH1-BK](#) [58257-1069](#) [2058KZ3-BK](#) [216603-0037](#)
[1011147](#) [1011324](#) [1012028](#) [BXC-10567](#) [172-2555](#) [32102-022800-200-RS](#) [P29000-M2](#) [P29004-M2](#) [AK-SC-31](#) [AK-SC-32](#)
[DC.EXT.0200.0050](#) [DC.EXT.0200.0100](#) [DC.CAB.0201.0150](#) [DC.CAB.0301.0150](#) [DC.CAB.0610.0150](#) [DC.CAB.0700.0150](#)
[DC.CAB.1000.0150](#) [DC.CAB.1000.0300](#) [DC.CAB.1100.0150](#) [DC.CAB.1400.0150](#)